



CRITERIA 7

Institutional Values and Best Practices

Key Indicator

Quality audits on environment and energy regularly undertaken by the Institution. The institutional environment and energy initiatives are confirmed through the following

- 1. Green audit / Environment audit**
- 2. Energy audit**
- 3. Clean and green campus initiatives**
- 4. Beyond the campus environmental promotion activities**


DVV

METRIC NO: 7.1.3

[CLICK HERE FOR DOCUMENTS](#)

FINDING OF DVV

<u>1</u>	HEI needs to provide the Policy document on environment and energy usage Green Audit / Environment Audit / Energy Audit reports by involving the one external expert of the accredited Institution / Government / Govt. recognised organization.
<u>2</u>	Certificate from the auditing agency.
<u>3</u>	Certificates of the awards received from the recognized agency.
<u>4</u>	Report on environmental promotional activities conducted beyond the campus with geo tagged photographs with caption and date.
<u>5</u>	Action taken reports and achievement report as clear and Green campus initiatives.




Dr D Y Patil Prathisthan's
**PADMASHREE DR. D Y PATIL COLLEGE OF
ARCHITECTURE**

Sector No. 29, B/h. Akurdi Railway Station, Nigdi Pradhikaran, Akurdi, Pune - 411044

Policy Document on Environment and Energy Usage




Dr. D Y Patil Prathisthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune

In all of its undertakings, the College is dedicated to sustainable development. It intends to streamline socially acceptable methods of energy usage and conservation under its purview.

Policy statement :

The College's Environment and Energy Usage Policy's primary goal is to manage energy in such a way as to reduce its negative environmental effects. This institution's varied activities and all of its stakeholders must adhere to this environment and energy policy, which is mandatory on all of the institution's parts.

To encourage eco-friendly and sustainable practices, both on and off the campus, the college envisions a clean and green campus. In its everyday operations, it concentrates on streamlining ethical waste management procedures as well as water management and conservation activities. In an effort to address the energy issue, it looks into alternative natural resources as well as renewable energy sources. By incorporating efficiency and environmental consciousness into our daily actions, this will allow us to understand our responsibilities and dedication to the protection of natural resources and to their mindful usage. The environment and energy policy will assist us in integrating environmental awareness and efficiency into our daily actions, assisting us in realizing our responsibilities and dedication to the protection of natural resources.

Objectives:

- To raise awareness of environmental issues.
- To be aware of one's need to practice energy saving.
- To put in place appropriate waste management practices.
- To cut back on trash generation across all activities and programmes on campus.
- In order to set up practices for water management and conservation.
- To promote environmentally friendly behaviors on campus and outside.
- To maintain campus sanitization and cleanliness.
- To Create a Clean, Healthy Atmosphere.
- To generate fertilizer from organic waste.



Dr. D Y Patil Pratishthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune

Plan of Implementation/ Practices

The areas listed below should be taken into account while streamlining practices for energy and environmental conservation:

- A. Energy conservation and management
- B. Waste management -Solid, Liquid & E-Waste Management,
- C. Water Conservation and Management.
- D. Clean & Green Campus.
- E. Paperless operating procedures.
- F. Ban on plastics use on the Campus.
- G. Environment awareness activities

A. Energy conservation and management

1. To generate energy through On-grid solar PV System
2. To utilize and install LED lighting on the college campus in order to conserve electricity.
3. To allocate funds to appliances that are energy-efficient.
4. Save energy labels and posters have been placed around the college to raise awareness of the importance of minor acts.
5. It is recommended to use natural lighting and ventilation wherever available.

B. Waste management -Solid, Liquid & E-Waste Management,

1. Waste source separation in all directions around the campus.
2. Exercise the 4 R's. Wherever possible, practice Reduce, Reuse, Recycle, and Refuse.
3. Cut back on campus garbage output.
4. A sanitary napkin vending disposal device and incinerator are installed and in operation.
5. Follow environmentally friendly procedures in all of your regular operations.
6. Prefer using eco-friendly material for your bags.
7. Eco-friendly products and materials are preferred for packaging, décor, gifts, mementos, and congratulating guests at various programmes.



Dr. D Y Patil Pratishthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune

C. Water Conservation and Management.

1. To manage and conserve water by using a rainwater recharge pit.
2. Leaks in taps and pipelines are routinely patched and repaired.
3. Installation of aerator in faucet for saving water.
4. Establishing native plants and plants that use less water on the college campus.
5. The College has Save Water labels and posters up in numerous locations to raise awareness of the importance of simple acts.
6. Organizing water conservation initiatives to raise awareness among the campus's teachers and students through poster competition, skits etc.
7. Employing water-saving faucets and nozzles in place of sanitary fittings.

D. Clean & Green Campus.

1. The native trees and plants provide the area a respectable amount of green cover. The college wants to create a more respectable environment.
2. To organize an initiative for tree plantation.
3. To start a club for nature conservation
4. To utilize environmentally friendly vehicles, such as bicycles, public transit, carpooling and pedestrian-friendly roadways, in order to lower local air pollution emissions.
5. To preserve sanitization and cleanliness over the Campus.

E. Paperless operating procedures.

1. E-office procedures ERP can help you transition to a paperless workplace by promoting communication through email and other online channels.
2. Document digital storage using Google Account storage.
3. To create Google Classrooms and Whatsapp groups for each subject to facilitate communication and the exchange of course materials.
4. To have college-related social media accounts, such as an Instagram or YouTube channel.
5. to have a college website that is fully functional.



F. Ban on plastics Use on the Campus

1. To ban the use of single-use plastics on campus in an effort to create a plastic-free Campus.
2. To run campaigns to raise awareness of the dangers of single-use plastic.
3. Use the 4 R's. wherever possible, practice Reduce, Reuse, Recycle, and Refuse.
4. Use environmentally friendly procedures such as tree plantation, use of jute bags etc. in all of your regular tasks.
5. Choose to choose eco-friendly material for your bags.
6. Choosing eco-friendly products and materials over conventional ones for packaging, decorations, gifts, and ceremonies honoring guests.
7. Engaging in environmental activism and awareness-raising projects.

The College through its academic subject, Environmental Education is devoted to the cause of environmental awareness, to undertake green initiatives, and to conduct green literacy programmes to save energy and to protect the environment.

As part of their projects and assignments, students participate in a variety of awareness-raising events and programs at their Classrooms.

To provide chances for both faculties and students to participate in activities that promote environmental conservation.

Conclusion:

The aforementioned techniques and methods of execution are flexible depending on the situation and demands of the moment. All students, faculty, and college personnel shall be informed of this policy. To make the college campus green, clean, and eco-friendly, all stakeholders must adhere


Ar. Dhananjay Chaudhari

PRINCIPAL


Dr. D Y Patil Prashthan's
Padmasree Dr. D Y Patil College of Architecture,
Akurdi Pune

FINDING OF DVV

1	HEI needs to provide the Policy document on environment and energy usage Green Audit / Environment Audit / Energy Audit reports by involving the one external expert of the accredited Institution / Government / Govt. recognized organization.
----------	---

Metric No. 7.1.3	Quality Audits and environment and energy regularly undertaken by the institution. The Institutional environment and energy initiative are confirmed through the following <ol style="list-style-type: none"> 1. Policy Document 2. Green Audit / Environment Audit/ Energy Audit
-----------------------------	--

Sr. No	Contents (Documents)		
1.	Policy Document		
2.	Supporting Documents	Date	Year
1	Green Audit Reports	23/11/22	(2021-22)
2	Energy Audit Reports	23/11/22	(2021-22)
3	Environment Audit Report	23/11/22	(2021-22)
1	Green Audit Reports	15/10/21	(2020-21)
2	Energy Audit Reports	15/10/21	(2020-21)
3	Environment Audit Report	15/10/21	(2020-21)
1	Green Audit Reports	28/09/20	(2019-20)
2	Energy Audit Reports	28/09/20	(2019-20)
3	Environment Audit Report	28/09/20	(2019-20)
1	Green Audit Reports	22/06/2019	(2018-19)
2	Energy Audit Reports	22/06/2019	(2018-19)
1	Green Audit Reports	15/06/2018	(2017-18)
2	Energy Audit Reports	15/06/2018	(2017-18)

Criterion 7 Institutional Values and Best Practices

Key Indicator 7.1.3

Metric No.	Quality Audits and environment and energy regularly undertaken by the institution
7.1.3	<p>The Institutional environment and energy initiative are confirmed through the following</p> <ol style="list-style-type: none"> 1. Green Audit / Environment Audit 2. Energy Audit 3. Clean and Green Campus Initiative 4. Beyond the Campus Environmental Promotion Activities

Sr. No	Contents (Documents)		
1	Supporting Documents	Date	Year
1	<i>Green Audit Reports</i>	23/11/22	(2021-22)
2	<i>Energy Audit Reports</i>	23/11/22	(2021-22)
3	<i>Environment Audit Report</i>	23/11/22	(2021-22)
1	<i>Green Audit Reports</i>	15/10/21	(2020-21)
2	<i>Energy Audit Reports</i>	15/10/21	(2020-21)
3	<i>Environment Audit Report</i>	15/10/21	(2020-21)
1	<i>Green Audit Reports</i>	28/09/20	(2019-20)
2	<i>Energy Audit Reports</i>	28/09/20	(2019-20)
3	<i>Environment Audit Report</i>	28/09/20	(2019-20)
1	<i>Green Audit Reports</i>	22/06/2019	(2018-19)
2	<i>Energy Audit Reports</i>	22/06/2019	(2018-19)
1	<i>Green Audit Reports</i>	15/06/2018	(2017-18)
2	<i>Energy Audit Reports</i>	15/06/2018	(2017-18)
Sr. No	Contents (Documents)		



Dr D Y Patil Prathisthan's

PADMASHREE DR. D Y PATIL COLLEGE OF ARCHITECTURE

Sector No. 29, B/h. Akurdi Railway Station, Nigdi Pradhikaran, Akurdi, Pune - 411044

ACADEMIC YEAR

(2021-22)


Criterion 7 Institutional Values and Best Practices

Key Indicator 7.1.3

<i>Metric No.</i>	<i>Quality Audits and environment and energy regularly undertaken by the institution</i>
7.1.3	<p><i>The Institutional environment and energy initiative are confirmed through the following</i></p> <ol style="list-style-type: none"> <i>1. Green Audit / Environment Audit</i> <i>2. Energy Audit</i> <i>3. Clean and Green Campus Initiative</i> <i>4. Beyond the Campus Environmental Promotion Activities</i>


Sr. No	Contents (Documents)		
A	Supporting Documents	Date	Year
1	<i>Green Audit Reports</i>	<i>23/11/22</i>	<i>(2021-22)</i>
2	<i>Energy Audit Reports</i>	<i>23/11/22</i>	<i>(2021-22)</i>
3	<i>Environment Audit Report</i>	<i>23/11/22</i>	<i>(2021-22)</i>

Report
On
Green Audit
At
Padmashree Dr. D Y Patil College of Architecture
Akurdi, Pune
(Year 2021-22)




Prepared by
Nutan Urja Solutions
A 703, Balaji Witfield, Near Sunni's World,
Sus Road, Sus, Pune 411 021
Phone: 83568 18381. Email: nutanurja.solutions@gmail.com




Dr. D.Y. Patil Prafshitan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune

PRINCIPAL
Dr. D. Y. Patil
College of Architecture
Akurdi, Pune - 411022

Nutan Urja Solutions

(ISO 9001:2015, ISO 50001:2018, ISO 14001:2015) 

A 703, Balaji Witefield, Near Sunni's World,

Sus Road, Sus, Pune 411 021

Phone: 83568 18381. Email: nutanurja.solutions@gmail.com

Date: 23/11/2022

CERTIFICATE

This is to certify that we have conducted Green Audit at Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune for the year 2021-22.

The College has already adopted **Green** practices like:

- Installation of Rain Water Harvesting system
- Installation of Sewage Treatment Plant.
- Installation of **350 kW** Roof Top Solar PV Power Plant.
- Usage of Energy Efficient LED
- Usage of Energy Efficient BEE STAR Rated equipment

We appreciate the support of Management, involvement of faculty members and students in the process of making the campus Green.

Nutan Urja Solutions,



K G Bhatwadekar,

Certified Energy Auditor,

EA - 22428





PRINCIPAL
Dr. D. Y. Patil
College of Architecture
Akurdi, Pune - 411044

Dr. D Y Patil Prasthhan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune

Contents

Acknowledgement	3
Executive Summary	4
Abbreviations	6
1. Introduction	7
1.1 Objectives	7
1.2 Audit methodology	7
2. Study of Electrical Energy Consumption	8
3. Carbon Foot printing	10
4. Study of Usage of Alternate Energy	12
5. Study of Water System	13
5.1 Source of Water	13
5.2 Rain Water Harvesting	13
5.3 Sewage Treatment Plant	13
6. Study of Waste Management	14
6.1 Solid Waste Management	14
6.2 e-Waste Management	14
6.3 Waste Water Management	14
7. Study of Green Practices	15
7.1 No of students who don't use own Vehicle for coming to Institute	15
7.2 Usage of Public Transport	15
7.3 Pedestrian Friendly Roads	15
7.4 Plastic Free Campus	15
7.5 Paperless Office	15

Nutan Urja Solutions, Pune.



Dr. D.Y. Patil Pratishthan's
Padmashree Dr. D.Y. Patil College of Architecture,
Akurdi Pune

PRINCIPAL
Dr. D. Y. Patil
College of Architecture
Akurdi, Pune - 411 022

7.6 Food Service in college campus..... 16

7.7 Green Landscaping with Trees and Plants..... 16

Nutan Urja Solutions, Pune.



Acknowledgement

We at Nutan Urja Solutions, Pune, express our sincere gratitude to the management of Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune for awarding us the assignment of Green Audit of their college premises.

We hope that the recommendations stated in this report will be useful and worthy of discussions to take things forward to help implementation of energy conservation measures and green practices. While we have made every attempt to adhere to high quality standards, in both data collection and analysis through the report, we would welcome your suggestions so as to improve upon this report further.



Dr. D Y Patil Pravinhan's
Padmashree Dr D Y Patil College of A
Akurdi Pune

PRINCIPAL
Dr. D. Y. Patil
College of Architecture
Akurdi, Pune - 411044



Executive Summary

Green Audit of Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune is conducted by Nutan Urja Solutions, Pune. Based On the audit field study, following important points can be presented.

1. Present Energy Consumption

Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune uses Electrical Energy as the source of Energy for various equipment in the college campus. In the following Table, we present the details of Energy Consumption.

Table no 1: Details of energy consumption

Sr no	Parameter	Energy consumed, (Units)	CO2 Emission (MT)
1	Maximum	61,090	48.9
2	Minimum	5,778	4.6
3	Average	26,749	21.4
4	Total	320,982	256.8

2. Various Measures Adopted for Energy Conservation

1. Usage of STAR Rated ACs at new installations
2. Usage of LED lights at some indoor locations
3. Usage of LED Lights for outdoor lighting.

3. Usage of Renewable Energy

The institute has installed 350 kW Solar PV Power Plant.

4. Rain Water Harvesting

The College has installed the Rainwater harvesting project, to reduce dependency on municipal corporation water supply.

5. Waste Management


The internal communication is through emails and there is hardly any generation of e-Waste in the premises.

6. Notes and Assumptions

1. Daily working hours-10 Nos

Dr. D Y Patil Pratishthan's
Padmashree Dr. D Y Patil College of Architecture,
4 Akurdi Pune

Nutan Urja Solutions, Pune.


PRINCIPAL

Dr. D. Y. Patil
College of Architecture
Akurdi, Pune - 411044



2. Annual working Days-250 Nos
3. Average Rate of Electrical Energy : Rs 11/- per kWh



Dr. D Y Patil Pratishthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune

Nutan Urja Solutions, Pune.



PRINCIPAL
Dr. D. Y. Patil
College of Architecture
Akurdi, Pune - 411044

Abbreviations

CFL	:	Compact Fluorescent Lamp
FTL	:	Fluorescent Tube Light
LED	:	Light Emitting Diode
V	:	Voltage
I	:	Current
kW	:	Kilo- Watt
kWh	:	kilo-Watt Hour
kVA	:	Active Power



Dr. D Y Patil Pristhithan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune

Nutan Urja Solutions, Pune.



PRINCIPAL

Dr. D. Y. Patil
College of Architecture
Akurdi, Pune - 411061

1. Introduction

Padmashree Dr. D. Y. Patil college of Architecture has been established in the year 2000. The college is run by Padmashree Dr. D. Y. Patil Pratishthan, which has set up multiple centers of educational excellence at Pune, Mumbai and Kolhapur. The Institute strongly believes that world-class education is the stepping-stone to progress. With a long-standing commitment towards quality teaching and learning, the Institute has nurtured values that go into the making of successful careers. Reiterating excellence with every incoming batch, the Institute stands tall with its undeterred commitment to deliver better. Equipped with state-of-the-art infrastructure, the Institute always encourages individuals to think, question, explore and apply their well-honed minds to scale newer heights of success. The Institute believes in imparting education that'll build world class citizens of tomorrow.

Padmashree Dr. D. Y. Patil college of Architecture fosters a positive environment for Teaching, Non-Teaching staff and Students to meet the emerging challenges which stimulates the desire to collaborate and change the world. Padmashree Dr. D. Y. Patil College of Architecture, a gem of an Institution has successfully completed a decade & is budding with young & energetic talent creating a mark in this grand galaxy of homes of higher learning. Here architecture means not merely a science & construction of building but it will be open vistas of ideas & ideals. It is indeed a center of fusion between creativity & utility. It has been bringing out the best talents in the field of housing, modern living & other aspects essential for better community life & will continue to do so in the future.

1.1 Objectives

1. To study present level of Energy Consumption
2. To Study the present CO₂ emissions
3. To assess the various equipment/facilities from Energy efficiency aspect
4. To measure various Electrical parameters
5. To study Scope for usage of Renewable Energy
6. To study various measures to reduce the Energy Consumption

1.2 Audit methodology

1. Study of connected load
2. Study of various Electrical parameters
3. To prepare the Report with various Encon measures with payback analysis



2. Study of Electrical Energy Consumption

In this chapter, electricity bills are studied for the analysis of electrical energy consumption. The Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune is situated in Padmashree D. Y. Patil Educational Complex. Entire Padmashree D. Y. Patil Educational Complex is having single energy meter for all institutes situated in complex. The bill analysis is carried for electricity bills of entire campus.

Table no 2.1: Summary of electricity bills

No	Month	Energy (kWh)	Bill Amount (Rs)
1	Jun-22	60,107	1,003,847
2	May-22	58,729	971,594
3	Apr-22	61,090	950,973
4	Mar-22	19,896	939,385
5	Feb-22	19,896	353,758
6	Jan-22	18,439	337,486
7	Dec-21	31,210	491,033
8	Nov-21	19,909	368,776
9	Oct-21	8,754	491,033
10	Sep-21	11,203	368,776
11	Aug-21	5,778	203,048
12	Jul-21	5,971	184,510
	Total	320,982	6,664,219

Variation in energy consumption is as follows,


Dr. D. Y. Patil
Principal
Padmashree Dr. D Y Patil College of Architecture
Akurdi, Pune






Figure 2.1: Month wise energy consumption

Monthly variation in electricity bill is as follows,




Figure 2.2: Month wise electricity bill

Key observations of electricity bill are as follows,

Table no 2.2: Key observations

Sr no	Parameter	Energy consumed, (Units)	CO2 Emission (MT)
1	Maximum	61,090	48.9
2	Minimum	5,778	4.6
3	Average	26,749	21.4
4	Total	320,982	256.8


 Dr. D. Y. Patil
 Padmaashree Dr. D Y Patil College of Architecture
 Akurdi Pune



PRINCIPAL
 Dr. D. Y. Patil
 College of Architecture
 Akurdi, Pune - 411041

3. Carbon Foot printing

1. A Carbon Foot print is defined as the Total Greenhouse Gas emissions (CO₂ emissions), emitted due to various activities. In this we compute the emissions of Carbon-Di-Oxide, by usage of the various form of Electrical Energy used by the College for performing its day to day activities

2. Basis for computation of CO₂ Emissions:

The basis of Calculation for CO₂ emissions due to Electrical Energy is as under

- 1 Unit (kWh) of Electrical Energy releases **0.8 Kg of CO₂** into atmosphere.

Based on the above Data we compute the CO₂ emissions which are being released in to the atmosphere by the College due to its Day to Day operations.

The Padmashree DR. D Y Patil College Of Architecture Akurdi,Pune is situated in Padmashree D. Y. Patil Educational Complex. Entire Educational Complex is having single energy meter for all institutes situated in complex. Calculation for CO₂ emissions due to Electrical Energy is carried for entire campus.

We herewith furnish the details of various forms of Energy consumption as under


Dr. D. Y. Patil
Padmashree Dr. D. Y. Patil College of Architecture,
Akurdi, Pune



Table 3.1: Month wise Consumption of Electrical Energy & CO2 Emissions

No	Month	Energy Consumed, kWh	CO2 Emissions, MT
1	Jun-22	60,107	48.1
2	May-22	58,729	47.0
3	Apr-22	61,090	48.9
4	Mar-22	19,896	15.9
5	Feb-22	19,896	15.9
6	Jan-22	18,439	14.8
7	Dec-21	31,210	25.0
8	Nov-21	19,909	15.9
9	Oct-21	8,754	7.0
10	Sep-21	11,203	9.0
11	Aug-21	5,778	4.6
12	Jul-21	5,971	4.8
	Total	320,982	256.8

In the following Chart we present the CO2 emissions due to usage of Electrical Energy.




Figure 3.1: Month wise CO2 Emission

(Handwritten Signature)



PRINCIPAL
 Dr. D. Y. Patil
 College of Architecture
 Akurdi, Pune - 411164

4. Study of Usage of Alternate Energy

In this Chapter, we compute the percentage of Usage of Alternate/Renewable Energy to Annual Energy Requirement of the College.

The Padmashree DR. D Y Patil College Of Architecture Akurdi,Pune is situated in Padmashree D. Y. Patil Educational Complex. Entire Educational Complex is having single energy meter for all institutes situated in complex. The institute have installed Roof Top Solar PV System to cater energy requirement of all institutes of entire campus. The Installed Capacity of Solar PV Plant is 350 kWp.

Table 4.1: Computation of % Usage of Alternate Energy to Annual Energy Requirement

No	Particulars	Value	Unit
1	Annual Energy Purchased from MSEDCL	320,982	kWh/Annum
2	Energy Generated by Roof Top Solar PV System	400,572	kWh/Annum
3	Total Energy Requirement of College	721,554	kWh/Annum
4	% of Usage of Alternate Energy to Annual Energy Requirement	56	%

Photograph of Solar PV plant



Dhaje



PRINCIPAL
Dr. D. Y. Patil
College of Architecture
Akurdi, Pune - 411044

5. Study of Water System

5.1 Source of Water

College gets water from Pimpri- Chinchwad Municipal Corporation. The RO treated water is provided for drinking.

5.2 Rain Water Harvesting

The College has already installed Rain Water Harvesting project, wherein the rain water falling on the terrace is collected and through pipes it is fed to underground Water Storage tank. This stored water is then reused for domestic purpose.

5.3 Sewage Treatment Plant

The waste water generated in college campus is treated in Sewage Water Treatment Plant. This plant aims to remove contaminants from sewage to produce an effluent that is suitable for reuse application. The sewage water treatment plant is operating with 100 KLD water capacity.

Photograph of Sewage Treatment Plant




Dr. D. Y. Patil
Padmashree Dr. D. Y. Patil College of Architecture
Pune



PRINCIPAL
Dr. D. Y. Patil
College of Architecture
Pune

6. Study of Waste Management

6.1 Solid Waste Management

The garbage collected in college is segregated into wet and dry centrally in campus.

Waste bins are placed in college campus for collection of waste.

6.2 e-Waste Management

The internal communication is through emails and hence there is hardly any generation of e-Waste in the premises.

6.3 Waste Water Management

The waste water generated in college campus is treated in Sewage Water Treatment Plant. The sewage water treatment plant is operating with 100 KLD water capacity.



7. Study of Green Practices

7.1 No of students who don't use own Vehicle for coming to Institute

Student hostels are located near college campus only. Many students live in hostel campus. Many of the Out of total students coming to Institute, about 60% students use own Automobile. During the lockdown of Covid 19 negligible vehicles are reported on the campus during the year 2019-20 and 2020-21. Online teaching mode used for the teaching learning processes.

7.2 Usage of Public Transport

Padmashree D. Y. Patil Educational Complex campus can be conveniently reachable by public transport. Most of the staff is using own vehicles i.e cars and two wheelers. The capacity of parking is enough to accommodate all vehicles. During the Students transport study, it was revealed that the local students who are residing near areas make use of Public Transport like Municipal Transport local buses, local sharing type auto rickshaws. Institute encourages students to not to use automobiles.

7.3 Pedestrian Friendly Roads

The Institute has well defined pedestrian foot paths as to facilitate the easy movement of the students within the campus.

Photograph of Road within campus



7.4 Plastic Free Campus

The Institute is an active participant in the Government of India's most prestigious project of SWATCHH BHART ABHIYAN. The Institute has displayed boards in the Campus, to make the campus plastic free. Various measures adopted for this purpose are as follows

- Installation of Separate waste bins for Dry waste & wet waste

Dr. D. Y. Patil
Padmashree Dr. D Y Patil College of Architecture,
Akurdi, Pune



PRINCIPAL
Dr. D. Y. Patil
College of Architecture
Akurdi, Pune - 4110

- Usage of paper tea cups in the Institute canteen
- Display of boards in the campus for Plastic Free campus

7.5 Paperless Office

The internal communication of the Institute is through the Internet. There are hardly any day to day operations, where printing is required.

7.6 Food Service in college campus

There are canteens and cafeterias within college campus. Students need not to travel outside the college for food. Canteen contractor have Food license and shop act certificate. Hygiene in canteen is well maintained.

7.7 Green Landscaping with Trees and Plants

The Institute has beautiful maintained Garden.



Figure 7.1: Beautiful maintained Garden of college

Dr. D. Y. Patil
Padmaashree Dr. D. Y. Patil College of Architecture
Akurdi Pune



PRINCIPAL
Dr. D. Y. Patil
College of Architecture
Akurdi, Pune - 411044

Report
On
Energy Audit
At
Padmashree Dr. D Y Patil College of Architecture
Akurdi, Pune
(Year 2021-22)




Prepared by
Nutan Urja Solutions
A 703, Balaji Witefield, Near Sunni's World,
Sus Road, Sus, Pune 411 021
Phone: 83568 18381. Email: nutanurja.solutions@gmail.com



Dr. D.Y. Patil
Padmashree Dr. D.Y. Patil College of Architecture,
Akurdi Pune
PRINCIPAL
Dr. D. Y. Patil
College of Architecture
Akurdi, Pune - 411

Nutan Urja Solutions

((ISO 9001:2015, ISO 50001:2018, ISO 14001:2015) 

A 703, Balaji Witefield, Near Sunni's World,

Sus Road, Sus, Pune 411 021

Phone: 83568 18381, Email: nutanurja.solutions@gmail.com

Date: 23/11/2022

CERTIFICATE


This is to certify that we have conducted Energy Audit at Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune as per the guidelines of Maharashtra Energy Development Agency (www.mahaurja.com) in the year 2021-22.

The College has already adopted **Energy Efficient** practices like:

- Usage of Energy Efficient LED Fittings
- Usage of Energy Efficient BEE STAR Rated equipment
- Installation of **350 kW** Roof Top Solar PV Power Plant.

We appreciate the support of Management, involvement of faculty members and students in the process of Energy Conservation & making the campus Green.

Nutan Urja Solutions,



K G Bhatwadekar,

Certified Energy Auditor,

EA - 22428





Dr. D Y Patil Pradhikaran's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune


PRINCIPAL

Dr. D. Y. Patil
College of Architecture
Akurdi, Pune - 411044

Contents

Acknowledgement	2
Executive Summary	3
Abbreviations	5
1. Introduction	6
1.1 Objectives	6
1.2 Audit Methodology:	6
1.3 General Details of College	7
2. Study of connected load	8
3. Study of Electrical Energy Consumption	10
4. Carbon Foot printing	12
5. Study of utilities	14
5.1 APFC Panel	14
5.2 Study of Lighting	14
5.3 Air-conditioners	14
5.4 Fans	14
5.5 Water Pumps	14
6. Study of usage of alternate energy	15
7. Study of usage of LED lighting	16
8. Energy conservation proposals	17
8.1 Replacement of Old T-8 FTLs with 20 W LED fittings	17
8.2 Replacement of old fans with STAR Rated fans	18
8.3 Installation of Solar PV panel	19
8.4 Summary of Savings	20

Nutan Urja Solutions, Pune


Dr. D Y Patil Pratishthan's
Padmaashree Dr. D Y Patil College of Architecture,
Akurdi Pune



PRINCIPAL
Dr. D. V. Patil
College of Architecture
Akurdi, Pune - 411004

Acknowledgement

We at Nutan Urja Solutions, Pune, express our sincere gratitude to the management of Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune for awarding us the assignment of Energy Audit of their college premises.

We hope that the recommendations stated in this report will be useful and worthy of discussions to take things forward to help implementation of energy conservation measures through energy savings. While we have made every attempt to adhere to high quality standards, in both data collection and analysis through the report, we would welcome your suggestions so as to improve upon this report further.



Executive Summary

After the Field measurements & analysis, we present herewith important observations made and various measures to reduce the Energy Consumption & mitigate the CO₂ emissions. College consumes Energy in the form of Electrical Energy used for various gadgets, Office & other facilities.

1. Present Energy Consumption

In the following Table, we present the details of Energy Consumption.

Table no 2.1: Details of energy consumption

Sr no	Parameter	Energy consumed, (Units)	CO2 Emission (MT)
1	Maximum	61,090	48.87
2	Minimum	5,778	4.62
3	Average	26,749	21.40
4	Total	320,982	256.79

2. Energy Conservation Projects already installed

1. Usage of STAR Rated ACs at new installations
2. Usage of LED lights at some indoor locations
3. Usage of LED Lights for outdoor lighting.

3. Key Observations

1. Usage of LED lights.
2. Usage of star rated equipment.
3. Maintained a good power factor.

4. Percentage of Usage of Alternate Energy

The College has installed a Roof Top Solar PV Plant. The percentage of usage of Alternate Energy to Annual Energy Requirement is 56 %.

5. Percentage of Usage of LED Lighting

The College has various Types of Light fittings. The percentage of Annual LED Lighting Usage to Annual Lighting requirement works out to be 33 %.

6. Recommendations

Table no 1: Recommendations for energy savings

No	Recommendation	Annual Saving potential, kWh/Annum	Annual Monetary Gain, Rs.	Investment Required, Rs.	Payback period, Months
1	Replacement of 122 Nos T-8 fittings with 20W LED fittings	2,440	26,840	78,202	35
2	Replacement of 96 Nos Old Ceiling Fans with STAR rating fans	1,248	13,728	208,704	182
3	Installation of 200kW grid connected PV panel	300,000	3,300,000	10,000,000	36
	Total	3,688	40,568	286,906	85

7 Notes & Assumptions

1. Daily working hours-10 Nos
2. Annual working Days-300 Nos
3. Average Rate of Electrical Energy : Rs 11/- per kWh

[Handwritten Signature]



Abbreviations

CFL	: Compact Fluorescent Lamp
FTL	: Fluorescent Tube Light
LED	: Light Emitting Diode
V	: Voltage
I	: Current
kW	: Kilo- Watt
kWh	: kilo-Watt Hour
kVA	: Active Power



1. Introduction

Padmashree Dr. D. Y. Patil college of Architecture has been established in the year 2000. The college is run by Padmashree Dr. D. Y. Patil Pratishthan, which has set up multiple centers of educational excellence at Pune, Mumbai and Kolhapur. The Institute strongly believes that world-class education is the stepping-stone to progress. With a long-standing commitment towards quality teaching and learning, the Institute has nurtured values that go into the making of successful careers. Reiterating excellence with every incoming batch, the Institute stands tall with its undeterred commitment to deliver better. Equipped with state-of-the-art infrastructure, the Institute always encourages individuals to think, question, explore and apply their well-honed minds to scale newer heights of success. The Institute believes in imparting education that'll build world class citizens of tomorrow.

Padmashree Dr. D. Y. Patil college of Architecture fosters a positive environment for Teaching, Non-Teaching staff and Students to meet the emerging challenges which stimulates the desire to collaborate and change the world, Padmashree Dr. D. Y. Patil College of Architecture, a gem of an Institution has successfully completed a decade & is budding with young & energetic talent creating a mark in this grand galaxy of homes of higher learning. Here architecture means not merely a science & construction of building but it will be open vistas of ideas & ideals. It is indeed a center of fusion between creativity & utility. It has been bringing out the best talents in the field of housing, modern living & other aspects essential for better community life & will continue to do so in the future.

1.1 Objectives

1. To study present level of Energy Consumption
2. To Study Electrical Consumption
3. To assess the various equipment/facilities from Energy efficiency aspect
4. To study various measures to reduce the Energy Consumption

1.2 Audit Methodology:

1. Study of connected load
2. Study of various Electrical parameters
3. To prepare the Report with various Encon measures with payback analysis



1.3 General Details of College

Table No-1.1: Details of college

No	Head	Particulars
1	Name of Institution	Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune
2	Address	Padmashree D. Y. Patil Educational Complex, Sector 29, Nigdi, Akurdi, Maharashtra 411044
3	Affiliation	Savitribai Phule Pune University



2. Study of connected load

In this chapter, we present details of various connected electrical equipment and electrical load.

Table No-2.1: Location wise study of Electrical fittings in various buildings

No	Location	FTL (40W)	LED tube (20W)	LED bulb (12W)	Computers (65W)	Ceiling Fans	Wall Fans	1.5 Tr Star rated AC
Ground Floor								
1	Cafeteria		4			8		
2	Studio	17				12		
3	Kitchen		6					
4	Passage		14					
5	Vice Principal			10	1	1		
6	Admin Office			15	5			
7	Principal Office		2	12	1	2		1
8	First Year Studio	18		4		12		
9	Exam Central room		4		2		2	
10	CAP center	12				12		
11	Studio Third Year A	12			2	9		
12	Studio First Year B	10			2	6		
13	Staff Room			24			12	
14	Faculty Room		32		20		9	
15	Studio 403	15				9		
16	Studio 303	6				6		
17	Toilet (GF)	10		8		9		
First Floor								
18	Toilet (First Floor)			8				
19	Passage	8						

Dr. D.Y. Patil



20	Computer Lab	14	1		53	10		1
	Total	122	63	81	86	96	23	2

Apart from above load, the college has pumps, street lights. Individual fitting wise load is as under.

Table No 2.2: Equipment wise Connected Load

No.	Equipment	Qty	Load, W/Unit	Load, kW
1	F T L-40 W	122	40	4.9
2	LED Tube-20W	63	20	1.3
3	LED bulb	81	12	1.0
4	Computers	86	65	5.6
5	Ceiling Fans	96	65	6.2
6	Wall Fans	23	50	1.2
7	AC (1.5Tr Star Rated)	2	1838	3.7
8	LED focus Street light	5	35	0.2
9	Pumps (2 nos 5HP)			7.5
	Total			18.7

Data can be represented in terms of PIE chart as under,




Figure 2.1: Distribution of connected load.

Shay



3. Study of Electrical Energy Consumption

In this chapter, electricity bills are studied for the analysis of electrical energy consumption. The Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune is situated in Padmashree D. Y. Patil Educational Complex. Entire Complex is having single energy meter for all institutes situated in complex. The bill analysis is carried for electricity bills of entire campus.

Table no 3.1: Summary of electricity bills

No	Month	Energy (kWh)	Bill Amount (Rs)
1	Jun-22	60,107	1,003,847
2	May-22	58,729	971,594
3	Apr-22	61,090	950,973
4	Mar-22	19,896	939,385
5	Feb-22	19,896	353,758
6	Jan-22	18,439	337,486
7	Dec-21	31,210	491,033
8	Nov-21	19,909	368,776
9	Oct-21	8,754	491,033
10	Sep-21	11,203	368,776
11	Aug-21	5,778	203,048
12	Jul-21	5,971	184,510
	Total	320,982	6,664,219

Variation in energy consumption is as follows,

Dhye






Figure 3.1: Month wise energy consumption

Monthly variation in electricity bill is as follows,




Figure 3.2: Month wise electricity bill

Key observations of electricity bill are as follows,

Table no 3.2: Key observations

Sr no	Parameter	Energy consumed, (Units)	CO2 Emission (MT)
1	Maximum	61,090	48.87
2	Minimum	5,778	4.62
3	Average	26,749	21.40
4	Total	320,982	256.79

Dr. D.Y. Patil



4. Carbon Foot printing

1. A **Carbon Foot print** is defined as the Total Greenhouse Gas emissions (CO₂ emissions), emitted due to various activities. In this we compute the emissions of Carbon-Di-Oxide, by usage of the various form of Electrical Energy used by the College for performing its day to day activities

2. Basis for computation of CO₂ Emissions:

The basis of Calculation for CO₂ emissions due to Electrical Energy is as under

- 1 Unit (kWh) of Electrical Energy releases **0.8 Kg of CO₂** into atmosphere.

Based on the above Data we compute the CO₂ emissions which are being released in to the atmosphere by the College due to its Day to Day operations.

The Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune is situated in Padmashree Dr D. Y. Patil Educational Complex. Entire Educational Complex is having single energy meter for all institutes situated in complex. Calculation for CO₂ emissions due to Electrical Energy is carried for entire campus.

We herewith furnish the details of various forms of Energy consumption as under



Table 4.1: Month wise Consumption of Electrical Energy & CO2 Emissions

No	Month	Energy Consumed, kWh	CO2 Emissions, MT
1	Jun-22	60,107	48.09
2	May-22	58,729	46.98
3	Apr-22	61,090	48.87
4	Mar-22	19,896	15.92
5	Feb-22	19,896	15.92
6	Jan-22	18,439	14.75
7	Dec-21	31,210	24.97
8	Nov-21	19,909	15.93
9	Oct-21	8,754	7.00
10	Sep-21	11,203	8.96
11	Aug-21	5,778	4.62
12	Jul-21	5,971	4.78
	Total	320,982	256.79

In the following Chart we present the CO2 emissions due to usage of Electrical Energy.




Figure 4.1: Month wise CO2 Emission

5. Study of utilities

5.1 APFC Panel

The Office has already installed the APFC Panel. Capacitors of 110kVAR capacity is installed with panel.

5.2 Study of Lighting

In the facility, the lighting system can be divided mainly in to parts, indoor lighting and outdoor lighting. There are 122 FTL fittings with Electronic/ magnetic chokes , 63 nos of LED tubes, 81 nos of LED bulbs. It is recommended to install the 20 W LED Tube light fittings in place of these old T-8 fittings. There are 5 No of LED street lights.

5.3 Air-conditioners

There is 2 nos of star rated new AC of 1.5Tr capacity.

5.4 Fans

At building facility, there are about 96 Nos Old Ceiling Fans, which consumed about 65 W of Electrical Energy. It is recommended to replace these old Fans with BEE STAR Rated Ceiling Fans. There are 23 nos of wall fans in the facility.

5.5 Water Pumps

There are in total 2 nos of Water pumps with 5HP capacities respectively.



6. Study of usage of alternate energy

In this Chapter, we compute the percentage of Usage of Alternate/Renewable Energy to Annual Energy Requirement of the College.

The Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune is situated in Padmashree D. Y. Patil Educational Complex. Entire Complex is having single energy meter for all institutes situated in complex. The institute have installed Roof Top Solar PV System to cater energy requirement of all institutes of entire campus. The Installed Capacity of Solar PV Plant is 350 kWp.

Table 6.1: Computation of % Usage of Alternate Energy to Annual Energy Requirement

No	Particulars	Value	Unit
1	Annual Energy Purchased from MSEDCL	320,982	kWh/Annum
2	Energy Generated by Roof Top Solar PV System	400,572	kWh/Annum
3	Total Energy Requirement of College	721,554	kWh/Annum
4	% of Usage of Alternate Energy to Annual Energy Requirement	56	%

Photograph of Solar PV plant



Dr. D Y Patil



7. Study of usage of LED lighting

In this chapter we study the lighting system of college and compute the percentage of total load catered by LED lighting.

Table 7.1: Total lighting load

No	Particulars	Qty	Load, W/Unit	Load, kW
1	F T L-40 W	122	40	4.9
	LED lighting load			
1	LED tube	63	20	1.3
2	LED bulbs	81	12	1.0
3	LED street lights	5	35	0.2
	Total LED lighting load			2.4
	Total Lighting load			7.3

It can be seen that out of total lighting load 33% load is LED lighting load.




8. Energy conservation proposals

8.1 Replacement of Old T-8 FTLs with 20 W LED fittings

In the facility, there are about 122 Nos, T-8, FTL fittings with Electronic/magnetic chokes. It is recommended to install the 20 W LED Tube light fittings in place of these old T-8 fittings. In the following Table, we present the savings, investment required & payback analysis.

No	Particulars	Value	Unit
1	Present Qty of T-8 fittings	122	Nos
2	Energy Demand of T-8 fitting	40	W/Unit
3	Energy Demand of 20 W LED fittin	20	W/Unit
4	Reduction in demad	20	W/Unit
5	Average Daily Usage period	4	Hrs/Day
6	Daily saving in Energy	9.76	kWh/Day
7	Annual Working Days	250	Nos
8	Annual Energy Saving possible	2440	kWh/Annum
9	Rate of Electrical Energy	11	Rs/kWh
10	Annual Monetary saving	26840	Rs/Annum
11	Cost of 20 W LED Tube	641	Rs/Unit
12	Investment required	78202	Rs lump sum
13	Simple Payback period	35	Months




8.2 Replacement of old fans with STAR Rated fans

During the Audit, it was observed that there are 96 no of fans. It is recommended to replace these old fans with STAR Rated fans.

In the following Table, we present the savings, investment required & payback analysis.

No	Particulars	Value	Unit
1	Present Qty of Old Ceiling Fan fittings	96	Nos
2	Energy Demand of Old Ceiling Fan fitting	65	W/Unit
3	Energy Demand of STAR Rated Fan	52	W/Unit
4	Reduction in demad	13	W/Unit
5	Average Daily Usage period	4	Hrs/Day
6	Daily saving in Energy	4.992	kWh/Day
7	Annual Working Days	250	Nos
8	Annual Energy Saving possible	1248	kWh/Annum
9	Rate of Electrical Energy	11	Rs/kWh
10	Annual Monetary saving	13728	Rs/Annum
11	Cost of STAR Rated Ceiling Fan	2174	Rs/unit
12	Investment required	208704	Rs lump sum
13	Simple Payback period	182	Months



8.3 Installation of Solar PV panel

It is recommended to install 200 kW solar PV panel. In the following Table, we present the savings, investment required & payback analysis.

No	Particulars	Value	Unit
1	Installation of PV unit	200	kW
2	Energy saving	300000	kWh/Annum
3	Rate of electrical energy	11	Rs
4	Annual monetary savings	3300000	Rs/ Annum
5	Investment required	10000000	Rs lump sum
6	Simple payback period	36	Months




8.4 Summary of Savings

No	Recommendation	Annual Saving potential, kWh/Annum	Annual Monetary Gain, Rs.	Investment Required, Rs.	Payback period, Months
1	Replacement of 122 Nos T-8 fittings with 20W LED fittings	2,440	26,840	78,202	35
2	Replacement of 96 Nos Old Ceiling Fans with STAR rating fans	1,248	13,728	208,704	182
3	Installation of 200kW grid connected PV panel	300,000	3,300,000	10,000,000	36
	Total	3,688	40,568	286,906	85



**Report
On
Environmental Audit
At
Padmashree Dr. D Y Patil College of Architecture
Akurdi,Pune
(Year 2021-22)**



Prepared by

Nutan Urja Solutions

A 703, Balaji Witfield, Near Sunni's World,

Sus Road, Sus, Pune 411 021

Phone: 83568 18381. Email: nutanurja.solutions@gmail.com


Dr. D.Y. Patil Pratihthan's
Padmashree Dr. D.Y. Patil College of Architecture,
Akurdi Pune



PRINCIPAL

Dr. D. Y. Patil
College of Architecture
Akurdi, Pune - 411044

Nutan Urja Solutions

(ISO 9001:2015, ISO 50001:2018, ISO 14001:2015) 

A 703, Balaji Witefield, Near Sunni's World,

Sus Road, Sus, Pune 411 021

Phone: 83568 18381. Email: nutanurja.solutions@gmail.com

Date: 23/11/2022

CERTIFICATE


This is to certify that we have conducted Environmental Audit at Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune in the year 2021-22.

The College has already adopted following projects for making the campus **Energy Efficient**.

- Installation of Sewage Treatment Plant
- Installation of Rain Water Harvesting System
- Installation of 350 kW Solar PV Power Plant.

We appreciate the support of Management, involvement of faculty members and students in the process of Energy Conservation & making the campus Green.

Nutan Urja Solutions,



K G Bhatwadekar,
Certified Energy Auditor,
EA - 22428




Dr. D Y Patil Pratishthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune

PRINCIPAL
Dr. D. Y. Patil
College of Architecture
Akurdi, Pune - 411044

Table of Contents

Acknowledgement	2
Executive Summary	3
Abbreviations	5
1. Introduction	6
1.1 Important Definitions:	6
1.2 Objectives	7
1.3 Audit Methodology:	7
1.4 General Details of College	7
2. Study of Consumption of Various Resources	8
2.1 Variation of Monthly Electrical Energy Consumption	9
2.2 Key Inference drawn	9
3. Study of Environmental Pollution	11
3.1 Air Pollution	11
3.2 Study of Solid Waste Generation	12
3.3 Canteen food wastage	12
3.4 Study of Liquid Waste Generation	12
3.5 Study of e-Waste Management:	12
4. Study of Rain Water Harvesting	13
5. Recommendations	14

Dr. D.Y Patil Pratishthan's
Padmashree Dr. D.Y Patil College of Architecture,
Akurdi Pune



Acknowledgement

We at Nutan Urja Solutions, Pune wish to express our sincere gratitude to the management of Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune for assigning the work of Environmental Audit of college campus.

We appreciate the co-operation and support extended to our team members during the entire tenure of field study. We are also thankful to all other staff members who helped us during the Measurements at the field and for giving us the necessary inputs to carry out this vital exercise.

Dr. D.Y Patil Pratishthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune

PRINCIPAL
Dr. D. Y. Patil
Coll. of Architecture
Akurdi Pune
411044



Executive Summary

After the Field measurements & analysis, we present herewith important observations made and various measures to reduce the dependency on Natural resources & reduce the pollution.

Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune consumes various resources for day to day operations, namely: Air, Water, Electrical Energy & LPG.

1. Various Pollution due to College Activities:

- Air pollution: Mainly CO₂ on account of Electricity & LPG Consumption
- Solid Waste: Bio degradable Kitchen Waste, Garden Waste
- Liquid Waste: Human liquid waste

2. Present Level of CO₂ Emissions:

Sr no	Parameter	Energy consumed, (Units)	CO ₂ Emission (MT)
1	Maximum	61,090	48.9
2	Minimum	5,778	4.6
3	Average	26,749	21.4
4	Total	320,982	256.8

3. The various projects already implemented for Environmental Conservation:

- Usage of Energy Efficient BEE STAR Rated ACs
- Usage of Natural Day light in corridors
- Implementation of Rain Water Harvesting
- Installation of 350 kW Solar PV Power Plant.
- Installation of Sewage Treatment Plant

4. Recommendations:

1. Installation of Bio Gas Generator Plant instead of Bio composting Plant.
2. Installation of Bio Composting Plant to generate fertilizer from garden waste.

5. Notes & Assumptions:

1. 1 kWh of Electrical Energy releases 0.8 Kg of CO₂ into atmosphere



Dr. D Y Patil Pratishthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune



2. 1 kWp Solar PV plant generates 5 kWh/day Electrical Energy for 300 days in an year.



Dr. D Y Patil Pralishtha's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune



PRINCIPAL

Dr. D. Y. Patil
College of Architecture
Akurdi, Pune - 411014.

Abbreviations

AC	: Air conditioner
PES	: Progressive Education Society
CFL	: Compact Fluorescent Lamp
FTL	: Fluorescent Tube Light
LED	: Light Emitting Diode
kWh	: kilo-Watt Hour
Qty	: Quantity
W	: Watt
kW	: Kilo Watt
PF	: Power Factor
M D	: Maximum Demand
PC	: Personal Computer
MSEDCL	: Maharashtra State Electricity Distribution Company Ltd



Dr. D.Y. Patil Pratishthan's
Padmashree Dr. D.Y. Patil College of Architecture,
Akurdi Pune



1. Introduction

1.1 Important Definitions:

1.1.1 Environment: Definition as per environment Protection Act: 1986

Environment includes water, air and land and the inter-relationship which exists among and between Water, Air, Land and Human beings, other living creatures, plants microorganism and property

1.1.2. Environmental Audit: Definition:

An audit which aims at verification and validation to ensure that various environmental laws are complied with and adequate care has been taken towards environmental protection and preservation

According to UNEP, 1990, "Environmental audit can be defined as a management tool comprising systematic, documented and periodic evaluation of how well environmental organization management and equipment are performing with an aim of helping to regularize the environment"

1.1.3. Environmental Pollutant: means any solid, liquid and gaseous substance present in the concentration as may be, or tend to be, injurious to Environment.

1.1.4. Relevant Environmental Laws in India: Table No-1:

1927	The Indian Forest Act
1972	The Wildlife Protection Act
1974	The Water (Prevention and Control of Pollution) Act
1977	The Water (Prevention & Control of Pollution) Cess Act
1980	The Forest (Conservation) Act
1981	The Air (Prevention and Control of Pollution) Act
1986	The Environment Protection Act
1991	The Public Liability Insurance Act
2002	The Biological Diversity Act
2010	The National Green Tribunal Act

1.1.5. Some Important Environmental Rules in India: Table No-2:

1989	Hazardous Waste (Management and Handling) Rules
1989	Manufacture, Storage and Import of Hazardous Chemical Rules
2000	Municipal Solid Waste (Management and Handling) Rules
1998	The Biomedical Waste (Management and Handling) Rules
1999	The Environment (Siting for Industrial Projects) Rules
2000	Noise Pollution (Regulation and Control) Rules
2000	Ozone Depleting Substances (Regulation and Control) Rules



PRINCIPAL
Dr. D. Y. Patil
College of Architecture
Akurdi, Pune - 411014

2011	E-waste (Management and Handling) Rules
2011	National Green Tribunal (Practices and Procedure) Rules
2011	Plastic Waste (Management and Handling) Rules

1.1.6 National Environmental Plans & Policy Documents: Table No-3:

1.	National Forest Policy, 1988
2.	National Water Policy, 2002
3.	National Environment Policy or NEP (2006)
4.	National Conservation Strategy and Policy Statement on Environment and Development, 1992
5.	Policy Statement for Abatement of Pollution (1992)
6.	National Action Plan on Climate Change
7.	Vision Statement on Environment and Human Health
8.	Technology Vision 2030 (The Energy Research Institute)
9.	Addressing Energy Security and Climate Change (MoEF and Bureau of Energy Efficiency)
10.	The Road to Copenhagen: India's Position on Climate Change Issues (MoEF)

1.2 Objectives

1. To study present usage of Natural resources the College is consuming
2. To Study the present pollution sources
3. To study various measures to make the campus Self sustainable in respect of Natural resources
4. To suggest the various measures to reduce the pollution: Air, Water, Noise

1.3 Audit Methodology:

1. Study of College as System
2. Study of Electrical Energy Consumption
3. Study of CO2 emissions
4. Suggestions on usage of Renewable Energy

1.4 General Details of College

No	Head	Particulars
1	Name of Institution	Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune
2	Address	Padmashree D. Y. Patil Educational Complex, Sector 29, Nigdi, Akurdi, Maharashtra 411044
3	Affiliation	Savitribai Phule Pune University

(Handwritten Signature)

Dr. D. Y. Patil
Padmashree Dr. D.Y. Patil College of Architecture
Akurdi, Pune



PRINCIPAL
Dr. D. Y. Patil
College of Architecture
Akurdi, Pune - 411044

2. Study of Consumption of Various Resources


The Institute consumes following basic/derived Resources:

1. Air
2. Water
3. Electrical Energy
4. Liquefied Petroleum Gas

Also, college emits following pollutants to environment

1. Human Waste: Solid/ Liquid
2. Kitchen waste
3. Air pollution

We try to draw a schematic diagram for the College System & Environment as under.



Now we compute the Generation of CO₂ on account of consumption of Electrical Energy & LPG as under.

The Padmashree DR. D Y Patil College Of Architecture Akurdi,Pune is situated in Padmashree D. Y. Patil Educational Complex. Entire Educational Complex is having single energy meter for all institutes situated in complex. The bill analysis is carried for electricity bills of entire campus.

The calculation of electrical energy consumption by college can be given as,

Table 2.1: Electrical Energy Consumption

No	Month	Energy (kWh)
1	Jun-22	60,107
2	May-22	58,729
3	Apr-22	61,090
4	Mar-22	19,896
5	Feb-22	19,896
6	Jan-22	18,439
7	Dec-21	31,210
8	Nov-21	19,909
9	Oct-21	8,754
10	Sep-21	11,203
11	Aug-21	5,778
12	Jul-21	5,971
	Total	320,982
	Maximum	61,090
	Minimum	5,778
	Average	26,749

2.1 Variation of Monthly Electrical Energy Consumption




Figure 2.1 : Monthly Electrical Energy Consumption

2.2 Key Inference drawn

From the above analysis, we present following important parameters:



(Signature)
PRINCIPAL
 Dr. D. Y. Patil
 Padmeshree Dr. D.Y.Patil College of Architecture
 Akurdi Pune

Table 2.2: Variation in Important Parameters

No	Parameter/ Value	Energy Consumed, kWh
1	Maximum	61,090
2	Minimum	5,778
3	Average	26,749
4	Total	320,982



3. Study of Environmental Pollution

In this Chapter, we present the various types of Pollution as under:

3.1 Air Pollution

The College is using two forms of Energies, namely: Thermal in the form of LPG and Electrical Energy used for day to day operations of the College. The major pollutant on account of above Energy forms is the Carbon Di Oxide.

- 1 unit (kWh) of Electrical Energy emits 0.8 Kg of CO₂ in the atmosphere
- 1 Kg of LPG emits 3 Kg of CO₂ in the atmosphere

In the following Table, we present the CO₂ emissions.

Table 3.1: Month wise Consumption of Electrical Energy & CO₂ Emissions:

No	Month	Energy Consumed, kWh	CO ₂ Emissions, MT
1	Jun-22	60,107	48.1
2	May-22	58,729	47.0
3	Apr-22	61,090	48.9
4	Mar-22	19,896	15.9
5	Feb-22	19,896	15.9
6	Jan-22	18,439	14.8
7	Dec-21	31,210	25.0
8	Nov-21	19,909	15.9
9	Oct-21	8,754	7.0
10	Sep-21	11,203	9.0
11	Aug-21	5,778	4.6
12	Jul-21	5,971	4.8
	Total	320,982	256.8
	Maximum	61,090	48.9
	Minimum	5,778	4.6
	Average	26,749	21.4



In the following Chart we present the CO2 emissions due to usage of Electrical Energy.




Figure 2.1: CO2 emission due to usage of electrical energy.

3.2 Study of Solid Waste Generation

The garbage collected in college is segregated into wet and dry centrally in campus. Waste bins are placed in college campus for collection of waste.


3.3 Canteen food wastage

The students and canteen staff are encouraged to have minimal food wastage. Canteen contractor have food license and shop act certificate. The canteen is encouraged for usage of paper tea cups.

3.4 Study of Liquid Waste Generation

The waste water generated in college campus is treated in Sewage Water Treatment

P
la
m



Waste Management

Waste Management

Waste Management

Waste Management

Waste Management

Waste Management

Waste Management

Waste Management

Waste Management

PRINCIPAL

D. Y. Patil College of Architecture

Akurdi, Pune

Waste Management

4. Study of Rain Water Harvesting

The College has already installed Rain Water Harvesting project, wherein the rain water falling on the terrace is collected and through pipes it is fed to underground Water Storage tank. This stored water is then reused for domestic purpose.



PRINCIPAL

Dr. D. Y. Patil

5. Recommendations

In order to reduce the dependency on Natural resources and also in order to reduce the various pollutions arising due to the day to day operations of the College we herewith recommend following recommendations.

- Installation of Bio Gas Generator Plant instead of Bio composting Plant.
- Installation of Bio Composting Plant to generate fertilizer from garden waste.



PRINCIPAL

Dr. D. Y. Patil
College of Architecture
Akurdi, Pune - 411044





Dr D Y Patil Prathisthan's
PADMASHREE DR. D Y PATIL COLLEGE OF ARCHITECTURE
Sector No. 29, B/h. Akurdi Railway Station, Nigdi Pradhikaran, Akurdi, Pune - 411044

ACADEMIC YEAR

(2020-21)

Criterion 7 Institutional Values and Best Practices

Key Indicator 7.1.3

<i>Metric No.</i>	<i>Quality Audits and environment and energy regularly undertaken by the institution</i>
7.1.3	<p><i>The Institutional environment and energy initiative are confirmed through the following</i></p> <ol style="list-style-type: none"> <i>1. Green Audit / Environment Audit</i> <i>2. Energy Audit</i> <i>3. Clean and Green Campus Initiative</i> <i>4. Beyond the Campus Environmental Promotion Activities</i>

Sr. No	Contents (Documents)		
	Supporting Documents	Date	Year
1	<i>Green Audit Reports</i>	<i>15/10/21</i>	<i>(2020-21)</i>
2	<i>Energy Audit Reports</i>	<i>15/10/21</i>	<i>(2020-21)</i>
3	<i>Environment Audit Report</i>	<i>15/10/21</i>	<i>(2020-21)</i>

**Report
On
Green Audit
At
Padmashree Dr. D Y Patil College of Architecture
Akurdi,Pune
(Year 2020-21)**



Prepared by
Nutan Urja Solutions
A 703, Balaji Witfield, Near Sunni's World,
Sus Road, Sus, Pune 411 021
Phone: 83568 18381. Email: nutanurja.solutions@gmail.com



Dr. D.Y. Patil Pratishthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune

Nutan Urja Solutions

A 703, Balaji Witfield, Near Sunni's World,

Sus Road, Sus, Pune 411 021

Phone: 83568 18381. Email: nutanurja.solutions@gmail.com

Date: 15/10/2021

CERTIFICATE


This is to certify that we have conducted Green Audit at Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune for the year 2020-21.

The College has already adopted **Green** practices like:

- Installation of Rain Water Harvesting system
- Installation of Sewage Treatment Plant.
- Installation of 350 kW Roof Top Solar PV Power Plant.
- Usage of Energy Efficient LED
- Usage of Energy Efficient BEE STAR Rated equipment

We appreciate the support of Management, involvement of faculty members and students in the process of making the campus Green.

Nutan Urja Solutions,



K G Bhatwadekar,

Certified Energy Auditor,

EA - 22428





Dr. D Y Patil Pratishthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune

Contents

Acknowledgement	3
Executive Summary	4
Abbreviations	6
1. Introduction	7
1.1 Objectives	7
1.2 Audit methodology	7
2. Study of Electrical Energy Consumption	8
3. Carbon Foot printing	10
4. Study of Usage of Alternate Energy	12
5. Study of Water System	13
5.1 Source of Water	13
5.2 Rain Water Harvesting	13
5.3 Sewage Treatment Plant	13
6. Study of Waste Management	14
6.1 Solid Waste Management	14
6.2 e-Waste Management	14
6.3 Waste Water Management	14
7. Study of Green Practices	15
7.1 No of students who don't use own Vehicle for coming to Institute	15
7.2 Usage of Public Transport	15
7.3 Pedestrian Friendly Roads	15
7.4 Plastic Free Campus	15
7.5 Paperless Office	16



7.6 Food Service in college campus..... 16

7.7 Green Landscaping with Trees and Plants 16



Dr. D Y Patil Productions
Padmeshree Dr. D Y Patil College of Architecture,
Akurdi, Pune



Acknowledgement

We at Nutan Urja Solutions, Pune, express our sincere gratitude to the management of Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune for awarding us the assignment of Green Audit of their college premises.

We hope that the recommendations stated in this report will be useful and worthy of discussions to take things forward to help implementation of energy conservation measures and green practices. While we have made every attempt to adhere to high quality standards, in both data collection and analysis through the report, we would welcome your suggestions so as to improve upon this report further.



Executive Summary

Green Audit of Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune is conducted by Nutan Urja Solutions, Pune. Based On the audit field study, following important points can be presented.

1. Present Energy Consumption

Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune uses Electrical Energy as the source of Energy for various equipment in the college campus. In the following Table, we present the details of Energy Consumption.

Table no 1: Details of energy consumption

Sr no	Parameter	Energy consumed, (Units)	CO2 Emission (MT)
1	Maximum	10,974	8.8
2	Minimum	2,942	2.4
3	Average	5,124	4.1
4	Total	61,482	49.2

2. Various Measures Adopted for Energy Conservation

1. Usage of STAR Rated ACs at new installations
2. Usage of LED lights at some indoor locations
3. Usage of LED Lights for outdoor lighting.

3. Usage of Renewable Energy

The institute has installed 350 kW Solar PV Power Plant.

4. Rain Water Harvesting

The College has installed the Rainwater harvesting project, to reduce dependency on municipal corporation water supply.

5. Waste Management

The internal communication is through emails and there is hardly any generation of e-Waste in the premises.

6. Notes and Assumptions

1. Daily working hours-10 Nos

2. Annual working Days-250 Nos
3. Average Rate of Electrical Energy ; Rs 11/- per kWh



Abbreviations

CFL	: Compact Fluorescent Lamp
FTL	: Fluorescent Tube Light
LED	: Light Emitting Diode
V	: Voltage
I	: Current
kW	: Kilo- Watt
kWh	: kilo-Watt Hour
kVA	: Active Power



1. Introduction

Padmashree Dr. D. Y. Patil college of Architecture has been established in the year 2000. The college is run by Padmashree Dr. D. Y. Patil Pratishthan, which has set up multiple centers of educational excellence at Pune, Mumbai and Kolhapur. The Institute strongly believes that world-class education is the stepping-stone to progress. With a long-standing commitment towards quality teaching and learning, the Institute has nurtured values that go into the making of successful careers. Reiterating excellence with every incoming batch, the Institute stands tall with its undeterred commitment to deliver better. Equipped with state-of-the-art infrastructure, the Institute always encourages individuals to think, question, explore and apply their well-honed minds to scale newer heights of success. The Institute believes in imparting education that'll build world class citizens of tomorrow.

Padmashree Dr. D. Y. Patil college of Architecture fosters a positive environment for Teaching, Non-Teaching staff and Students to meet the emerging challenges which stimulates the desire to collaborate and change the world. Padmashree Dr. D. Y. Patil College of Architecture, a gem of an Institution has successfully completed a decade & is budding with young & energetic talent creating a mark in this grand galaxy of homes of higher learning. Here architecture means not merely a science & construction of building but it will be open vistas of ideas & ideals. It is indeed a center of fusion between creativity & utility. It has been bringing out the best talents in the field of housing, modern living & other aspects essential for better community life & will continue to do so in the future.

1.1 Objectives

1. To study present level of Energy Consumption
2. To Study the present CO₂ emissions
3. To assess the various equipment/facilities from Energy efficiency aspect
4. To measure various Electrical parameters
5. To study Scope for usage of Renewable Energy
6. To study various measures to reduce the Energy Consumption

1.2 Audit methodology

1. Study of connected load
2. Study of various Electrical parameters
3. To prepare the Report with various Encon measures with payback analysis



2. Study of Electrical Energy Consumption

In this chapter, electricity bills are studied for the analysis of electrical energy consumption. The Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune is situated in Padmashree D. Y. Patil Educational Complex. Entire Padmashree D. Y. Patil Educational Complex is having single energy meter for all institutes situated in complex. The bill analysis is carried for electricity bills of entire campus.

Table no 2.1: Summary of electricity bills

No	Month	Energy (kWh)	Bill Amount (Rs)
1	Jun-21	4,079	184,510
2	May-21	3,208	169,765
3	Apr-21	3,998	180,330
4	Mar-21	5,548	186,769
5	Feb-21	7,276	207,752
6	Jan-21	7,558	211,170
7	Dec-20	4,592	173,160
8	Nov-20	4,045	166,226
9	Oct-20	3,850	174,876
10	Sep-20	3,412	184,124
11	Aug-20	10,974	344,070
12	Jul-20	2,942	166,065
	Total	61,482	2,348,817

Variation in energy consumption is as follows.






Figure 2.1: Month wise energy consumption

Monthly variation in electricity bill is as follows,




Figure 2.2: Month wise electricity bill

Key observations of electricity bill are as follows,

Table no 2.2: Key observations

Sr no	Parameter	Energy consumed, (Units)	CO2 Emission (MT)
1	Maximum	10,974	8.8
2	Minimum	2,942	2.4
3	Average	5,124	4.1
4	Total	61,482	49.2



3. Carbon Foot printing

1. A Carbon Foot print is defined as the Total Greenhouse Gas emissions (CO₂ emissions), emitted due to various activities. In this we compute the emissions of Carbon-Di-Oxide, by usage of the various form of Electrical Energy used by the College for performing its day to day activities

2. Basis for computation of CO₂ Emissions:

The basis of Calculation for CO₂ emissions due to Electrical Energy is as under

- 1 Unit (kWh) of Electrical Energy releases **0.8 Kg of CO₂** into atmosphere.

Based on the above Data we compute the CO₂ emissions which are being released in to the atmosphere by the College due to its Day to Day operations.

The Padmashree DR. D Y Patil College Of Architecture Akurdi,Pune is situated in Padmashree D. Y. Patil Educational Complex. Entire Educational Complex is having single energy meter for all institutes situated in complex. Calculation for CO₂ emissions due to Electrical Energy is carried for entire campus.

We herewith furnish the details of various forms of Energy consumption as under



Table 3.1: Month wise Consumption of Electrical Energy & CO2 Emissions

No	Month	Energy Consumed, kWh	CO2 Emissions, MT
1	Jun-21	4,079	3.3
2	May-21	3,208	2.6
3	Apr-21	3,998	3.2
4	Mar-21	5,548	4.4
5	Feb-21	7,276	5.8
6	Jan-21	7,558	6.0
7	Dec-20	4,592	3.7
8	Nov-20	4,045	3.2
9	Oct-20	3,850	3.1
10	Sep-20	3,412	2.7
11	Aug-20	10,974	8.8
12	Jul-20	2,942	2.4
	Total	61,482	49.2

In the following Chart we present the CO2 emissions due to usage of Electrical Energy.




Figure 3.1: Month wise CO2 Emission

4. Study of Usage of Alternate Energy

In this Chapter, we compute the percentage of Usage of Alternate/Renewable Energy to Annual Energy Requirement of the College.

The Padmashree DR. D Y Patil College Of Architecture Akurdi,Pune is situated in Padmashree D. Y. Patil Educational Complex. Entire Educational Complex is having single energy meter for all institutes situated in complex. The institute have installed Roof Top Solar PV System to cater energy requirement of all institutes of entire campus. The Installed Capacity of Solar PV Plant is 350 kWp.

Table 4.1: Computation of % Usage of Alternate Energy to Annual Energy Requirement

No	Particulars	Value	Unit
1	Annual Energy Purchased from MSEDCCL	61,482	kWh/Annum
2	Energy Generated by Roof Top Solar PV System	380,614	kWh/Annum
3	Total Energy Requirement of College	442,096	kWh/Annum
4	% of Usage of Alternate Energy to Annual Energy Requirement	86	%

Photograph of Solar PV plant



5. Study of Water System

5.1 Source of Water

College gets water from Pimpri- Chinchwad Municipal Corporation. The RO treated water is provided for drinking.

5.2 Rain Water Harvesting

The College has already installed Rain Water Harvesting project, wherein the rain water falling on the terrace is collected and through pipes it is fed to underground Water Storage tank. This stored water is then reused for domestic purpose.

5.3 Sewage Treatment Plant

The waste water generated in college campus is treated in Sewage Water Treatment Plant. This plant aims to remove contaminants from sewage to produce an effluent that is suitable for reuse application. The sewage water treatment plant is operating with 100 KLD water capacity.

Photograph of Sewage Treatment Plant



6. Study of Waste Management

6.1 Solid Waste Management

The garbage collected in college is segregated into wet and dry centrally in campus.

Waste bins are placed in college campus for collection of waste.

6.2 e-Waste Management

The internal communication is through emails and hence there is hardly any generation of e-Waste in the premises.

6.3 Waste Water Management

The waste water generated in college campus is treated in Sewage Water Treatment Plant. The sewage water treatment plant is operating with 100 KLD water capacity.



7. Study of Green Practices

7.1 No of students who don't use own Vehicle for coming to Institute

Student hostels are located near college campus only. Many students live in hostel campus. Many of the Out of total students coming to Institute, about 60% students use own Automobile. During the lockdown of Covid 19 negligible vehicles are reported on the campus during the year 2019-20 and 2020-21. Online teaching mode used for the teaching learning processes.

7.2 Usage of Public Transport

Padmashree D. Y. Patil Educational Complex campus can be conveniently reachable by public transport. Most of the staff is using own vehicles i.e cars and two wheelers. The capacity of parking is enough to accommodate all vehicles. During the Students transport study, it was revealed that the local students who are residing near areas make use of Public Transport like Municipal Transport local buses, local sharing type auto rickshaws. Institute encourages students to not to use automobiles.

7.3 Pedestrian Friendly Roads

The Institute has well defined pedestrian foot paths as to facilitate the easy movement of the students within the campus.

Photograph of Road within campus



7.4 Plastic Free Campus

The Institute is an active participant in the Government of India's most prestigious project of SWATCHH BHART ABHIYAN. The Institute has displayed boards in the Campus, to make the campus plastic free. Various measures adopted for this purpose are as follows

- Installation of Separate waste bins for Dry waste & wet waste



- Usage of paper tea cups in the Institute canteen
- Display of boards in the campus for Plastic Free campus

7.5 Paperless Office

The internal communication of the Institute is through the Internet. There are hardly any day to day operations, where printing is required.

7.6 Food Service in college campus

There are canteens and cafeterias within college campus. Students need not to travel outside the college for food. Canteen contractor have Food license and shop act certificate. Hygiene in canteen is well maintained.

7.7 Green Landscaping with Trees and Plants


The Institute has beautiful maintained Garden.



Figure 7.1: Beautiful maintained Garden of college



**Report
On
Energy Audit
At
Padmashree Dr. D Y Patil College of Architecture
Akurdi,Pune
(Year 2020-21)**



Prepared by
Nutan Urja Solutions
A 703, Balaji Witfield, Near Sunni's World,
Sus Road, Sus, Pune 411 021
Phone: 83568 18381, Email: nutanurja.solutions@gmail.com



[Handwritten Signature]

Dr. D Y Patil Pratishthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune

Nutan Urja Solutions

A 703, Balaji Witefield, Near Sunni's World,

Sus Road, Sus, Pune 411 021

Phone: 83568 18381. Email: nutanurja.solutions@gmail.com

Date: 15/10/2021

CERTIFICATE


This is to certify that we have conducted Energy Audit at Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune as per the guidelines of Maharashtra Energy Development Agency (www.mahaurja.com) in the year 2020-21.

The College has already adopted **Energy Efficient** practices like:

- Usage of Energy Efficient LED Fittings
- Usage of Energy Efficient BEE STAR Rated equipment
- Installation of 350 kW Roof Top Solar PV Power Plant.

We appreciate the support of Management, involvement of faculty members and students in the process of Energy Conservation & making the campus Green.

Nutan Urja Solutions,



K G Bhatwadekar,

Certified Energy Auditor,

EA - 22428



Dr. D Y Patil Pralishwan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune

Contents

Acknowledgement	2
Executive Summary	3
Abbreviations	5
1. Introduction	6
1.1 Objectives	6
1.2 Audit Methodology:	6
1.3 General Details of College	7
2. Study of connected load	8
3. Study of Electrical Energy Consumption	10
4. Carbon Foot printing	12
5. Study of utilities	14
5.1 APFC Panel	14
5.2 Study of Lighting	14
5.3 Air-conditioners	14
5.4 Fans	14
5.5 Water Pumps	14
6. Study of usage of alternate energy	15
7. Study of usage of LED lighting	16
8. Energy conservation proposals	17
8.1 Replacement of Old T-8 FTLs with 20 W LED fittings	17
8.2 Replacement of old fans with STAR Rated fans	18
8.3 Installation of Solar PV panel	19
8.4 Summary of Savings	20

Nutan Urja Solutions, Pune

1



Dr. D Y Patil Pratishthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune

Acknowledgement

We at Nutan Urja Solutions, Pune, express our sincere gratitude to the management of Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune for awarding us the assignment of Energy Audit of their college premises.

We hope that the recommendations stated in this report will be useful and worthy of discussions to take things forward to help implementation of energy conservation measures through energy savings. While we have made every attempt to adhere to high quality standards, in both data collection and analysis through the report, we would welcome your suggestions so as to improve upon this report further.

Nutan Urja Solutions, Pune

2



Dr. D Y Patil Pratishthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune

Executive Summary

After the Field measurements & analysis, we present herewith important observations made and various measures to reduce the Energy Consumption & mitigate the CO₂ emissions. College consumes Energy in the form of Electrical Energy used for various gadgets, Office & other facilities.

1. Present Energy Consumption

In the following Table, we present the details of Energy Consumption.

Table no 2.1: Details of energy consumption

Sr no	Parameter	Energy consumed, (Units)	CO2 Emission (MT)
1	Maximum	10,974	8.8
2	Minimum	2,942	2.4
3	Average	5,124	4.1
4	Total	61,482	49.2

2. Energy Conservation Projects already installed

1. Usage of STAR Rated ACs at new installations
2. Usage of LED lights at some indoor locations
3. Usage of LED Lights for outdoor lighting.

3. Key Observations

1. Usage of LED lights.
2. Usage of star rated equipment.
3. Maintained a good power factor.

4. Percentage of Usage of Alternate Energy

The College has installed a Roof Top Solar PV Plant. The percentage of usage of Alternate Energy to Annual Energy Requirement is 86 %.



5. Percentage of Usage of LED Lighting

The College has various Types of Light fittings. The percentage of Annual LED Lighting Usage to Annual Lighting requirement works out to be 33 %.

6. Recommendations

Table no 1: Recommendations for energy savings

No	Recommendation	Annual Saving potential, kWh/Annum	Annual Monetary Gain, Rs.	Investment Required, Rs.	Payback period, Months
1	Replacement of 122 Nos T-8 fittings with 20W LED fittings	2,440	26,840	78,202	35
2	Replacement of 96 Nos Old Ceiling Fans with STAR rating fans	1,248	13,728	208,704	182
3	Installation of 200kW grid connected PV panel	300,000	3,300,000	10,000,000	36
	Total	3,688	40,568	286,906	85

7 Notes & Assumptions

1. Daily working hours-10 Nos
2. Annual working Days-300 Nos
3. Average Rate of Electrical Energy : Rs 11/- per kWh

Nutan Urja Solutions, Pune

4



Dr. D. Y. Patil Pratishtan's

Padmashree Dr. D. Y. Patil College of Architecture,
Akurdi Pune

Abbreviations

CFL	: Compact Fluorescent Lamp
FTL	: Fluorescent Tube Light
LED	: Light Emitting Diode
V	: Voltage
I	: Current
kW	: Kilo- Watt
kWh	: kilo-Watt Hour
kVA	: Active Power



1. Introduction

Padmashree Dr. D. Y. Patil college of Architecture has been established in the year 2000. The college is run by Padmashree Dr. D. Y. Patil Pratishthan, which has set up multiple centers of educational excellence at Pune, Mumbai and Kolhapur. The Institute strongly believes that world-class education is the stepping-stone to progress. With a long-standing commitment towards quality teaching and learning, the Institute has nurtured values that go into the making of successful careers. Reiterating excellence with every incoming batch, the Institute stands tall with its undeterred commitment to deliver better. Equipped with state-of-the-art infrastructure, the Institute always encourages individuals to think, question, explore and apply their well-honed minds to scale newer heights of success. The Institute believes in imparting education that'll build world class citizens of tomorrow.

Padmashree Dr. D. Y. Patil college of Architecture fosters a positive environment for Teaching, Non-Teaching staff and Students to meet the emerging challenges which stimulates the desire to collaborate and change the world. Padmashree Dr. D. Y. Patil College of Architecture, a gem of an Institution has successfully completed a decade & is budding with young & energetic talent creating a mark in this grand galaxy of homes of higher learning. Here architecture means not merely a science & construction of building but it will be open vistas of ideas & ideals. It is indeed a center of fusion between creativity & utility. It has been bringing out the best talents in the field of housing, modern living & other aspects essential for better community life & will continue to do so in the future.

1.1 Objectives

1. To study present level of Energy Consumption
2. To Study Electrical Consumption
3. To assess the various equipment/facilities from Energy efficiency aspect
4. To study various measures to reduce the Energy Consumption

1.2 Audit Methodology:

1. Study of connected load
2. Study of various Electrical parameters
3. To prepare the Report with various Encon measures with payback analysis



1.3 General Details of College

Table No-1.1: Details of college

No	Head	Particulars
1	Name of Institution	Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune
2	Address	Padmashree D. Y. Patil Educational Complex, Sector 29, Nigdi, Akurdi, Maharashtra 411044
3	Affiliation	Savitribai Phule Pune University

Nutan Urja Solutions, Pune

7

Dr. D Y Patil Pratishthan's
Padmashree Dr. D Y Patil College of Architecture
Akurdi Pune



2. Study of connected load

In this chapter, we present details of various connected electrical equipment and electrical load.

Table No-2.1: Location wise study of Electrical fittings in various buildings

No	Location	FTL (40W)	LED tube (20W)	LED bulb (12W)	Computers (65W)	Ceiling Fans	Wall Fans	1.5 Tr Star rated AC
Ground Floor								
1	Cafeteria		4			8		
2	Studio	17				12		
3	Kitchen		6					
4	Passage		14					
5	Vice Principal			10	1	1		
6	Admin Office			15	5			
7	Principal Office		2	12	1	2		1
8	First Year Studio	18		4		12		
9	Exam Central room		4		2		2	
10	CAP center	12				12		
11	Studio Third Year A	12			2	9		
12	Studio First Year B	10			2	6		
13	Staff Room			24			12	
14	Faculty Room		32		20		9	
15	Studio 403	15				9		
16	Studio 303	6				6		
17	Toilet (GF)	10		8		9		
First Floor								
18	Toilet (First Floor)			8				
19	Passage	8						




20	Computer Lab	14	1		53	10		1
	Total	122	63	81	86	96	23	2

Apart from above load, the college has pumps, street lights. Individual fitting wise load is as under.

Table No 2.2: Equipment wise Connected Load

No	Equipment	Qty	Load, W/Unit	Load, kW
1	F T L-40 W	122	40	4.9
2	LED Tube-20W	63	20	1.3
3	LED bulb	81	12	1.0
4	Computers	86	65	5.6
5	Ceiling Fans	96	65	6.2
6	Wall Fans	23	50	1.2
7	AC (1.5Tr Star Rated)	2	1838	3.7
8	LED focus Street light	5	35	0.2
9	Pumps (2 nos 5HP)			7.5
	Total			18.7

Data can be represented in terms of PIE chart as under,




Figure 2.1: Distribution of connected load.

3. Study of Electrical Energy Consumption

In this chapter, electricity bills are studied for the analysis of electrical energy consumption. The Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune is situated in Padmashree D. Y. Patil Educational Complex. Entire Complex is having single energy meter for all institutes situated in complex. The bill analysis is carried for electricity bills of entire campus.

Table no 3.1: Summary of electricity bills

No	Month	Bill	
		Energy (kWh)	Amount (Rs)
1	Jun-21	4,079	184,510
2	May-21	3,208	169,765
3	Apr-21	3,998	180,330
4	Mar-21	5,548	186,769
5	Feb-21	7,276	207,752
6	Jan-21	7,558	211,170
7	Dec-20	4,592	173,160
8	Nov-20	4,045	166,226
9	Oct-20	3,850	174,876
10	Sep-20	3,412	184,124
11	Aug-20	10,974	344,070
12	Jul-20	2,942	166,065
	Total	61,482	2,348,817

Variation in energy consumption is as follows.







Figure 3.1: Month wise energy consumption

Monthly variation in electricity bill is as follows.



Figure 3.2: Month wise electricity bill

Key observations of electricity bill are as follows.

Table no 3.2: Key observations

Sr no	Parameter	Energy consumed, (Units)	CO2 Emission (MT)
1	Maximum	10,974	8.8
2	Minimum	2,942	2.4
3	Average	5,124	4.1
4	Total	61,482	49.2



4. Carbon Foot printing

1. A **Carbon Foot print** is defined as the Total Greenhouse Gas emissions (CO₂ emissions), emitted due to various activities. In this we compute the emissions of Carbon-Di-Oxide, by usage of the various form of Electrical Energy used by the College for performing its day to day activities

2. Basis for computation of CO₂ Emissions:

The basis of Calculation for CO₂ emissions due to Electrical Energy is as under

- 1 Unit (kWh) of Electrical Energy releases **0.8 Kg of CO₂** into atmosphere.

Based on the above Data we compute the CO₂ emissions which are being released in to the atmosphere by the College due to its Day to Day operations.

The Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune is situated in Padmashree Dr D. Y. Patil Educational Complex. Entire Educational Complex is having single energy meter for all institutes situated in complex. Calculation for CO₂ emissions due to Electrical Energy is carried for entire campus.

We herewith furnish the details of various forms of Energy consumption as under



Table 4.1: Month wise Consumption of Electrical Energy & CO2 Emissions

No	Month	Energy Consumed, kWh	CO2 Emissions, MT
1	Jun-21	4,079	3.3
2	May-21	3,208	2.6
3	Apr-21	3,998	3.2
4	Mar-21	5,548	4.4
5	Feb-21	7,276	5.8
6	Jan-21	7,558	6.0
7	Dec-20	4,592	3.7
8	Nov-20	4,045	3.2
9	Oct-20	3,850	3.1
10	Sep-20	3,412	2.7
11	Aug-20	10,974	8.8
12	Jul-20	2,942	2.4
	Total	61,482	49.2

In the following Chart we present the CO2 emissions due to usage of Electrical Energy.




Figure 4.1: Month wise CO2 Emission



5. Study of utilities

5.1 APFC Panel

The Office has already installed the APFC Panel. Capacitors of 110kVAR capacity is installed with panel.

5.2 Study of Lighting

In the facility, the lighting system can be divided mainly in to parts, indoor lighting and outdoor lighting. There are 122 FTL fittings with Electronic/ magnetic chokes , 63 nos of LED tubes, 81 nos of LED bulbs. It is recommended to install the 20 W LED Tube light fittings in place of these old T-8 fittings. There are 5 No of LED street lights.

5.3 Air-conditioners

There is 2 nos of star rated new AC of 1.5Tr capacity.

5.4 Fans

At building facility, there are about 96 Nos Old Ceiling Fans, which consumed about 65 W of Electrical Energy. It is recommended to replace these old Fans with BEE STAR Rated Ceiling Fans. There are 23 nos of wall fans in the facility.

5.5 Water Pumps

There are in total 2 nos of Water pumps with 5HP capacities respectively.

6. Study of usage of alternate energy

In this Chapter, we compute the percentage of Usage of Alternate/Renewable Energy to Annual Energy Requirement of the College.

The Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune is situated in Padmashree D. Y. Patil Educational Complex. Entire Complex is having single energy meter for all institutes situated in complex. The institute have installed Roof Top Solar PV System to cater energy requirement of all institutes of entire campus. The Installed Capacity of Solar PV Plant is 350 kWp.

Table 6.1: Computation of % Usage of Alternate Energy to Annual Energy Requirement

No	Particulars	Value	Unit
1	Annual Energy Purchased from MSEDCL	61,482	kWh/Annum
2	Energy Generated by Roof Top Solar PV System	380,614	kWh/Annum
3	Total Energy Requirement of College	442,096	kWh/Annum
4	% of Usage of Alternate Energy to Annual Energy Requirement	86	%

Photograph of Solar PV plant



[Handwritten Signature]



7. Study of usage of LED lighting

In this chapter we study the lighting system of college and compute the percentage of total load catered by LED lighting.

Table 7.1: Total lighting load

No	Particulars	Qty	Load, W/Unit	Load, kW
1	F T L-40 W	122	40	4.9
	LED lighting load			
1	LED tube	63	20	1.3
2	LED bulbs	81	12	1.0
3	LED street lights	5	35	0.2
	Total LED lighting load			2.4
	Total Lighting load			7.3

It can be seen that out of total lighting load 33% load is LED lighting load.



8. Energy conservation proposals

8.1 Replacement of Old T-8 FTLs with 20 W LED fittings

In the facility, there are about 122 Nos, T-8, FTL fittings with Electronic/magnetic chokes. It is recommended to install the 20 W LED Tube light fittings in place of these old T-8 fittings. In the following Table, we present the savings, investment required & payback analysis.

No	Particulars	Value	Unit
1	Present Qty of T-8 fittings	122	Nos
2	Energy Demand of T-8 fitting	40	W/Unit
3	Energy Demand of 20 W LED fittin	20	W/Unit
4	Reduction in demad	20	W/Unit
5	Average Daily Usage period	4	Hrs/Day
6	Daily saving in Energy	9.76	kWh/Day
7	Annual Working Days	250	Nos
8	Annual Energy Saving possible	2440	kWh/Annum
9	Rate of Electrical Energy	11	Rs/kWh
10	Annual Monetary saving	26840	Rs/Annum
11	Cost of 20 W LED Tube	641	Rs/Unit
12	Investment required	78202	Rs lump sum
13	Simple Payback period	35	Months



8.2 Replacement of old fans with STAR Rated fans

During the Audit, it was observed that there are 96 no of fans. It is recommended to replace these old fans with STAR Rated fans.

In the following Table, we present the savings, investment required & payback analysis.

No	Particulars	Value	Unit
1	Present Qty of Old Ceiling Fan fittings	96	Nos
2	Energy Demand of Old Ceiling Fan fitting	65	W/Unit
3	Energy Demand of STAR Rated Fan	52	W/Unit
4	Reduction in demad	13	W/Unit
5	Average Daily Usage period	4	Hrs/Day
6	Daily saving in Energy	4.992	kWh/Day
7	Annual Working Days	250	Nos
8	Annual Energy Saving possible	1248	kWh/Annum
9	Rate of Electrical Energy	11	Rs/kWh
10	Annual Monetary saving	13728	Rs/Annum
11	Cost of STAR Rated Ceiling Fan	2174	Rs/unit
12	Investment required	208704	Rs lump sum
13	Simple Payback period	182	Months




8.3 Installation of Solar PV panel

It is recommended to install 200 kW solar PV panel. In the following Table, we present the savings, investment required & payback analysis.

No	Particulars	Value	Unit
1	Installation of PV unit	200	kW
2	Energy saving	300000	kWh/Annum
3	Rate of electrical energy	11	Rs
4	Annual monetary savings	3300000	Rs/ Annum
5	Investment required	10000000	Rs lump sum
6	Simple payback period	36	Months

8.4 Summary of Savings

No	Recommendation	Annual Saving potential, kWh/Annum	Annual Monetary Gain, Rs.	Investment Required, Rs.	Payback period, Months
1	Replacement of 122 Nos T-8 fittings with 20W LED fittings	2,440	26,840	78,202	35
2	Replacement of 96 Nos Old Ceiling Fans with STAR rating fans	1,248	13,728	208,704	182
3	Installation of 200kW grid connected PV panel	300,000	3,300,000	10,000,000	36
	Total	3,688	40,568	286,906	85



Report
On
Environmental Audit
At
Padmashree Dr. D Y Patil College of Architecture
Akurdi,Pune
(Year 2020-21)



Prepared by

Nutan Urja Solutions

A 703, Balaji Witfield, Near Sunni's World,

Sus Road, Sus, Pune 411 021

Phone: 83568 18381. Email: nutanurja.solutions@gmail.com



0

Nutan Urja Solutions

A 703, Balaji Witefield, Near Sunni's World,

Sus Road, Sus, Pune 411 021

Phone: 83568 18381. Email: nutanurja.solutions@gmail.com

Date: 15/10/2021

CERTIFICATE

This is to certify that we have conducted Environmental Audit at Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune in the year 2020-21.

The College has already adopted following projects for making the campus **Energy Efficient**.

- Installation of Sewage Treatment Plant
- Installation of Rain Water Harvesting System
- Installation of **350 kW** Solar PV Power Plant.

We appreciate the support of Management, involvement of faculty members and students in the process of Energy Conservation & making the campus Green.

Nutan Urja Solutions,

K G Bhatwadekar

K G Bhatwadekar,
Certified Energy Auditor,
EA - 22428



Dr. D Y Patil

Dr. D Y Patil Pratihthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune

Table of Contents

Acknowledgement	2
Executive Summary	3
Abbreviations	5
1. Introduction	6
1.1 Important Definitions:	6
1.2 Objectives	7
1.3 Audit Methodology:	7
1.4 General Details of College	7
2. Study of Consumption of Various Resources	8
2.1 Variation of Monthly Electrical Energy Consumption	9
2.2 Key Inference drawn	10
3. Study of Environmental Pollution	11
3.1 Air Pollution	11
3.2 Study of Solid Waste Generation	12
3.3 Canteen food wastage	12
3.4 Study of Liquid Waste Generation	12
3.5 Study of e-Waste Management:	12
4. Study of Rain Water Harvesting	13
5. Recommendations	14



Dr. D. Y. Patil Pratishthan's
Padmasree Dr. D. Y. Patil College of Architecture
Akurdi, Pune



Acknowledgement

We at Nutan Urja Solutions, Pune wish to express our sincere gratitude to the management of Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune for assigning the work of Environmental Audit of college campus.

We appreciate the co-operation and support extended to our team members during the entire tenure of field study. We are also thankful to all other staff members who helped us during the Measurements at the field and for giving us the necessary inputs to carry out this vital exercise.



Dr. D Y Patil Pratishthan's
Padmashree Dr. D Y Patil College of Architecture
Akurdi Pune



Executive Summary

After the Field measurements & analysis, we present herewith important observations made and various measures to reduce the dependency on Natural resources & reduce the pollution.

Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune consumes various resources for day to day operations, namely: Air, Water, Electrical Energy & LPG.

1. Various Pollution due to College Activities:

- Air pollution: Mainly CO₂ on account of Electricity & LPG Consumption
- Solid Waste: Bio degradable Kitchen Waste, Garden Waste
- Liquid Waste: Human liquid waste

2. Present Level of CO₂ Emissions:

Sr no	Parameter	Energy consumed, (Units)	CO ₂ Emission (MT)
1	Maximum	10,974	8.8
2	Minimum	2,942	2.4
3	Average	5,124	4.1
4	Total	61,482	49.2

3. The various projects already implemented for Environmental Conservation:

- Usage of Energy Efficient BEE STAR Rated ACs
- Usage of Natural Day light in corridors
- Implementation of Rain Water Harvesting
- Installation of 350 kW Solar PV Power Plant.
- Installation of Sewage Treatment Plant

4. Recommendations:

1. Installation of Bio Gas Generator Plant instead of Bio composting Plant.
2. Installation of Bio Composting Plant to generate fertilizer from garden waste.

5. Notes & Assumptions:

1. 1 kWh of Electrical Energy releases 0.8 Kg of CO₂ into atmosphere

2. 1 kWp Solar PV plant generates 5 kWh/day Electrical Energy for 300 days in an year.



Abbreviations

AC	: Air conditioner
PES	: Progressive Education Society
CFL	: Compact Fluorescent Lamp
FTL	: Fluorescent Tube Light
LED	: Light Emitting Diode
kWh	: kilo-Watt Hour
Qty	: Quantity
W	: Watt
kW	: Kilo Watt
PF	: Power Factor
M D	: Maximum Demand
PC	: Personal Computer
MSEDCL	: Maharashtra State Electricity Distribution Company Ltd



1. Introduction

1.1 Important Definitions:

1.1.1 Environment: Definition as per environment Protection Act: 1986

Environment includes water, air and land and the inter-relationship which exists among and between Water, Air, Land and Human beings, other living creatures, plants microorganism and property

1.1.2. Environmental Audit: Definition:

An audit which aims at verification and validation to ensure that various environmental laws are complied with and adequate care has been taken towards environmental protection and preservation

According to UNEP, 1990, "Environmental audit can be defined as a management tool comprising systematic, documented and periodic evaluation of how well environmental organization management and equipment are performing with an aim of helping to regularize the environment"

1.1.3. Environmental Pollutant: means any solid, liquid and gaseous substance present in the concentration as may be, or tend to be, injurious to Environment.

1.1.4. Relevant Environmental Laws in India: Table No-1:

1927	The Indian Forest Act
1972	The Wildlife Protection Act
1974	The Water (Prevention and Control of Pollution) Act
1977	The Water (Prevention & Control of Pollution) Cess Act
1980	The Forest (Conservation) Act
1981	The Air (Prevention and Control of Pollution) Act
1986	The Environment Protection Act
1991	The Public Liability Insurance Act
2002	The Biological Diversity Act
2010	The National Green Tribunal Act

1.1.5. Some Important Environmental Rules in India: Table No-2:

1989	Hazardous Waste (Management and Handling) Rules
1989	Manufacture, Storage and Import of Hazardous Chemical Rules
2000	Municipal Solid Waste (Management and Handling) Rules
1998	The Biomedical Waste (Management and Handling) Rules
1999	The Environment (Siting for Industrial Projects) Rules
2000	Noise Pollution (Regulation and Control) Rules
2000	Ozone Depleting Substances (Regulation and Control) Rules



2011	E-waste (Management and Handling) Rules
2011	National Green Tribunal (Practices and Procedure) Rules
2011	Plastic Waste (Management and Handling) Rules

1.1.6 National Environmental Plans & Policy Documents: Table No-3:

1.	National Forest Policy, 1988
2.	National Water Policy, 2002
3.	National Environment Policy or NEP (2006)
4.	National Conservation Strategy and Policy Statement on Environment and Development, 1992
5.	Policy Statement for Abatement of Pollution (1992)
6.	National Action Plan on Climate Change
7.	Vision Statement on Environment and Human Health
8.	Technology Vision 2030 (The Energy Research Institute)
9.	Addressing Energy Security and Climate Change (MoEF and Bureau of Energy Efficiency)
10.	The Road to Copenhagen; India's Position on Climate Change Issues (MoEF)

1.2 Objectives

1. To study present usage of Natural resources the College is consuming
2. To Study the present pollution sources
3. To study various measures to make the campus Self sustainable in respect of Natural resources
4. To suggest the various measures to reduce the pollution: Air, Water, Noise

1.3 Audit Methodology:

1. Study of College as System
2. Study of Electrical Energy Consumption
3. Study of CO2 emissions
4. Suggestions on usage of Renewable Energy

1.4 General Details of College

No	Head	Particulars
1	Name of Institution	Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune
2	Address	Padmashree D. Y. Patil Educational Complex, Sector 29, Nigdi, Akurdi, Maharashtra 411044
3	Affiliation	Savitribai Phule Pune University

(Handwritten Signature)



2. Study of Consumption of Various Resources


The Institute consumes following basic/derived Resources:

1. Air
2. Water
3. Electrical Energy
4. Liquefied Petroleum Gas

Also, college emits following pollutants to environment

1. Human Waste: Solid/ Liquid
2. Kitchen waste
3. Air pollution

We try to draw a schematic diagram for the College System & Environment as under.



Now we compute the Generation of CO₂ on account of consumption of Electrical Energy & LPG as under.

The Padmashree DR. D Y Patil College Of Architecture Akurdi,Pune is situated in Padmashree D. Y. Patil Educational Complex. Entire Educational Complex is having single energy meter for all institutes situated in complex. The bill analysis is carried for electricity bills of entire campus.

The calculation of electrical energy consumption by college can be given as,

Table 2.1: Electrical Energy Consumption

No	Month	Energy (kWh)
1	Jun-21	4,079
2	May-21	3,208
3	Apr-21	3,998
4	Mar-21	5,548
5	Feb-21	7,276
6	Jan-21	7,558
7	Dec-20	4,592
8	Nov-20	4,045
9	Oct-20	3,850
10	Sep-20	3,412
11	Aug-20	10,974
12	Jul-20	2,942
	Total	61,482
	Maximum	10,974
	Minimum	2,942
	Average	5,124

2.1 Variation of Monthly Electrical Energy Consumption

Month Wise Energy Consumption, kWh




Figure 2.1 : Monthly Electrical Energy Consumption

[Handwritten Signature]



2.2 Key Inference drawn

From the above analysis, we present following important parameters:

Table 2.2: Variation in Important Parameters

No	Parameter/ Value	Energy Consumed, kWh
1	Maximum	10,974
2	Minimum	2,942
3	Average	5,124
4	Total	61,482



3. Study of Environmental Pollution

In this Chapter, we present the various types of Pollution as under:

3.1 Air Pollution

The College is using two forms of Energies, namely; Thermal in the form of LPG and Electrical Energy used for day to day operations of the College. The major pollutant on account of above Energy forms is the Carbon Di Oxide.

- 1 unit (kWh) of Electrical Energy emits 0.8 Kg of CO₂ in the atmosphere
- 1 Kg of LPG emits 3 Kg of CO₂ in the atmosphere

In the following Table, we present the CO₂ emissions.

Table 3.1: Month wise Consumption of Electrical Energy & CO₂ Emissions:

No	Month	Energy Consumed, kWh	CO ₂ Emissions, MT
1	Jun-21	4,079	3.3
2	May-21	3,208	2.6
3	Apr-21	3,998	3.2
4	Mar-21	5,548	4.4
5	Feb-21	7,276	5.8
6	Jan-21	7,558	6.0
7	Dec-20	4,592	3.7
8	Nov-20	4,045	3.2
9	Oct-20	3,850	3.1
10	Sep-20	3,412	2.7
11	Aug-20	10,974	8.8
12	Jul-20	2,942	2.4
	Total	61,482	49.2
	Maximum	10,974	8.8
	Minimum	2,942	2.4
	Average	5,124	4.1

In the following Chart we present the CO2 emissions due to usage of Electrical Energy.




Figure 2.1: CO2 emission due to usage of electrical energy.

3.2 Study of Solid Waste Generation

The garbage collected in college is segregated into wet and dry centrally in campus.

Waste bins are placed in college campus for collection of waste.

3.3 Canteen food wastage

The students and canteen staff are encouraged to have minimal food wastage. Canteen contractor have food license and shop act certificate. The canteen is encouraged for usage of paper tea cups.

3.4 Study of Liquid Waste Generation

The waste water generated in college campus is treated in Sewage Water Treatment Plant. This plant aims to remove contaminants from sewage to produce an effluent that is suitable for reuse application. The sewage water treatment plant is operating with 100 KLD water capacity.

Photograph of Sewage Treatment Plant



3.5 Study of e-Waste Management:

The internal communication is through emails and there is hardly any generation of e-Waste in the premises.




4. Study of Rain Water Harvesting

The College has already installed Rain Water Harvesting project, wherein the rain water falling on the terrace is collected and through pipes it is fed to underground Water Storage tank. This stored water is then reused for domestic purpose.




5. Recommendations

In order to reduce the dependency on Natural resources and also in order to reduce the various pollutions arising due to the day to day operations of the College we herewith recommend following recommendations.

- Installation of Bio Gas Generator Plant instead of Bio composting Plant.
- Installation of Bio Composting Plant to generate fertilizer from garden waste.





Dr D Y Patil Prathisthan's

PADMASHREE DR. D Y PATIL COLLEGE OF ARCHITECTURE

Sector No. 29, B/h. Akurdi Railway Station, Nigdi Pradhikaran, Akurdi, Pune - 411044

ACADEMIC YEAR

(2019-20)

Criterion 7 Institutional Values and Best Practices

Key Indicator 7.1.3

<i>Metric No.</i>	<i>Quality Audits and environment and energy regularly undertaken by the institution</i>
7.1.3	<p><i>The Institutional environment and energy initiative are confirmed through the following</i></p> <ol style="list-style-type: none"> <i>1. Green Audit / Environment Audit</i> <i>2. Energy Audit</i> <i>3. Clean and Green Campus Initiative</i> <i>4. Beyond the Campus Environmental Promotion Activities</i>

Sr. No	Contents (Documents)		
A	Supporting Documents	Date	Year
1	<i>Green Audit Reports</i>	<i>28/09/20</i>	<i>(2019-20)</i>
2	<i>Energy Audit Reports</i>	<i>28/09/20</i>	<i>(2019-20)</i>
3	<i>Environment Audit Report</i>	<i>28/09/20</i>	<i>(2019-20)</i>

**Report
On
Green Audit
At
Padmashree Dr. D Y Patil College of Architecture
Akurdi, Pune
(Year 2019-20)**



Prepared by
Nutan Urja Solutions
A 703, Balaji Witefield, Near Sunni's World,
Sus Road, Sus, Pune 411 021
Phone: 83568 18381. Email: nutanurja.solutions@gmail.com



Dr. D Y Patil Prafshihan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune

Nutan Urja Solutions

A 703, Balaji Witefield, Near Sunni's World,

Sus Road, Sus, Pune 411 021

Phone: 83568 18381. Email: nutanurja.solutions@gmail.com

Date: 28/09/2020

CERTIFICATE

This is to certify that we have conducted Green Audit at Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune for the year 2019-20.

The College has already adopted **Green** practices like:

- Installation of Rain Water Harvesting system
- Installation of Sewage Treatment Plant.
- Installation of 350 kW Roof Top Solar PV Power Plant.
- Usage of Energy Efficient LED
- Usage of Energy Efficient BEE STAR Rated equipment

We appreciate the support of Management, involvement of faculty members and students in the process of making the campus Green.


Nutan Urja Solutions,



K G Bhatwadekar,

Certified Energy Auditor,

EA - 22428



Dr. D Y Patil Pratishthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune

Contents

Acknowledgement	3
Executive Summary	4
Abbreviations	6
1. Introduction.....	7
1.1 Objectives.....	7
1.2 Audit methodology.....	7
2. Study of Electrical Energy Consumption	8
3. Carbon Foot printing.....	10
4. Study of Usage of Alternate Energy	12
5. Study of Water System	13
5.1 Source of Water.....	13
5.2 Rain Water Harvesting	13
5.3 Sewage Treatment Plant.....	13
6. Study of Waste Management	14
6.1 Solid Waste Management.....	14
6.2 e-Waste Management.....	14
6.3 Waste Water Management	14
7. Study of Green Practices.....	15
7.1 No of students who don't use own Vehicle for coming to Institute.....	15
7.2 Usage of Public Transport.....	15
7.3 Pedestrian Friendly Roads.....	15
7.4 Plastic Free Campus	15
7.5 Paperless Office.....	16

7.6 Food Service in college campus.....	16
7.7 Green Landscaping with Trees and Plants.....	16



Acknowledgement

We at Nutan Urja Solutions, Pune, express our sincere gratitude to the management of Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune for awarding us the assignment of Green Audit of their college premises.

We hope that the recommendations stated in this report will be useful and worthy of discussions to take things forward to help implementation of energy conservation measures and green practices. While we have made every attempt to adhere to high quality standards, in both data collection and analysis through the report, we would welcome your suggestions so as to improve upon this report further.



Executive Summary

Green Audit of Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune is conducted by Nutan Urja Solutions, Pune. Based On the audit field study, following important points can be presented.

1. Present Energy Consumption

Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune uses Electrical Energy as the source of Energy for various equipment in the college campus. In the following Table, we present the details of Energy Consumption.

Table no 1: Details of energy consumption

Sr no	Parameter	Energy consumed, (Units)	CO2 Emission (MT)
1	Maximum	39,074	31.3
2	Minimum	265	0.2
3	Average	22,456	18.0
4	Total	269,471	215.6

2. Various Measures Adopted for Energy Conservation

1. Usage of STAR Rated ACs at new installations
2. Usage of LED lights at some indoor locations
3. Usage of LED Lights for outdoor lighting.

3. Usage of Renewable Energy

The institute has installed 350 kW Solar PV Power Plant.

4. Rain Water Harvesting

The College has installed the Rainwater harvesting project, to reduce dependency on municipal corporation water supply.

5. Waste Management

The internal communication is through emails and there is hardly any generation of e-Waste in the premises.

6. Notes and Assumptions

1. Daily working hours-10 Nos

2. Annual working Days-250 Nos
3. Average Rate of Electrical Energy : Rs 11/- per kWh



Abbreviations

CFL	:	Compact Fluorescent Lamp
FTL	:	Fluorescent Tube Light
LED	:	Light Emitting Diode
V	:	Voltage
I	:	Current
kW	:	Kilo- Watt
kWh	:	kilo-Watt Hour
kVA	:	Active Power



1. Introduction

Padmashree Dr. D. Y. Patil college of Architecture has been established in the year 2000. The college is run by Padmashree Dr. D. Y. Patil Pratishthan, which has set up multiple centers of educational excellence at Pune, Mumbai and Kolhapur. The Institute strongly believes that world-class education is the stepping-stone to progress. With a long-standing commitment towards quality teaching and learning, the Institute has nurtured values that go into the making of successful careers. Reiterating excellence with every incoming batch, the Institute stands tall with its undeterred commitment to deliver better. Equipped with state-of-the-art infrastructure, the Institute always encourages individuals to think, question, explore and apply their well-honed minds to scale newer heights of success. The Institute believes in imparting education that'll build world class citizens of tomorrow.

Padmashree Dr. D. Y. Patil college of Architecture fosters a positive environment for Teaching, Non-Teaching staff and Students to meet the emerging challenges which stimulates the desire to collaborate and change the world. Padmashree Dr. D. Y. Patil College of Architecture, a gem of an Institution has successfully completed a decade & is budding with young & energetic talent creating a mark in this grand galaxy of homes of higher learning. Here architecture means not merely a science & construction of building but it will be open vistas of ideas & ideals. It is indeed a center of fusion between creativity & utility. It has been bringing out the best talents in the field of housing, modern living & other aspects essential for better community life & will continue to do so in the future.

1.1 Objectives

1. To study present level of Energy Consumption
2. To Study the present CO₂ emissions
3. To assess the various equipment/facilities from Energy efficiency aspect
4. To measure various Electrical parameters
5. To study Scope for usage of Renewable Energy
6. To study various measures to reduce the Energy Consumption

1.2 Audit methodology

1. Study of connected load
2. Study of various Electrical parameters
3. To prepare the Report with various Encon measures with payback analysis



2. Study of Electrical Energy Consumption

In this chapter, electricity bills are studied for the analysis of electrical energy consumption. The Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune is situated in Padmashree D. Y. Patil Educational Complex. Entire Padmashree D. Y. Patil Educational Complex is having single energy meter for all institutes situated in complex. The bill analysis is carried for electricity bills of entire campus.

Table no 2.1: Summary of electricity bills

No	Month	Energy (kWh)	Bill
			Amount (Rs)
1	Jun-20	3,240	170,142
2	May-20	265	162,544
3	Apr-20	3,214	169,792
4	Mar-20	6,674	211,400
5	Feb-20	36,554	616,859
6	Jan-20	34,248	579,602
7	Dec-19	31,500	532,538
8	Nov-19	23,942	430,041
9	Oct-19	24,164	455,439
10	Sep-19	35,724	712,655
11	Aug-19	30,872	522,504
12	Jul-19	39,074	507,043
	Total	269,471	5,070,559

Variation in energy consumption is as follows,




Figure 2.1: Month wise energy consumption

Monthly variation in electricity bill is as follows,




Figure 2.2: Month wise electricity bill

Key observations of electricity bill are as follows,

Table no 2.2: Key observations

Sr no	Parameter	Energy consumed, (Units)	CO2 Emission (MT)
1	Maximum	39,074	31.3
2	Minimum	265	0.2
3	Average	22,456	18.0
4	Total	269,471	215.6



3. Carbon Foot printing

1. A **Carbon Foot print** is defined as the Total Greenhouse Gas emissions (CO_2 emissions), emitted due to various activities. In this we compute the emissions of Carbon-Di-Oxide, by usage of the various form of Electrical Energy used by the College for performing its day to day activities

2. Basis for computation of CO_2 Emissions:

The basis of Calculation for CO_2 emissions due to Electrical Energy is as under

- 1 Unit (kWh) of Electrical Energy releases **0.8 Kg of CO_2** into atmosphere.

Based on the above Data we compute the CO_2 emissions which are being released in to the atmosphere by the College due to its Day to Day operations.

The Padmashree DR. D Y Patil College Of Architecture Akurdi,Pune is situated in Padmashree D. Y. Patil Educational Complex. Entire Educational Complex is having single energy meter for all institutes situated in complex. Calculation for CO_2 emissions due to Electrical Energy is carried for entire campus.

We herewith furnish the details of various forms of Energy consumption as under



Table 3.1: Month wise Consumption of Electrical Energy & CO2 Emissions

No	Month	Energy Consumed, kWh	CO2 Emissions, MT
1	Jun-20	3,240	2.6
2	May-20	265	0.2
3	Apr-20	3,214	2.6
4	Mar-20	6,674	5.3
5	Feb-20	36,554	29.2
6	Jan-20	34,248	27.4
7	Dec-19	31,500	25.2
8	Nov-19	23,942	19.2
9	Oct-19	24,164	19.3
10	Sep-19	35,724	28.6
11	Aug-19	30,872	24.7
12	Jul-19	39,074	31.3
	Total	269,471	215.6

In the following Chart we present the CO2 emissions due to usage of Electrical Energy.




Figure 3.1: Month wise CO2 Emission

4. Study of Usage of Alternate Energy

In this Chapter, we compute the percentage of Usage of Alternate/Renewable Energy to Annual Energy Requirement of the College.

The Padmashree DR. D Y Patil College Of Architecture Akurdi,Pune is situated in Padmashree D. Y. Patil Educational Complex. Entire Educational Complex is having single energy meter for all institutes situated in complex. The institute have installed Roof Top Solar PV System to cater energy requirement of all institutes of entire campus. The Installed Capacity of Solar PV Plant is 350 kWp.

Table 4.1: Computation of % Usage of Alternate Energy to Annual Energy Requirement

No	Particulars	Value	Unit
1	Annual Energy Purchased from MSEDCL	269,471	kWh/Annum
2	Energy Generated by Roof Top Solar PV System	343,271	kWh/Annum
3	Total Energy Requirement of College	612,742	kWh/Annum
4	% of Usage of Alternate Energy to Annual Energy Requirement	56	%

Photograph of Solar PV plant



5. Study of Water System

5.1 Source of Water

College gets water from Pimpri- Chinchwad Municipal Corporation. The RO treated water is provided for drinking.

5.2 Rain Water Harvesting

The College has already installed Rain Water Harvesting project, wherein the rain water falling on the terrace is collected and through pipes it is fed to underground Water Storage tank. This stored water is then reused for domestic purpose.

5.3 Sewage Treatment Plant

The waste water generated in college campus is treated in Sewage Water Treatment Plant. This plant aims to remove contaminants from sewage to produce an effluent that is suitable for reuse application. The sewage water treatment plant is operating with 100 KLD water capacity.

Photograph of Sewage Treatment Plant



6. Study of Waste Management

6.1 Solid Waste Management

The garbage collected in college is segregated into wet and dry centrally in campus.

Waste bins are placed in college campus for collection of waste.

6.2 e-Waste Management

The internal communication is through emails and hence there is hardly any generation of e-Waste in the premises.

6.3 Waste Water Management

The waste water generated in college campus is treated in Sewage Water Treatment Plant. The sewage water treatment plant is operating with 100 KLD water capacity.



7. Study of Green Practices

7.1 No of students who don't use own Vehicle for coming to Institute

Student hostels are located near college campus only. Many students live in hostel campus. Many of the Out of total students coming to Institute, about 60% students use own Automobile. During the lockdown of Covid 19 negligible vehicles are reported on the campus during the year 2019-20. Online teaching mode used for the teaching learning processes.

7.2 Usage of Public Transport

Padmashree D. Y. Patil Educational Complex campus can be conveniently reachable by public transport. Most of the staff is using own vehicles i.e cars and two wheelers. The capacity of parking is enough to accommodate all vehicles. During the Students transport study, it was revealed that the local students who are residing near areas make use of Public Transport like Municipal Transport local buses, local sharing type auto rickshaws. Institute encourages students to not to use automobiles.

7.3 Pedestrian Friendly Roads

The Institute has well defined pedestrian foot paths as to facilitate the easy movement of the students within the campus.

Photograph of Road within campus



7.4 Plastic Free Campus

The Institute is an active participant in the Government of India's most prestigious project of SWATCHH BHART ABHIYAN. The Institute has displayed boards in the Campus, to make the campus plastic free. Various measures adopted for this purpose are as follows

- Installation of Separate waste bins for Dry waste & wet waste
- Usage of paper tea cups in the Institute canteen



- Display of boards in the campus for Plastic Free campus

7.5 Paperless Office

The internal communication of the Institute is through the Internet. There are hardly any day to day operations, where printing is required.

7.6 Food Service in college campus

There are canteens and cafeterias within college campus. Students need not to travel outside the college for food. Canteen contractor have Food license and shop act certificate. Hygiene in canteen is well maintained.

7.7 Green Landscaping with Trees and Plants


The Institute has beautiful maintained Garden.



Figure 7.1: Beautiful maintained Garden of college



Report
On
Energy Audit
At
Padmashree Dr. D Y Patil College of Architecture
Akurdi, Pune
(Year 2019-20)



Prepared by
Nutan Urja Solutions
A 703, Balaji Witefield, Near Sunni's World,
Sus Road, Sus, Pune 411 021
Phone: 83568 18381. Email: nutanurja.solutions@gmail.com



Dr. D Y Patil Pratishthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune

Nutan Urja Solutions

A 703, Balaji Witefield, Near Sunni's World,

Sus Road, Sus, Pune 411 021

Phone: 83568 18381. Email: nutanurja.solutions@gmail.com

Date: 28/09/2020

CERTIFICATE

This is to certify that we have conducted Energy Audit at Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune as per the guidelines of Maharashtra Energy Development Agency (www.mahaurja.com) in the year 2019-20.

The College has already adopted **Energy Efficient** practices like:

- Usage of Energy Efficient LED Fittings
- Usage of Energy Efficient BEE STAR Rated equipment
- Installation of 350 kW Roof Top Solar PV Power Plant.

We appreciate the support of Management, involvement of faculty members and students in the process of Energy Conservation & making the campus Green.

Nutan Urja Solutions,

K G Bhatwadekar

K G Bhatwadekar,

Certified Energy Auditor,

EA - 22428



Dr. D.Y. Patil Pratihman's
Padmashree Dr. D.Y. Patil College of Architecture,
Akurdi Pune

Contents

Acknowledgement	2
Executive Summary	3
Abbreviations	5
1. Introduction	6
1.1 Objectives	6
1.2 Audit Methodology:	6
1.3 General Details of College	7
2. Study of connected load	8
3. Study of Electrical Energy Consumption	10
4. Carbon Foot printing	12
5. Study of utilities	14
5.1 APFC Panel	14
5.2 Study of Lighting	14
5.3 Air-conditioners	14
5.4 Fans	14
5.5 Water Pumps	14
6. Study of usage of alternate energy	15
7. Study of usage of LED lighting	16
8. Energy conservation proposals	17
8.1 Replacement of Old T-8 FTLs with 20 W LED fittings	17
8.2 Replacement of old fans with STAR Rated fans	18
8.3 Installation of Solar PV panel	19
8.4 Summary of Savings	20

Acknowledgement

We at Nutan Urja Solutions, Pune, express our sincere gratitude to the management of Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune for awarding us the assignment of Energy Audit of their college premises.

We hope that the recommendations stated in this report will be useful and worthy of discussions to take things forward to help implementation of energy conservation measures through energy savings. While we have made every attempt to adhere to high quality standards, in both data collection and analysis through the report, we would welcome your suggestions so as to improve upon this report further.



Executive Summary

After the Field measurements & analysis, we present herewith important observations made and various measures to reduce the Energy Consumption & mitigate the CO₂ emissions. College consumes Energy in the form of Electrical Energy used for various gadgets, Office & other facilities.

1. Present Energy Consumption

In the following Table, we present the details of Energy Consumption.

Table no 2.1: Details of energy consumption

Sr no	Parameter	Energy consumed, (Units)	CO2 Emission (MT)
1	Maximum	39,074	31.3
2	Minimum	265	0.2
3	Average	22,456	18.0
4	Total	269,471	215.6

2. Energy Conservation Projects already installed

1. Usage of STAR Rated ACs at new installations
2. Usage of LED lights at some indoor locations
3. Usage of LED Lights for outdoor lighting.

3. Key Observations

1. Usage of LED lights.
2. Usage of star rated equipment.
3. Maintained a good power factor.

4. Percentage of Usage of Alternate Energy

The College has installed a Roof Top Solar PV Plant. The percentage of usage of Alternate Energy to Annual Energy Requirement is 56 %.

5. Percentage of Usage of LED Lighting

The College has various Types of Light fittings. The percentage of Annual LED Lighting Usage to Annual Lighting requirement works out to be 33 %.

6. Recommendations

Table no 1: Recommendations for energy savings

No	Recommendation	Annual Saving potential, kWh/Annum	Annual Monetary Gain, Rs.	Investment Required, Rs.	Payback period, Months
1	Replacement of 122 Nos T-8 fittings with 20W LED fittings	2,440	26,840	78,202	35
2	Replacement of 96 Nos Old Ceiling Fans with STAR rating fans	1,248	13,728	208,704	182
3	Installation of 200kW grid connected PV panel	300,000	3,300,000	10,000,000	36
	Total	3,688	40,568	286,906	85

7 Notes & Assumptions

1. Daily working hours-10 Nos
2. Annual working Days-300 Nos
3. Average Rate of Electrical Energy : Rs 11/- per kWh

Abbreviations

CFL	: Compact Fluorescent Lamp
FTL	: Fluorescent Tube Light
LED	: Light Emitting Diode
V	: Voltage
I	: Current
kW	: Kilo- Watt
kWh	: kilo-Watt Hour
kVA	: Active Power



1. Introduction

Padmashree Dr. D. Y. Patil college of Architecture has been established in the year 2000. The college is run by Padmashree Dr. D. Y. Patil Pratishthan, which has set up multiple centers of educational excellence at Pune, Mumbai and Kolhapur. The Institute strongly believes that world-class education is the stepping-stone to progress. With a long-standing commitment towards quality teaching and learning, the Institute has nurtured values that go into the making of successful careers. Reiterating excellence with every incoming batch, the Institute stands tall with its undeterred commitment to deliver better. Equipped with state-of-the-art infrastructure, the Institute always encourages individuals to think, question, explore and apply their well-honed minds to scale newer heights of success. The Institute believes in imparting education that'll build world class citizens of tomorrow.



Padmashree Dr. D. Y. Patil college of Architecture fosters a positive environment for Teaching, Non-Teaching staff and Students to meet the emerging challenges which stimulates the desire to collaborate and change the world. Padmashree Dr. D. Y. Patil College of Architecture, a gem of an Institution has successfully completed a decade & is budding with young & energetic talent creating a mark in this grand galaxy of homes of higher learning. Here architecture means not merely a science & construction of building but it will be open vistas of ideas & ideals. It is indeed a center of fusion between creativity & utility. It has been bringing out the best talents in the field of housing, modern living & other aspects essential for better community life & will continue to do so in the future.

1.1 Objectives

1. To study present level of Energy Consumption
2. To Study Electrical Consumption
3. To assess the various equipment/facilities from Energy efficiency aspect
4. To study various measures to reduce the Energy Consumption

1.2 Audit Methodology:

1. Study of connected load
2. Study of various Electrical parameters
3. To prepare the Report with various Encon measures with payback analysis



1.3 General Details of College

Table No-1.1: Details of college

No	Head	Particulars
1	Name of Institution	Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune
2	Address	Padmashree D. Y. Patil Educational Complex, Sector 29, Nigdi, Akurdi, Maharashtra 411044
3	Affiliation	Savitribai Phule Pune University



2. Study of connected load

In this chapter, we present details of various connected electrical equipment and electrical load.

Table No-2.1: Location wise study of Electrical fittings in various buildings

No	Location	FTL (40W)	LED tube (20W)	LED bulb (12W)	Computers (65W)	Ceiling Fans	Wall Fans	1.5 Tr Star rated AC
Ground Floor								
1	Cafeteria		4			8		
2	Studio	17				12		
3	Kitchen		6					
4	Passage		14					
5	Vice Principal			10	1	1		
6	Admin Office			15	5			
7	Principal Office		2	12	1	2		1
8	First Year Studio	18		4		12		
9	Exam Central room		4		2		2	
10	CAP center	12				12		
11	Studio Third Year A	12			2	9		
12	Studio First Year B	10			2	6		
13	Staff Room			24			12	
14	Faculty Room		32		20		9	
15	Studio 403	15				9		
16	Studio 303	6				6		
17	Toilet (GF)	10		8		9		
First Floor								
18	Toilet (First Floor)			8				
19	Passage	8						



20	Computer Lab	14	1		53	10		1
	Total	122	63	81	86	96	23	2

Apart from above load, the college has pumps, street lights. Individual fitting wise load is as under.

Table No 2.2: Equipment wise Connected Load

No	Equipment	Qty	Load, W/Unit	Load, kW
1	F T L-40 W	122	40	4.9
2	LED Tube-20W	63	20	1.3
3	LED bulb	81	12	1.0
4	Computers	86	65	5.6
5	Ceiling Fans	96	65	6.2
6	Wall Fans	23	50	1.2
7	AC (1.5Tr Star Rated)	2	1838	3.7
8	LED focus Street light	5	35	0.2
9	Pumps (2 nos 5HP)			7.5
	Total			18.7

Data can be represented in terms of PIE chart as under,




Figure 2.1: Distribution of connected load.

(Handwritten Signature)



3. Study of Electrical Energy Consumption

In this chapter, electricity bills are studied for the analysis of electrical energy consumption. The Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune is situated in Padmashree D. Y. Patil Educational Complex. Entire Complex is having single energy meter for all institutes situated in complex. The bill analysis is carried for electricity bills of entire campus.

Table no 3.1: Summary of electricity bills

No	Month	Energy (kWh)	Bill Amount (Rs)
1	Jun-20	3,240	170,142
2	May-20	265	162,544
3	Apr-20	3,214	169,792
4	Mar-20	6,674	211,400
5	Feb-20	36,554	616,859
6	Jan-20	34,248	579,602
7	Dec-19	31,500	532,538
8	Nov-19	23,942	430,041
9	Oct-19	24,164	455,439
10	Sep-19	35,724	712,655
11	Aug-19	30,872	522,504
12	Jul-19	39,074	507,043
	Total	269,471	5,070,559

Variation in energy consumption is as follows,







Figure 3.1: Month wise energy consumption

Monthly variation in electricity bill is as follows,




Figure 3.2: Month wise electricity bill

Key observations of electricity bill are as follows,

Table no 3.2: Key observations

Sr no	Parameter	Energy consumed, (Units)	CO2 Emission (MT)
1	Maximum	39,074	31.3
2	Minimum	265	0.2
3	Average	22,456	18.0
4	Total	269,471	215.6



4. Carbon Foot printing

1. A **Carbon Foot print** is defined as the Total Greenhouse Gas emissions (CO₂ emissions), emitted due to various activities. In this we compute the emissions of Carbon-Di-Oxide, by usage of the various form of Electrical Energy used by the College for performing its day to day activities.

2. Basis for computation of CO₂ Emissions:

The basis of Calculation for CO₂ emissions due to Electrical Energy is as under

- 1 Unit (kWh) of Electrical Energy releases **0.8 Kg of CO₂** into atmosphere.

Based on the above Data we compute the CO₂ emissions which are being released in to the atmosphere by the College due to its Day to Day operations.

The Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune is situated in Padmashree Dr D. Y. Patil Educational Complex. Entire Educational Complex is having single energy meter for all institutes situated in complex. Calculation for CO₂ emissions due to Electrical Energy is carried for entire campus.

We herewith furnish the details of various forms of Energy consumption as under



Table 4.1: Month wise Consumption of Electrical Energy & CO2 Emissions

No	Month	Energy Consumed, kWh	CO2 Emissions, MT
1	Jun-20	3,240	2.6
2	May-20	265	0.2
3	Apr-20	3,214	2.6
4	Mar-20	6,674	5.3
5	Feb-20	36,554	29.2
6	Jan-20	34,248	27.4
7	Dec-19	31,500	25.2
8	Nov-19	23,942	19.2
9	Oct-19	24,164	19.3
10	Sep-19	35,724	28.6
11	Aug-19	30,872	24.7
12	Jul-19	39,074	31.3
	Total	269,471	215.6

In the following Chart we present the CO2 emissions due to usage of Electrical Energy.




Figure 4.1: Month wise CO2 Emission

(Handwritten Signature)



5. Study of utilities

5.1 APFC Panel

The Office has already installed the APFC Panel. Capacitors of 110kVAR capacity is installed with panel.

5.2 Study of Lighting

In the facility, the lighting system can be divided mainly in to parts, indoor lighting and outdoor lighting. There are 122 FTL fittings with Electronic/ magnetic chokes, 63 nos of LED tubes, 81 nos of LED bulbs. It is recommended to install the 20 W LED Tube light fittings in place of these old T-8 fittings. There are 5 No of LED street lights.

5.3 Air-conditioners

There is 2 nos of star rated new AC of 1.5Tr capacity.

5.4 Fans

At building facility, there are about 96 Nos Old Ceiling Fans, which consumed about 65 W of Electrical Energy. It is recommended to replace these old Fans with BEE STAR Rated Ceiling Fans. There are 23 nos of wall fans in the facility.

5.5 Water Pumps

There are in total 2 nos of Water pumps with 5HP capacities respectively.



6. Study of usage of alternate energy

In this Chapter, we compute the percentage of Usage of Alternate/Renewable Energy to Annual Energy Requirement of the College.

The Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune is situated in Padmashree D. Y. Patil Educational Complex. Entire Complex is having single energy meter for all institutes situated in complex. The institute have installed Roof Top Solar PV System to cater energy requirement of all institutes of entire campus. The Installed Capacity of Solar PV Plant is 350 kWp.

Table 6.1: Computation of % Usage of Alternate Energy to Annual Energy Requirement

No	Particulars	Value	Unit
1	Annual Energy Purchased from MSEDCL	269,471	kWh/Annum
2	Energy Generated by Roof Top Solar PV System	343,271	kWh/Annum
3	Total Energy Requirement of College	612,742	kWh/Annum
4	% of Usage of Alternate Energy to Annual Energy Requirement	56	%

Photograph of Solar PV plant



7. Study of usage of LED lighting

In this chapter we study the lighting system of college and compute the percentage of total load catered by LED lighting.

Table 7.1: Total lighting load

No	Particulars	Qty	Load, W/Unit	Load, kW
1	F T L-40 W	122	40	4.9
	LED lighting load			
1	LED tube	63	20	1.3
2	LED bulbs	81	12	1.0
3	LED street lights	5	35	0.2
	Total LED lighting load			2.4
	Total Lighting load			7.3

It can be seen that out of total lighting load 33% load is LED lighting load.

8. Energy conservation proposals

8.1 Replacement of Old T-8 FTLs with 20 W LED fittings

In the facility, there are about 122 Nos, T-8, FTL fittings with Electronic/magnetic chokes. It is recommended to install the 20 W LED Tube light fittings in place of these old T-8 fittings. In the following Table, we present the savings, investment required & payback analysis.

No	Particulars	Value	Unit
1	Present Qty of T-8 fittings	122	Nos
2	Energy Demand of T-8 fitting	40	W/Unit
3	Energy Demand of 20 W LED fitting	20	W/Unit
4	Reduction in demand	20	W/Unit
5	Average Daily Usage period	4	Hrs/Day
6	Daily saving in Energy	9.76	kWh/Day
7	Annual Working Days	250	Nos
8	Annual Energy Saving possible	2440	kWh/Annum
9	Rate of Electrical Energy	11	Rs/kWh
10	Annual Monetary saving	26840	Rs/Annum
11	Cost of 20 W LED Tube	641	Rs/Unit
12	Investment required	78202	Rs lump sum
13	Simple Payback period	35	Months



8.2 Replacement of old fans with STAR Rated fans

During the Audit, it was observed that there are 96 no of fans. It is recommended to replace these old fans with STAR Rated fans.

In the following Table, we present the savings, investment required & payback analysis.

No	Particulars	Value	Unit
1	Present Qty of Old Ceiling Fan fittings	96	Nos
2	Energy Demand of Old Ceiling Fan fitting	65	W/Unit
3	Energy Demand of STAR Rated Fan	52	W/Unit
4	Reduction in demad	13	W/Unit
5	Average Daily Usage period	4	Hrs/Day
6	Daily saving in Energy	4.992	kWh/Day
7	Annual Working Days	250	Nos
8	Annual Energy Saving possible	1248	kWh/Annum
9	Rate of Electrical Energy	11	Rs/kWh
10	Annual Monetary saving	13728	Rs/Annum
11	Cost of STAR Rated Ceiling Fan	2174	Rs/unit
12	Investment required	208704	Rs lump sum
13	Simple Payback period	182	Months




8.3 Installation of Solar PV panel

It is recommended to install 200 kW solar PV panel. In the following Table, we present the savings, investment required & payback analysis.

No	Particulars	Value	Unit
1	Installation of PV unit	200	kW
2	Energy saving	300000	kWh/Annum
3	Rate of electrical energy	11	Rs
4	Annual monetary savings	3300000	Rs/ Annum
5	Investment required	10000000	Rs lump sum
6	Simple payback period	36	Months



8.4 Summary of Savings

No	Recommendation	Annual Saving potential, kWh/Annum	Annual Monetary Gain, Rs.	Investment Required, Rs.	Payback period, Months
1	Replacement of 122 Nos T-8 fittings with 20W LED fittings	2,440	26,840	78,202	35
2	Replacement of 96 Nos Old Ceiling Fans with STAR rating fans	1,248	13,728	208,704	182
3	Installation of 200kW grid connected PV panel	300,000	3,300,000	10,000,000	36
	Total	3,688	40,568	286,906	85

**Report
On
Environmental Audit
At
Padmashree Dr. D Y Patil College of Architecture
Akurdi,Pune
(Year 2019-20)**



Prepared by

Nutan Urja Solutions

A 703, Balaji Witefield, Near Sunni's World,

Sus Road, Sus, Pune 411 021

Phone: 83568 18381. Email: nutanurja.solutions@gmail.com



0

Dr. D Y Patil Pratishthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune

Nutan Urja Solutions

A 703, Balaji Witefield, Near Sunni's World,

Sus Road, Sus, Pune 411 021

Phone: 83568 18381. Email: nutanurja.solutions@gmail.com

Date: 28/09/2020

CERTIFICATE


This is to certify that we have conducted Environmental Audit at Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune in the year 2019-20.

The College has already adopted following projects for making the campus **Energy Efficient**.

- Installation of Sewage Treatment Plant
- Installation of Rain Water Harvesting System
- Installation of 350 kW Solar PV Power Plant.

We appreciate the support of Management, involvement of faculty members and students in the process of Energy Conservation & making the campus Green.

Nutan Urja Solutions,



K G Bhatwadekar,
Certified Energy Auditor,
EA - 22428





Dr. D Y Patil Pratikshin's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune

Table of Contents

Acknowledgement	2
Executive Summary	3
Abbreviations	5
1. Introduction	6
1.1 Important Definitions:	6
1.2 Objectives	7
1.3 Audit Methodology:	7
1.4 General Details of College	7
2. Study of Consumption of Various Resources	8
2.1 Variation of Monthly Electrical Energy Consumption	9
2.2 Key Inference drawn	9
3. Study of Environmental Pollution	11
3.1 Air Pollution	11
3.2 Study of Solid Waste Generation	12
3.3 Canteen food wastage	12
3.4 Study of Liquid Waste Generation	12
3.5 Study of e-Waste Management:	12
4. Study of Rain Water Harvesting	13
5. Recommendations	14

Dr. D.Y. Patil



Acknowledgement

We at Nutan Urja Solutions, Pune wish to express our sincere gratitude to the management of Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune for assigning the work of Environmental Audit of college campus.

We appreciate the co-operation and support extended to our team members during the entire tenure of field study. We are also thankful to all other staff members who helped us during the Measurements at the field and for giving us the necessary inputs to carry out this vital exercise.

Executive Summary

After the Field measurements & analysis, we present herewith important observations made and various measures to reduce the dependency on Natural resources & reduce the pollution.

Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune consumes various resources for day to day operations, namely: Air, Water, Electrical Energy & LPG.

1. Various Pollution due to College Activities:

- Air pollution: Mainly CO₂ on account of Electricity & LPG Consumption
- Solid Waste: Bio degradable Kitchen Waste, Garden Waste
- Liquid Waste: Human liquid waste

2. Present Level of CO₂ Emissions:

Sr no	Parameter	Energy consumed, (Units)	CO ₂ Emission (MT)
1	Maximum	39,074	31.3
2	Minimum	265	0.2
3	Average	22,456	18.0
4	Total	269,471	215.6

3. The various projects already implemented for Environmental Conservation:

- Usage of Energy Efficient BEE STAR Rated ACs
- Usage of Natural Day light in corridors
- Implementation of Rain Water Harvesting
- Installation of 350 kW Solar PV Power Plant.
- Installation of Sewage Treatment Plant

4. Recommendations:

1. Installation of Bio Gas Generator Plant instead of Bio composting Plant.
2. Installation of Bio Composting Plant to generate fertilizer from garden waste.

5. Notes & Assumptions:

1. 1 kWh of Electrical Energy releases 0.8 Kg of CO₂ into atmosphere

2. 1 kWp Solar PV plant generates 5 kWh/day Electrical Energy for 300 days in an year.



Abbreviations

AC	: Air conditioner
PES	: Progressive Education Society
CFL	: Compact Fluorescent Lamp
FTL	: Fluorescent Tube Light
LED	: Light Emitting Diode
kWh	: kilo-Watt Hour
Qty	: Quantity
W	: Watt
kW	: Kilo Watt
PF	: Power Factor
MD	: Maximum Demand
PC	: Personal Computer
MSEDCL	: Maharashtra State Electricity Distribution Company Ltd



1. Introduction

1.1 Important Definitions:

1.1.1 Environment: Definition as per environment Protection Act: 1986

Environment includes water, air and land and the inter-relationship which exists among and between Water, Air, Land and Human beings, other living creatures, plants microorganism and property

1.1.2. Environmental Audit: Definition:

An audit which aims at verification and validation to ensure that various environmental laws are complied with and adequate care has been taken towards environmental protection and preservation

According to UNEP, 1990, "Environmental audit can be defined as a management tool comprising systematic, documented and periodic evaluation of how well environmental organization management and equipment are performing with an aim of helping to regularize the environment"

1.1.3. Environmental Pollutant: means any solid, liquid and gaseous substance present in the concentration as may be, or tend to be, injurious to Environment.

1.1.4. Relevant Environmental Laws in India: Table No-1:

1927	The Indian Forest Act
1972	The Wildlife Protection Act
1974	The Water (Prevention and Control of Pollution) Act
1977	The Water (Prevention & Control of Pollution) Cess Act
1980	The Forest (Conservation) Act
1981	The Air (Prevention and Control of Pollution) Act
1986	The Environment Protection Act
1991	The Public Liability Insurance Act
2002	The Biological Diversity Act
2010	The National Green Tribunal Act

1.1.5. Some Important Environmental Rules in India: Table No-2:

1989	Hazardous Waste (Management and Handling) Rules
1989	Manufacture, Storage and Import of Hazardous Chemical Rules
2000	Municipal Solid Waste (Management and Handling) Rules
1998	The Biomedical Waste (Management and Handling) Rules
1999	The Environment (Siting for Industrial Projects) Rules
2000	Noise Pollution (Regulation and Control) Rules
2000	Ozone Depleting Substances (Regulation and Control) Rules

2011	E-waste (Management and Handling) Rules
2011	National Green Tribunal (Practices and Procedure) Rules
2011	Plastic Waste (Management and Handling) Rules

1.1.6 National Environmental Plans & Policy Documents: Table No-3:

1.	National Forest Policy, 1988
2.	National Water Policy, 2002
3.	National Environment Policy or NEP (2006)
4.	National Conservation Strategy and Policy Statement on Environment and Development, 1992
5.	Policy Statement for Abatement of Pollution (1992)
6.	National Action Plan on Climate Change
7.	Vision Statement on Environment and Human Health
8.	Technology Vision 2030 (The Energy Research Institute)
9.	Addressing Energy Security and Climate Change (MoEF and Bureau of Energy Efficiency)
10.	The Road to Copenhagen: India's Position on Climate Change Issues (MoEF)

1.2 Objectives

1. To study present usage of Natural resources the College is consuming
2. To Study the present pollution sources
3. To study various measures to make the campus Self sustainable in respect of Natural resources
4. To suggest the various measures to reduce the pollution: Air, Water, Noise

1.3 Audit Methodology:

1. Study of College as System
2. Study of Electrical Energy Consumption
3. Study of CO2 emissions
4. Suggestions on usage of Renewable Energy

1.4 General Details of College

No	Head	Particulars
1	Name of Institution	Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune
2	Address	Padmashree D. Y. Patil Educational Complex, Sector 29, Nigdi, Akurdi, Maharashtra 411044
3	Affiliation	Savitribai Phule Pune University

2. Study of Consumption of Various Resources


The Institute consumes following basic/derived Resources:

1. Air
2. Water
3. Electrical Energy
4. Liquefied Petroleum Gas

Also, college emits following pollutants to environment

1. Human Waste: Solid/ Liquid
2. Kitchen waste
3. Air pollution

We try to draw a schematic diagram for the College System & Environment as under.



Now we compute the Generation of CO₂ on account of consumption of Electrical Energy & LPG as under.

The Padmashree DR. D Y Patil College Of Architecture Akurdi,Pune is situated in Padmashree D. Y. Patil Educational Complex. Entire Educational Complex is having single energy meter for all institutes situated in complex. The bill analysis is carried for electricity bills of entire campus.

The calculation of electrical energy consumption by college can be given as,




Table 2.1: Electrical Energy Consumption

No	Month	Energy (kWh)
1	Jun-20	3,240
2	May-20	265
3	Apr-20	3,214
4	Mar-20	6,674
5	Feb-20	36,554
6	Jan-20	34,248
7	Dec-19	31,500
8	Nov-19	23,942
9	Oct-19	24,164
10	Sep-19	35,724
11	Aug-19	30,872
12	Jul-19	39,074
	Total	269,471
	Maximum	39,074
	Minimum	265
	Average	22,456

2.1 Variation of Monthly Electrical Energy Consumption




Figure 2.1 : Monthly Electrical Energy Consumption

2.2 Key Inference drawn

From the above analysis, we present following important parameters:



 Dr. D Y Patil Padmashree
 Padmashree Dr. D Y Patil College of Architecture,
 Akurdi Pune

Table 2.2: Variation in Important Parameters

No	Parameter/ Value	Energy Consumed, kWh
1	Maximum	39,074
2	Minimum	265
3	Average	22,456
4	Total	269,471



Dr. D Y Patil Prasthiti
Padmeshree Dr. D Y Patil College of Architecture,
Akurdi Pune

3. Study of Environmental Pollution

In this Chapter, we present the various types of Pollution as under:

3.1 Air Pollution

The College is using two forms of Energies, namely: Thermal in the form of LPG and Electrical Energy used for day to day operations of the College. The major pollutant on account of above Energy forms is the Carbon Di Oxide.

- 1 unit (kWh) of Electrical Energy emits 0.8 Kg of CO₂ in the atmosphere
- 1 Kg of LPG emits 3 Kg of CO₂ in the atmosphere

In the following Table, we present the CO₂ emissions.

Table 3.1: Month wise Consumption of Electrical Energy & CO₂ Emissions:

No	Month	Energy Consumed, kWh	CO2 Emissions, MT
1	Jun-20	3,240	2.6
2	May-20	265	0.2
3	Apr-20	3,214	2.6
4	Mar-20	6,674	5.3
5	Feb-20	36,554	29.2
6	Jan-20	34,248	27.4
7	Dec-19	31,500	25.2
8	Nov-19	23,942	19.2
9	Oct-19	24,164	19.3
10	Sep-19	35,724	28.6
11	Aug-19	30,872	24.7
12	Jul-19	39,074	31.3
	Total	269,471	215.6
	Maximum	39,074	31.3
	Minimum	265	0.2
	Average	22,456	18.0

In the following Chart we present the CO2 emissions due to usage of Electrical Energy.




Figure 2.1: CO2 emission due to usage of electrical energy.

3.2 Study of Solid Waste Generation

The garbage collected in college is segregated into wet and dry centrally in campus. Waste bins are placed in college campus for collection of waste.

3.3 Canteen food wastage

The students and canteen staff are encouraged to have minimal food wastage. Canteen contractor have food license and shop act certificate. The canteen is encouraged for usage of paper tea cups.

3.4 Study of Liquid Waste Generation


The waste water generated in college campus is treated in Sewage Water Treatment Plant. This plant aims to remove contaminants from sewage to produce an effluent that is suitable for reuse application. The sewage water treatment plant is operating with 100 KLD water capacity.


Photograph of Sewage Treatment Plant



3.5 Study of e-Waste Management:

The internal communication is through emails and there is hardly any generation of e-Waste in the premises.


Dr. D.Y. Patil
Padmashree Dr. D.Y Patil College of Architecture,
Akurdi Pune



4. Study of Rain Water Harvesting

The College has already installed Rain Water Harvesting project, wherein the rain water falling on the terrace is collected and through pipes it is fed to underground Water Storage tank. This stored water is then reused for domestic purpose.



5. Recommendations

In order to reduce the dependency on Natural resources and also in order to reduce the various pollutions arising due to the day to day operations of the College we herewith recommend following recommendations.

- Installation of Bio Gas Generator Plant instead of Bio composting Plant.
- Installation of Bio Composting Plant to generate fertilizer from garden waste.





Dr D Y Patil Prathisthan's

PADMASHREE DR. D Y PATIL COLLEGE OF ARCHITECTURE

Sector No. 29, B/h. Akurdi Railway Station, Nigdi Pradhikaran, Akurdi, Pune - 411044

ACADEMIC YEAR

(2018-19)




Criterion 7 Institutional Values and Best Practices

Key Indicator 7.1.3

<i>Metric No.</i>	<i>Quality Audits and environment and energy regularly undertaken by the institution</i>
7.1.3	<i>The Institutional environment and energy initiative are confirmed through the following</i> <ol style="list-style-type: none"><i>1. Green Audit / Environment Audit</i><i>2. Energy Audit</i><i>3. Clean and Green Campus Initiative</i><i>4. Beyond the Campus Environmental Promotion Activities</i>

Sr. No	Contents (Documents)		
	Supporting Documents	Date	Year
1	<i>Green Audit Reports</i>	<i>22/06/2019</i>	<i>(2018-19)</i>
2	<i>Energy Audit Reports</i>	<i>22/06/2019</i>	<i>(2018-19)</i>

GREEN AUDIT REPORT
OF
Dr. D. Y. Patil Pratishthan's,
Padmashree Dr. D. Y. Patil College of Architecture,
Akurdi, Pune 411 044



Year: 2018-19

Prepared by:

Enrich Consultants

Yashashree, 26, Nirmal Bag Society
Near Muktagan English School, Parvati, Pune 411009
Phone: 09890444795 Email: enrichcons@gmail.com

Dr. D.Y. Patil Pratishthan's
Padmashree Dr. D.Y. Patil College of Architecture,
Akurdi Pune

MAHARASHTRA ENERGY DEVELOPMENT AGENCY



Maharashtra Energy Development Agency

(A Government of Maharashtra undertaking)
2nd Floor, MHADA Commercial Complex, Opp. Trilal Nagar, Yerwade, Pune-411006.
Ph No: 020-26614393/26614403
Email: eee@maharaja.com, Web: www.maharaja.com

ECN-2018-19/CR-05-4174

19th September, 2018.

**CERTIFICATE OF REGISTRATION
FOR CLASS 'A'**

We hereby certify that the firm having following particulars is registered with **MAHARASHTRA ENERGY DEVELOPMENT AGENCY (MEDA)** under given category as "Energy Planner & Energy Auditor" in Maharashtra for Energy Conservation Programme of MEDA.


Name and Address of the firm	Enrich Consultants Yashashree, Plot No. 26, Nirmal Dag Society, Near Muktaganj English School, Parvat, Pune - 411009.
Registration Category	<i>Empanelled Consultant for Energy Conservation Programme</i>
Registration Number	MEDA/ECNCR-05/2018-19/EA-03

- Energy Conservation Programme intends to identify areas where wasteful use of energy occurs and to evaluate the scope for Energy Conservation and take concrete steps to achieve the evaluated energy savings.
- MEDA reserves the right to visit the firm at any time without giving any prior information and canceling the registration, if the information is found incorrect.
- This empanelment is valid till **31st March 2021** from the date of registration, to carry out energy audits under the Energy Conservation Programme.
- The Director General, MEDA reserves the right to cancel the registration at any time without assigning any reasons thereof.


(Smriti Kulkarni)
General Manager (EC)



Dr. D.Y. Patil Pratishthan's
Padmashree Dr. D.Y. Patil College of Architecture,
Pune



Enrich Consultants

Yashashree, 26, Nirmai Bag Society,
Near Mukhtangan English School, Parvati, Pune 411 009
Tel: 09890444795 Email: enrichcons@gmail.com

Ref: EC/DYPCOA/18-19/02

Date: 22/6/2022

CERTIFICATE


This is to certify that we have conducted Green Audit at Dr. D. Y. Patil Pratishthan's Padmashree Dr. D. Y. Patil College of Architecture, Akurdi, Pune in the Year 2018-19.

The College has adopted following Energy Efficient and Green Practices:

- Usage of Energy Efficient LED Fittings
- Segregation of Waste at Source
- Installation of 180 KLPD Sewage Treatment Plant of Capacity
- Maintenance of Good Internal Road
- Internal Tree Plantation

We appreciate the support of Management, involvement of faculty members and students in the process of Energy Conservation & making the campus Green.

For Enrich Consultants,



A Y Mehendale,
Certified Energy Auditor, EA-8192



Dr. D Y Patil Pratishthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune

INDEX

Sr. No	Particulars	Page No
I	Acknowledgement	5
II	Executive Summary	6
III	Abbreviations	7
1	Introduction	8
2	Study of Present Energy Consumption	9
3	Study of CO ₂ Emission	11
4	Study of Usage of Renewable Energy	13
5	Study of Waste Management	14
6	Study of Rain Water Management	15
7	Study of Green Practices	16



Dr. D.Y. Patil Pralishthan's
Padmashree Dr. D.Y. Patil College of Architecture,
Akurdi Pune



ACKNOWLEDGEMENT

We at Enrich Consultants, Pune, express our sincere gratitude to the management of Dr. D. Y. Patil Pratishthan's Padmashree Dr. D. Y. Patil College of Architecture, Akurdi, Pune for awarding us the assignment of Green Audit of their Akurdi Campus, for the Academic Year: 2018-19.

We are thankful to the Staff members for helping us during the field study.



Dr. D Y Patil Pratishthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune



EXECUTIVE SUMMARY

1. Dr. D. Y. Patil Pratishthan's Padmashree Dr. D. Y. Patil College of Architecture, Akurdi, Pune consumes Energy in the form of Electrical Energy; used for various gadgets, office & other facilities.

2. Present Energy Consumption & CO₂ Emission:

No	Parameter/ Value	Energy Consumed, kWh	CO ₂ Emissions, MT
1	Total	37139	29.71
2	Maximum	3458	2.77
3	Minimum	2798	2.24
4	Average	3094.92	2.48

3. Energy Conservation projects already installed:

- Usage of Energy Efficient LED fittings
- Usage of BEE STAR Rated Equipment

4. Usage of Renewable Energy:

- The College has yet to install Roof Top Solar PV Plant

5. Waste Management:

5.1 Segregation of Waste at Source:

The solid waste is segregated at source. There are separate bins for collection at various points and is disposed of for further action.

5.2 Liquid Waste Management:

The College has installed Sewage Treatment Plant of capacity 180 KLPD. The treated water is used for gardening purpose.

6. Rain Water Management:

The College has yet to install Rain Water Management Project.

7. Green Practices:

- Maintenance of good Internal Road
- Maintenance of Internal Garden

8. Assumption:

- 1 kWh of Electrical Energy releases 0.8 Kg of CO₂ into atmosphere

Dr. D.Y. Patil Pratishthan's
Padmashree Dr. D.Y. Patil College of Architecture,
Pimpri, Pune



ABBREVIATIONS

BEE	Bureau of Energy Efficiency
kWh	Kilo Watt Hour
kWp	Kilo Watt Peak
Kg	Kilo Gram
MT	Metric Ton
CO ₂	Carbon Di Oxide
LPD	Liters per Day



Dr. D Y Patil Pralishthan's
Padmashree Dr. D Y Patil College of Architecture,
Pimpri Pune



CHAPTER-I INTRODUCTION

1.1 Objectives:

1. To study present Energy Consumption
2. To Study CO₂ emissions
3. To study usage of Renewable Energy
4. Study of Waste Management
5. Study of Rain Water Management
6. Study of Green & Sustainable Practices

1.2 Table No 1: General Details of the College:

No	Head	Particulars
1	Name of the Institution	Dr. D. Y. Patil Pratishthan's Padmashree Dr. D. Y. Patil College of Architecture
2	Address	D Y Patil Educational Complex, Sector 29, Nigdi, Pradhikaran, Akurdi, Pune
3	Year of Establishment	2000
4	Affiliation	Savitribai Phule Pune University



Dr. D Y Patil Pratishthan's
Padmashree Dr. D. Y. Patil College of Architecture,
Pune




CHAPTER-II STUDY OF PRESENT ENERGY CONSUMPTION

In this chapter, we present the analysis of Energy Consumption.

Table No 2: Study of Electrical Energy Consumption: 18-19:

No	Month	Energy Consumed, kWh
1	Apr-18	3175
2	May-18	3085
3	Jun-18	3139
4	Jul-18	3296
5	Aug-18	3375
6	Sep-18	3458
7	Oct-18	2917
8	Nov-18	2857
9	Dec-18	2798
10	Jan-19	2936
11	Feb-19	3086
12	Mar-19	3017
13	Total	37139
14	Maximum	3458
15	Minimum	2798
16	Average	3094.92

Chart No: 1: Study of variation of Monthly Electrical Energy Consumption:



[Handwritten signature]

Dr. D Y Patil Pratishthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune



Table No 3: Important Parameters:

No	Parameter/ Variation	Energy Consumed, kWh
1	Total	37139
2	Maximum	3458
3	Minimum	2798
4	Average	3094.92



Dr. D Y Patil Pratishthan's
Padmashree Dr. D Y Patil College of Architecture,
Aurdi Pune



CHAPTER-III

STUDY OF CO₂ EMISSION

A Carbon Foot print is defined as the Total Greenhouse Gas emissions, emitted due to various activities.

In this we compute the emissions of Carbon-Di-Oxide, by usage of the various forms of Energy used by the College for performing its day to day activities

The College uses Electrical Energy for various Electrical gadgets

Basis for computation of CO₂ Emissions:

The basis of Calculation for CO₂ emissions due to Electrical Energy are as under

- 1 kWh of Electrical Energy releases 0.8 Kg of CO₂ into atmosphere

Based on the above Data we compute the CO₂ emissions which are being released in to the atmosphere by the College due to its Day to Day operations

Table No 4: Month wise CO₂ Emissions:

No	Month	Energy Consumed, kWh	CO ₂ Emissions, MT
1	Apr-18	3175	2.54
2	May-18	3085	2.47
3	Jun-18	3139	2.51
4	Jul-18	3296	2.64
5	Aug-18	3375	2.70
6	Sep-18	3458	2.77
7	Oct-18	2917	2.33
8	Nov-18	2857	2.29
9	Dec-18	2798	2.24
10	Jan-19	2936	2.35
11	Feb-19	3086	2.47
12	Mar-19	3017	2.41
13	Total	37139	29.71
14	Maximum	3458	2.77
15	Minimum	2798	2.24
16	Average	3094.92	2.48

Dr. D Y Patil Prateekhar's
Padmashree Dr. D Y Patil College of Architecture,
Auro-Pune

Chart No: 2: Representation of Month wise CO₂ Emissions:




Table No 5: Variation in Important Parameters:

No	Parameter/ Value	Energy Consumed, kWh	CO ₂ Emissions, MT
1	Total	37139	29.71
2	Maximum	3458	2.77
3	Minimum	2798	2.24
4	Average	3094.92	2.48

Dr. D Y Patil Pralishtha's
Padmashree Dr. D Y Patil College of Architecture,
Skumh Pune



CHAPTER-IV

STUDY OF USAGE OF RENEWABLE ENERGY

The College has yet to install Roof Top Solar PV Plant



Dr. D Y Patil Pratishthan's
Padmashree Dr. D Y Patil College of Architecture,
Pimpri Pune



CHAPTER V STUDY OF WASTE MANAGEMENT

5.1 Segregation of Waste at Source:

The solid waste is segregated at source. There are separate bins for collection at various points and is disposed of for further for action.


Photograph of Waste Collection Bins:



5.2 Liquid Waste Management:

The College has installed Sewage Treatment Plant of capacity 180 KLPD. The treated water is used for gardening purpose.

Photograph of Sewage Treatment Plant:



Dr. D.Y. Patil Pratishthan's
Padmashree Dr. D.Y. Patil College of Architecture,
Pune

CHAPTER-VI STUDY OF RAIN WATER MANAGEMENT

The College has yet to install Rain Water Management Project.



Dr. D.Y. Patil Pratishthan's
Padmashree Dr. D. Y. Patil College of Architecture,
Pimpri, Pune



CHAPTER-VII STUDY OF GREEN PRACTICES

7.1 Pedestrian Friendly Road

The College has well maintained internal road to facilitate the easy movement of the students within the campus.

Photograph of internal road in the campus:



7.2 Internal Tree Plantation:

The College has well maintained lawn and internal Tree Plantation.

Photograph of Tree Plantation in the campus:



Dr. D Y Patil Pratishthan's
Padmashree Dr. D Y Patil College of Architecture,
Pune

ENERGY AUDIT REPORT
OF
Dr. D. Y. Patil Pratishthan's,
Padmashree Dr. D. Y. Patil College of Architecture,
Akurdi, Pune-411 044



Year: 2018-19

Prepared by:

Enrich Consultants

Yashashree, 26, Nirmal Bag Society
Near Mukhtangan English School, Parvati, Pune 411009
Phone: 09890444795 Email: enrichcons@gmail.com

Dr. D. Y. Patil Pratishthan's
Padmashree Dr. D. Y. Patil College of Architecture,
Akurdi Pune

MAHARASHTRA ENERGY DEVELOPMENT AGENCY



Maharashtra Energy Development Agency

(A Government of Maharashtra undertaking)
2nd Floor, MELADA Commercial Complex, Opp. Fridge Nagar, Yerwade, Pune - 411 009.
Ph: 561 0230-26614393-266144403
Email: eee@maharaja.com, Web: www.maharaja.com.

ECN/2018-19/ECR-05-4174

19th September, 2018

**CERTIFICATE OF REGISTRATION
FOR CLASS 'A'**

We hereby certify that, the firm having following particulars is registered with **MAHARASHTRA ENERGY DEVELOPMENT AGENCY (MEDA)** under given category as "Energy Planner & Energy Auditor" in Maharashtra for Energy Conservation Programme of MEDA.

Name and Address of the firm	Enrich Consultants Yashashree, Plot No. 26, Normal Bag Society, Near Muldurgur English School, Purati, Pune - 411009.
Registration Category	Empowered Consultant for Energy Conservation Programme
Registration Number	MEDA/ECN/CR-05/2018-19/E-1-03

- Energy Conservation Programme intends to identify areas where wasteful use of energy occurs and to evaluate the scope for Energy Conservation and take concrete steps to achieve the evaluated energy savings.
- MEDA reserves the right to visit the firm at any time without giving any prior information and canceling the registration, if the information is found incorrect.
- This empowerment is valid till **31st March 2021** from the date of registration, to carry out energy audits under the Energy Conservation Programme
- The Director General, MEDA reserves the right to cancel the registration at any time without assigning any reasons therefor.


(Smita Kulkarni)
General Manager (EC)



Enrich Consultants

Yashashree, 26, Nirmal Bag Society,
Near Mukangan English School, Parvati, Pune 411 009
Tel: 09890444795 Email: enrichconsi@gmail.com

Ref: EC/DYPCOA/18-19/01

Date: 22/6/2019

CERTIFICATE


This is to certify that we have conducted Energy Audit at Dr. D. Y. Patil Pratishthan's Padmashree Dr. D. Y. Patil College of Architecture, Akurdi, Pune in the Year 2018-19.

The College has adopted Energy Efficient Practices:

- Usage of Energy Efficient LED Fittings
- Usage of Energy Efficient BEE STAR Rated equipment
- Maximum usage of Day Lighting

We appreciate the support of Management, involvement of faculty members and students in the process of Energy Conservation & making the campus Green.

For Enrich Consultants,



A Y Mehendale,
Certified Energy Auditor
EA-8192



Dr. D Y Patil Pratishthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune

INDEX

Sr. No	Particulars	Page No
I	Acknowledgement	5
II	Executive Summary	6
III	Abbreviations	7
1	Introduction	8
2	Study of Connected Load	9
3	Study of Present Energy Consumption	10
4	Study of CO ₂ Emission	12
5	Study of Usage of Alternate Energy	14
6	Study of Usage of LED Lighting	15



Dr. D Y Patil Pralishthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune



ACKNOWLEDGEMENT

We at Enrich Consultants, Pune, express our sincere gratitude to the management of Dr. D. Y. Patil Pratishthan's Padmashree Dr. D. Y. Patil College of Architecture, Akurdi, Pune for awarding us the assignment of Energy Audit of their Akurdi Campus, for the Academic Year: 2018-19.

We are thankful to the Staff members for helping us during the field study.



Dr. D Y Patil Pratishthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune



EXECUTIVE SUMMARY

1. Dr. D. Y. Patil Pratishthan's Padmashree Dr. D. Y. Patil College of Architecture, Akurdi, Pune consumes Energy in the form of Electrical Energy; used for various gadgets, office & other facilities.

2. Present Energy Consumption & CO₂ Emission:

No	Parameter/ Value	Energy Consumed, kWh	CO ₂ Emissions, MT
1	Total	37139	29.71
2	Maximum	3458	2.77
3	Minimum	2798	2.24
4	Average	3094.92	2.48

3. Energy Conservation projects installed:

- Usage of Energy Efficient LED fittings
- Usage of BEE STAR Rated Equipment

4. Usage of Alternate Energy:

- The College has yet to install Roof Top Solar PV Plant
- The percentage of usage of Alternate Energy to Annual Energy Demand is Nil

5. Usage of LED Lighting:

- The Total LED Lighting load of College is 1.36 kW.
- The Lighting Load is 8.36 kW.
- The % of LED Lighting to Total Lighting Load is 16.27 %.

6. Assumption:

1. 1 kWh of Electrical Energy releases 0.8 Kg of CO₂ into atmosphere

Dr. D.Y. Patil Pratishthan's
Padmashree Dr. D.Y. Patil College of Architecture,
Akurdi Pune

ABBREVIATIONS

BEE	Bureau of Energy Efficiency
MSEDCL	Maharashtra Electricity Distribution Company Limited
kWh	Kilo Watt Hour
kWp	Kilo Watt Peak
Kg	Kilo Gram
MT	Metric Ton
CO ₂	Carbon Di Oxide
FTL	Fluorescent Tube Light
LED	Light Emitting Diode



Dr. D Y Patil Pratishthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune



CHAPTER-I INTRODUCTION

1.1 Objectives:

1. To study Connected Load and Present Energy Consumption
2. To Study the CO₂ emissions
3. To study usage of Alternate Energy
4. To study usage of LED Lighting

1.2 Table No 1: General Details of the College:

No	Head	Particulars
1	Name of the Institution	Dr. D. Y. Patil Pratishthan's Padmashree Dr. D. Y. Patil College of Architecture
2	Address	D Y Patil Educational Complex, Sector 29, Nigdi, Pradhikaran, Akurdi, Pune
3	Year of Establishment	2000
4	Affiliation	Savitribai Phule Pune University

Dr. D Y Patil Pratishthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune



CHAPTER-II STUDY OF CONNECTED LOAD


The major contributors to the connected load of the College are as under.

Table No 2: Equipment wise Connected Load:

No	Equipment	Qty	Load, W/Unit	Load, kW
1	16 W LED	35	16	0.56
2	20 W LED	40	20	0.8
3	40 W FTL	175	40	7
4	Ceiling Fan	105	65	6.825
5	W/M Fan	15	52	0.78
6	A C-1 TR	1	1250	1.25
7	A C-1.5 TR	1	1875	1.88
8	P C	57	150	8.55
9	Printer	9	175	1.575
10	Other Equipment	20	250	5
11	Total			34

We present the above Data in a PIE Chart as under.

Chart No1: Connected Load:



CHAPTER-III STUDY OF PRESENT ENERGY CONSUMPTION

In this chapter, we present the analysis of Energy Consumption
Table No. 3: Study of Electrical Energy Consumption: 18-19:

No	Month	Energy Consumed, kWh
1	Apr-18	3175
2	May-18	3085
3	Jun-18	3139
4	Jul-18	3296
5	Aug-18	3375
6	Sep-18	3458
7	Oct-18	2917
8	Nov-18	2857
9	Dec-18	2798
10	Jan-19	2936
11	Feb-19	3086
12	Mar-19	3017
13	Total	37139
14	Maximum	3458
15	Minimum	2798
16	Average	3094.92

Chart No 2: To study the variation of Monthly Electrical Energy Consumption:




Table No 4: Important Parameters:

No	Parameter/ Variation	Energy Consumed, kWh
1	Total	37139
2	Maximum	3458
3	Minimum	2798
4	Average	3094.92

Dr. D Y Patil Pralishthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune



CHAPTER-IV STUDY OF CO₂ EMISSION

A Carbon Foot print is defined as the Total Greenhouse Gas emissions, emitted due to various activities.

In this we compute the emissions of Carbon-Di-Oxide, by usage of the various forms of Energy used by the College for performing its day to day activities

The College uses two forms of Energy namely: Electrical Energy for various Electrical gadgets.

Basis for computation of CO₂ Emissions:

The basis of Calculation for CO₂ emissions due to Electrical Energy is as under.

- 1 kWh of Electrical Energy releases 0.9 Kg of CO₂ into atmosphere.

Based on the above Data we compute the CO₂ emissions which are being released in to the atmosphere by the College due to its Day to Day operations

Table No 5: Month wise CO₂ Emissions:

No	Month	Energy Consumed, kWh	CO ₂ Emissions, MT
1	Apr-18	3175	2.54
2	May-18	3085	2.47
3	Jun-18	3139	2.51
4	Jul-18	3296	2.64
5	Aug-18	3375	2.70
6	Sep-18	3458	2.77
7	Oct-18	2917	2.33
8	Nov-18	2857	2.29
9	Dec-18	2798	2.24
10	Jan-19	2936	2.35
11	Feb-19	3086	2.47
12	Mar-19	3017	2.41
13	Total	37139	29.71
14	Maximum	3458	2.77
15	Minimum	2798	2.24
16	Average	3094.92	2.48

Dhy

Dr. D Y Patil Pranshan's



Chart No 3: Representation of Month wise CO₂ Emissions:




Table No 6: Important Parameters:

No	Parameter/ Value	Energy Consumed, kWh	CO ₂ Emissions, MT
1	Total	37139	29.71
2	Maximum	3458	2.77
3	Minimum	2798	2.24
4	Average	3094.92	2.48

Dr. D.Y. Patil Prashikhan's
 Padmashree Dr. D.Y. Patil College of Architecture,
 Akurdi Pune



CHAPTER-V

STUDY OF USAGE OF ALTERNATE ENERGY

The College has yet to install Roof Top Solar PV Plant

The percentage of usage of Alternate Energy to Annual Energy Demand is Nil



Dr. D. Y. Patil Prashthan's
Padmashree Dr. D. Y. Patil College of Architecture,
Akurdi Pune



CHAPTER VI STUDY OF USAGE OF LED LIGHTING

In this chapter, we compute the percentage of usage of LED Lighting to Total Lighting Load, as under.

Table No 7: Percentage of Usage of LED Lighting to Total Lighting Load:

No	Particulars	Value	Unit
1	Qty of 16 W LED Fitting	35	Nos
2	Load of 16 W LED Fitting	16	W/Unit
3	Total Load of 16 W LED Fittings	0.56	kW
4	Qty of 20 W LED Fitting	40	Nos
5	Load of 20 W LED Fitting	20	W/Unit
6	Total Load of 20 W LED Fittings	0.8	kW
7	Qty of 40 W FTL Fitting	175	Nos
8	Load of 40 W FTL Fitting	40	W/Unit
9	Total Load of 40 W FTL Fittings	7	kW
10	Total LED Lighting Load= 3+6	1.36	kW
11	Total Lighting Load= 3+6+9	8.36	kW
12	Percentage of LED to Total Lighting Load= $(10) * 100 / (11)$	16.27	%

Dr. D Y Patil Pratishtan's
Padmeshree Dr. D Y Patil College of Architecture,
Akurdi Pune



Dr D Y Patil Prathisthan's

PADMASHREE DR. D Y PATIL COLLEGE OF ARCHITECTURE

Sector No. 29, B/h. Akurdi Railway Station, Nigdi Pradhikaran, Akurdi, Pune - 411044

ACADEMIC YEAR

(2017-18)



Dr D Y Patil Prathisthan's

PADMASHREE DR. D Y PATIL COLLEGE OF ARCHITECTURE

Sector No. 29, B/h. Akurdi Railway Station, Nigdi Pradhikaran, Akurdi, Pune - 411044


Criterion 7 Institutional Values and Best Practices

Key Indicator 7.1.3

<i>Metric No.</i>	<i>Quality Audits and environment and energy regularly undertaken by the institution</i>
7.1.3	<i>The Institutional environment and energy initiative are confirmed through the following</i> <i>1. Green Audit / Environment Audit</i> <i>2. Energy Audit</i> <i>3. Clean and Green Campus Initiative</i> <i>4. Beyond the Campus Environmental Promotion Activities</i>

Sr. No	Contents (Documents)		
A	Supporting Documents	Date	Year
1	<i>Green Audit Reports</i>	<i>15/06/2018</i>	<i>(2017-18)</i>
2	<i>Energy Audit Reports</i>	<i>15/06/2018</i>	<i>(2017-18)</i>

GREEN AUDIT REPORT
OF
Dr. D. Y. Patil Pratishthan's,
Padmashree Dr. D. Y. Patil College of Architecture,
Akurdi, Pune 411 044



Year: 2017-18

Prepared by:

Enrich Consultants

Yashashree, 26, Nirmal Bag Society
Near Muktangan English School, Parvati, Pune 411009
Phone: 09890444795 Email: enrichcons@gmail.com

Dr. D.Y. Patil Pratishthan's
Padmashree Dr. D.Y. Patil College of Architecture,
Akurdi Pune

MAHARASHTRA ENERGY DEVELOPMENT AGENCY

Maharashtra Energy Development Agency

(A Government of Maharashtra undertaking)

2nd Floor, MHADA Commercial Complex, Opp. Tridal Nagar, Yerwade, Pune 411 005

Ph No: 020-26614393/26614403 Fax No: 020-26615031

Email: econ@mahaaurja.com . Web: www.mahaaurja.com

ECN/2017-18/CR-01/5728

30th November 2017

CERTIFICATE OF REGISTRATION FOR CLASS 'A'

We hereby certify that, the firm having following particulars is registered with **MAHARASHTRA ENERGY DEVELOPMENT AGENCY (MEDA)** under given category as Energy Planner & Energy Auditor in Maharashtra under Save Energy Programme of MEDA.

Name and Address of the firm : Enrich Consultants
Yashashree, Plot No. 26, Nirmai Baug
Society, Parvati, Pune - 411009.

Registration Category : Empanelled Consultant for Save Energy
Programme.

Registration Number : **MEDA/ECN/CR-01/2017-18/EA-37**

- The Save Energy Programme intends to identify areas where wasteful use of energy occurs and to evaluate the scope for Energy Conservation and take concrete steps to achieve the evaluated energy savings.
- MEDA reserves the right to visit the firm at any time without giving any prior information and canceling the registration, if the information is found incorrect.
- This empanelment is valid upto **3 year** from the date of registration, to carry out energy audits under the Save Energy Programme of MEDA.
- The Director General, MEDA reserves the right to cancel the registration at any time without assigning any reasons thereat.

(Smita Kudarikar)
Manager (EC)

Dr. D.Y. Patil Pratishthan's
Padmashree Dr. D.Y. Patil College of Architecture,
Pune



Enrich Consultants

Yashashree, 26, Nirmal Bag Society,
Near Mukangan English School, Parvati, Pune 411 009
Tel: 09890444795 Email: enrichcons@gmail.com

Ref: EC/DYPCOA/17-18/02

Date: 15/6/2018

CERTIFICATE


This is to certify that we have conducted Green Audit at Dr. D. Y. Patil Pratishthan's Padmashree Dr. D. Y. Patil College of Architecture, Akurdi, Pune in the Year 2017-18.

The College has adopted following Energy Efficient and Green Practices:

- Usage of Energy Efficient LED Fittings
- Segregation of Waste at Source
- Provision of Sanitary Waste Incinerator
- Installation of 180 KLPD Sewage Treatment Plant of Capacity
- Maintenance of Good Internal Road
- Landscaped Lawn & Internal Tree Plantation

We appreciate the support of Management, involvement of faculty members and students in the process of Energy Conservation & making the campus Green.

For Enrich Consultants,



A Y Mehendale,
Certified Energy Auditor, EA-8192



Dr. D Y Patil Pratishthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune

INDEX

Sr. No	Particulars	Page No
I	Acknowledgement	5
II	Executive Summary	6
III	Abbreviations	7
1	Introduction	8
2	Study of Present Energy Consumption	9
3	Study of CO ₂ Emission	11
4	Study of Usage of Renewable Energy	13
5	Study of Waste Management	14
6	Study of Rain Water Management	15
7	Study of Green Practices	16



Dr. D.Y Patil Pratishthan's
Padmashree Dr. D.Y Patil College of Architecture,
Pune



ACKNOWLEDGEMENT

We at Enrich Consultants, Pune, express our sincere gratitude to the management of Dr. D. Y. Patil Pratishthan's Padmashree Dr. D. Y. Patil College of Architecture, Akurdi, Pune for awarding us the assignment of Green Audit of their Akurdi Campus, for the Academic Year: 2017-18.

We are thankful to the Staff members for helping us during the field study.



Dr. D.Y. Patil Pratishthan's
Padmashree Dr. D. Y. Patil College of Architecture,



EXECUTIVE SUMMARY

1. Dr. D. Y. Patil Pratishthan's Padmashree Dr. D. Y. Patil College of Architecture, Akurdi, Pune consumes Energy in the form of Electrical Energy; used for various gadgets, office & other facilities.

2. Present Energy Consumption & CO₂ Emission:

No	Parameter/ Value	Energy Consumed, kWh	CO ₂ Emissions, MT
1	Total	36750	29.4
2	Maximum	3850	2.92
3	Minimum	2796	2.24
4	Average	3062.5	2.45

3. Energy Conservation projects already installed:

- Usage of Energy Efficient LED fittings
- Usage of BEE STAR Rated Equipment

4. Usage of Renewable Energy:

The College has yet to install Roof Top Solar PV Plant

5. Waste Management:

5.1 Segregation of Waste at Source:

The solid waste is segregated at source. There are separate bins for collection at various points and is disposed of for further action.

5.2 Liquid Waste Management:

The College has installed Sewage Treatment Plant of capacity 180 KLPD. The treated water is used for gardening purpose.

6. Rain Water Management:

The College has yet to install Rain Water Management Project.

7. Green Practices:

- Maintenance of good Internal Road
- Maintenance of Internal Garden

8. Assumption:

- 1 kWh of Electrical Energy releases 0.8 Kg of CO₂ into atmosphere

ABBREVIATIONS

BEE	Bureau of Energy Efficiency
kWh	Kilo Watt Hour
kWp	Kilo Watt Peak
Kg	Kilo Gram
MT	Metric Ton
CO ₂	Carbon Di Oxide
LPD	Liters per Day
LPG	Liquefied Petroleum Gas
COA	College of Architecture



Dr. D Y Patil Pratishthan's
Padmashree Dr. D Y Patil College of Architecture,
Pimpri Pune



CHAPTER-I INTRODUCTION

1.1 Objectives:

1. To study present Energy Consumption
2. To Study CO₂ emissions
3. To study usage of Renewable Energy
4. Study of Waste Management
5. Study of Rain Water Management
6. Study of Green & Sustainable Practices

1.2 Table No 1: General Details of the College:

No	Head	Particulars
1	Name of the Institution	Dr. D. Y. Patil Pratishthan's Padmashree Dr. D. Y. Patil College of Architecture
2	Address	D Y Patil Educational Complex, Sector 29, Nigdi, Pradhikaran, Akurdi, Pune
3	Year of Establishment	2000
4	Affiliation	Savitribai Phule Pune University



CHAPTER-II STUDY OF PRESENT ENERGY CONSUMPTION

In this chapter, we present the analysis of Energy Consumption.

Table No 2: Study of Electrical Energy Consumption: 17-18:

No	Month	Energy Consumed, kWh
1	Apr-17	2917
2	May-17	3057
3	Jun-17	3125
4	Jul-17	2875
5	Aug-17	2796
6	Sep-17	3185
7	Oct-17	3236
8	Nov-17	3650
9	Dec-17	2915
10	Jan-18	2875
11	Feb-18	3102
12	Mar-18	3017
13	Total	36750
14	Maximum	3650
15	Minimum	2796
16	Average	3062.5

Chart No: 1: Study of variation of Monthly Electrical Energy Consumption:




Table No 3: Important Parameters:

No	Parameter/ Variation	Energy Consumed, kWh
1	Total	36750
2	Maximum	3650
3	Minimum	2796
4	Average	3062.5



CHAPTER-III

STUDY OF CO₂ EMISSION

A Carbon Foot print is defined as the Total Greenhouse Gas emissions, emitted due to various activities.

In this we compute the emissions of Carbon-Di-Oxide, by usage of the various forms of Energy used by the College for performing its day to day activities

The College uses: Electrical Energy for various Electrical gadgets.

Basis for computation of CO₂ Emissions:

The basis of Calculation for CO₂ emissions due to Electrical Energy is as under

- 1 kWh of Electrical Energy releases 0.8 Kg of CO₂ into atmosphere

Based on the above Data we compute the CO₂ emissions which are being released in to the atmosphere by the College due to its Day to Day operations

Table No 4: Month wise CO₂ Emissions:

No	Month	Energy Consumed, kWh	CO ₂ Emissions, MT
1	Apr-17	2917	2.334
2	May-17	3057	2.446
3	Jun-17	3125	2.5
4	Jul-17	2875	2.3
5	Aug-17	2796	2.24
6	Sep-17	3185	2.55
7	Oct-17	3236	2.59
8	Nov-17	3650	2.92
9	Dec-17	2915	2.33
10	Jan-18	2875	2.3
11	Feb-18	3102	2.48
12	Mar-18	3017	2.41
13	Total	36750	29.4
14	Maximum	3650	2.92
15	Minimum	2796	2.24
16	Average	3062.5	2.45

Chart No: 2: Representation of Month wise CO₂ Emissions:




Table No 5: Variation in Important Parameters:

No	Parameter/ Value	Energy Consumed, kWh	CO ₂ Emissions, MT
1	Total	36750	29.4
2	Maximum	3650	2.92
3	Minimum	2796	2.24
4	Average	3062.5	2.45

Handwritten signature

CHAPTER-IV STUDY OF USAGE OF RENEWABLE ENERGY

The College has yet to install Roof top Solar PV Plant.




CHAPTER V STUDY OF WASTE MANAGEMENT

5.1 Segregation of Waste at Source:

The solid waste is segregated at source. There are separate bins for collection at various points and is disposed of for further for action.

Photograph of Waste Collection Bin:



5.2 Liquid Waste Management:

The College has installed Sewage Treatment Plant of capacity 180 KLPD. The treated water is used for gardening purpose.

CHAPTER-VI STUDY OF RAIN WATER MANAGEMENT

The College has yet to install Rain Water Management Project.



CHAPTER-VII STUDY OF GREEN PRACTICES

7.1 Pedestrian Friendly Road & Internal Tree Plantation:

The College has well maintained internal road to facilitate the easy movement of the students within the campus.


Photograph of internal road in the campus:




7.2 Internal Tree Plantation:

The College has well maintained Landscaped Lawn and Internal Tree Plantation.

Photograph of Trees & Plants in the campus:



ENERGY AUDIT REPORT
of
Dr D Y Patil Pratishthan's,
Padmashree Dr. D. Y. Patil College of Architecture,
Akurdi, Pune-411 044



Year: 2017-18

Prepared by:

Enrich Consultants

Yashashree, 26, Nirmal Bag Society
Near Muktangan English School, Parvati, Pune 411009
Phone: 09890444795 Email: enrichcons@gmail.com

Dr. D Y Patil Pratishthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune



MAHARASHTRA ENERGY DEVELOPMENT AGENCY

Maharashtra Energy Development Agency

(A Government of Maharashtra undertaking)

2nd Floor, MHADA Commercial Complex, Opp. Tridal Nagar, Yerwade, Pune-411 008

Ph No: 020-26614393/266141403 Fax No: 020-26615031

Email: ecdn@mahaurja.com Web: www.mahaurja.com

ECN/2017-18/CR-01/5728

30th November 2017

CERTIFICATE OF REGISTRATION FOR CLASS 'A'

We hereby certify that the firm having following particulars is registered with **MAHARASHTRA ENERGY DEVELOPMENT AGENCY (MEDA)** under given category as Energy Planner & Energy Auditor in Maharashtra under Save Energy Programme of MEDA.

Name and Address of the firm : Enrich Consultants
Yashashree, Plot No. 26, Nirma Baug
Society, Parvati, Pune - 411008

Registration Category : Empanelled Consultant for Save Energy Programme

Registration Number : MEDA/ECN/CR-01/2017-18/EA-37

- The Save Energy Programme intends to identify areas where wasteful use of energy occurs and to evaluate the scope for Energy Conservation and take concrete steps to achieve the evaluated energy savings.
- MEDA reserves the right to visit the firm at any time without giving any prior information and canceling the registration if the information is found incorrect.
- This empanelment is valid upto **3 year** from the date of registration, to carry out energy audits under the Save Energy Programme of MEDA.
- The Director General, MEDA reserves the right to cancel the registration at any time without assigning any reasons thereof.

(Smita Kudarikar)
Manager (EC)

Dr. D Y Patil Pratishthan's

Padmashree Dr. D Y Patil College of Architecture,
Pune



Enrich Consultants

Yashashree, 26, Nirmal Bag Society,
Near Mukhtangan English School, Parvati, Pune 411 009
Tel: 09890444795 Email: enrichcons@gmail.com

Ref: EC/DYPCOA/17-18/01

Date: 15/6/2018

CERTIFICATE


This is to certify that we have conducted Energy Audit at Dr. D. Y. Patil Pratishthan's Padmashree Dr. D. Y. Patil College of Architecture, Akurdi, Pune in the Year 2017-18.

The College has adopted Energy Efficient Practices:

- Usage of Energy Efficient LED Fittings
- Maximum usage of Day Lighting

We appreciate the support of Management, involvement of faculty members and students in the process of Energy Conservation & making the campus Green.

For Enrich Consultants,



A Y Mehendale,
Certified Energy Auditor
EA-8192



Dr. D. Y. Patil Pratishthan's
Padmashree Dr. D. Y. Patil College of Architecture,
Akurdi, Pune

INDEX

Sr. No	Particulars	Page No
I	Acknowledgement	5
II	Executive Summary	6
III	Abbreviations	7
1	Introduction	8
2	Study of Connected Load	9
3	Study of Present Energy Consumption	10
4	Study of CO ₂ Emission	12
5	Study of Usage of Alternate Energy	14
6	Study of Usage of LED Lighting	15

Shay

Dr. D Y Patil Pratishthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune




ACKNOWLEDGEMENT

We at Enrich Consultants, Pune, express our sincere gratitude to the management of Dr. D. Y. Patil Pratishthan's Padmashree Dr. D. Y. Patil College of Architecture, Akurdi, Pune for awarding us the assignment of Energy Audit of their Akurdi Campus, for the Academic Year: 2017-18.

We are thankful to the Staff members for helping us during the field study.



Dr. D. Y. Patil Pratishthan's
Padmashree Dr. D. Y. Patil College of Architecture
Akurdi, Pune



EXECUTIVE SUMMARY

1. Dr. D. Y. Patil Pratishthan's Padmashree Dr. D. Y. Patil College of Architecture, Akurdi, Pune consumes Energy in the form of Electrical Energy; used for various gadgets, office & other facilities.

2. Present Energy Consumption:

No	Parameter/ Value	Energy Consumed, kWh	CO ₂ Emissions, MT
1	Total	36750	29.4
2	Maximum	3650	2.92
3	Minimum	2796	2.24
4	Average	3062.5	2.45

3. Energy Conservation projects already installed:

- Usage of Energy Efficient LED fittings
- Usage of BEE STAR Rated Equipment

4. Usage of Alternate Energy:

- The College has yet to install the Roof Top Solar PV Plant.
- The percentage of usage of Alternate Energy to Annual Energy Demand is Nil

5. Usage of LED Lighting:

- The Total LED Lighting load of College is 1.10 kW.
- The Total Lighting Load is 8.70 kW.
- The % of LED Lighting to Total Lighting Load is 12.64 %.

6. Assumption:

1. 1 kWh of Electrical Energy releases 0.8 Kg of CO₂ into atmosphere

Dr. D.Y. Patil Pratishthan's
Padmashree Dr. D.Y. Patil College of Architecture,
Akurdi, Pune

ABBREVIATIONS

BEE	Bureau of Energy Efficiency
MSEDCL	Maharashtra Electricity Distribution Company Limited
kWh	Kilo Watt Hour
kWp	Kilo Watt Peak
Kg	Kilo Gram
MT	Metric Ton
CO ₂	Carbon Di Oxide
FTL	Fluorescent Tube Light
LED	Light Emitting Diode
COA	College of Architecture



Dr. D Y Patil Pratishthan's
Padmashree Dr. D Y Patil College of Architecture,



CHAPTER-I INTRODUCTION

1.1 Objectives:

1. To study Connected Load
2. To study Present Energy Consumption
3. To study the CO₂ emissions
4. To study usage of Alternate Energy
5. To study usage of LED Lighting

1.2 Table No 1: General Details of the College:

No	Head	Particulars
1	Name of the Institution	Dr. D. Y. Patil Pratishthan's Padmashree Dr. D. Y. Patil College of Architecture
2	Address	D Y Patil Educational Complex, Sector 29, Nigdi, Pradhikaran, Akurdi, Pune
3	Year of Establishment	2000
4	Affiliation	Savitribai Phule Pune University



Dr. D Y Patil Pratishthan's
Padmashree Dr. D Y Patil College of Architecture,
Pune



CHAPTER-II STUDY OF CONNECTED LOAD


The major contributors to the connected load of the College are as under.

Table No 2: Equipment wise Connected Load:

No	Equipment	Qty	Load, W/Unit	Load, kW
1	16 W LED	25	16	0.40
2	20 W LED	35	20	0.7
3	40 W FTL	190	40	7.6
4	Ceiling Fan	104	65	6.76
5	W/M Fan	10	52	0.52
6	A C-1 TR	1	1250	1.25
7	A C-1.5 TR	1	1875	1.88
8	P C	57	150	8.55
9	Printer	9	175	1.575
10	Other Equipment	15	250	3.75
11	Total			33

We present the above Data in a PIE Chart as under.

Chart No1: Connected Load:



Dr. D.Y. Patil Profishran's
Padmashree Dr. D.Y. Patil College of Architecture,
Pune


CHAPTER-III

STUDY OF PRESENT ENERGY CONSUMPTION

In this chapter, we present the analysis of Energy Consumption
 Table No. 3: Study of Electrical Energy Consumption: 17-18:

No	Month	Energy Consumed, kWh
1	Apr-17	2917
2	May-17	3057
3	Jun-17	3125
4	Jul-17	2875
5	Aug-17	2796
6	Sep-17	3185
7	Oct-17	3236
8	Nov-17	3650
9	Dec-17	2915
10	Jan-18	2875
11	Feb-18	3102
12	Mar-18	3017
13	Total	36750
14	Maximum	3650
15	Minimum	2796
16	Average	3062.5

Chart No 2: To study the variation of Monthly Electrical Energy Consumption:



Dr. D. Y. Patil

Dr. D. Y. Patil Pratishthan's
 Padmashree Dr. D. Y. Patil College of Architecture,
 Akurdi, Pune




Table No 4: Important Parameters:

No	Parameter/ Variation	Energy Purchased, kWh
1	Total	36750
2	Maximum	3650
3	Minimum	2796
4	Average	3062.5



Dr. D Y Patil Prasthhan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune



CHAPTER-IV STUDY OF CO₂ EMISSION

A Carbon Foot print is defined as the Total Greenhouse Gas emissions, emitted due to various activities.

In this we compute the emissions of Carbon-Di-Oxide, by usage of the various forms of Energy used by the College for performing its day to day activities

The College uses Electrical Energy for various Electrical gadgets

Basis for computation of CO₂ Emissions:

The basis of Calculation for CO₂ emissions due to Electrical Energy is as under.

- 1 kWh of Electrical Energy releases 0.8 Kg of CO₂ into atmosphere.

Based on the above Data we compute the CO₂ emissions which are being released in to the atmosphere by the College due to its Day to Day operations

Table No 5: Month wise CO₂ Emissions:

No	Month	Energy Consumed, kWh	CO ₂ Emissions, MT
1	Apr-17	2917	2.334
2	May-17	3057	2.446
3	Jun-17	3125	2.5
4	Jul-17	2875	2.3
5	Aug-17	2796	2.24
6	Sep-17	3185	2.55
7	Oct-17	3236	2.59
8	Nov-17	3650	2.92
9	Dec-17	2915	2.33
10	Jan-18	2875	2.3
11	Feb-18	3102	2.48
12	Mar-18	3017	2.41
13	Total	36750	29.4
14	Maximum	3650	2.92
15	Minimum	2796	2.24
16	Average	3062.5	2.45



Dr. D.Y. Patil Pralishthan's

Padmashree Dr. D.Y. Patil College of Architecture,
Akurdi, Pune

Chart No 3: Representation of Month wise CO₂ Emissions:




Table No 6: Important Parameters:

No	Parameter/ Value	Energy Consumed, kWh	CO ₂ Emissions, MT
1	Total	36750	29.4
2	Maximum	3650	2.92
3	Minimum	2796	2.24
4	Average	3062.5	2.45

(Handwritten Signature)

Dr. D Y Patil Pratishthan's
Padmashree Dr. D.Y. Patil College of Architecture,
Pune



CHAPTER-V STUDY OF USAGE OF ALTERNATE ENERGY

The College has yet to install Roof top Solar PV Plant.



CHAPTER VI STUDY OF USAGE OF LED LIGHTING

In this chapter, we compute the percentage of usage of LED Lighting to Total Lighting Load, as under.

Table No 7: Percentage of Usage of LED Lighting to Total Lighting Load:

No	Particulars	Value	Unit
1	Qty of 16 W LED Fitting	25	Nos
2	Load of 16 W LED Fitting	16	W/Unit
3	Total Load of 16 W LED Fittings	0.4	kW
4	Qty of 20 W LED Fitting	35	Nos
5	Load of 20 W LED Fitting	20	W/Unit
6	Total Load of 20 W LED Fittings	0.7	kW
7	Qty of 40 W FTL Fitting	190	Nos
8	Load of 40 W FTL Fitting	40	W/Unit
9	Total Load of 40 W FTL Fittings	7.6	kW
10	Total LED Lighting Load= 3+6	1.10	kW
11	Total Lighting Load= 3+6+9	8.70	kW
12	Percentage of LED to Total Lighting Load = $(10) \cdot 100 / (11)$	12.64	%

(Handwritten Signature)

Dr. D. Y. Patil Principal's
Padmashree Dr. D. Y. Patil College of Architecture,
Akurdi Pune






FINDING OF DVV

2	Certificate from the auditing agency.
----------	--

Nutan Urja Solutions

(ISO 9001:2015, ISO 50001:2018, ISO 14001:2015) 

A 703, Balaji Witefield, Near Sunni's World,

Sus Road, Sus, Pune 411 021

Phone: 83568 18381. Email: nutanurja.solutions@gmail.com

Date: 23/11/2022

CERTIFICATE


This is to certify that we have conducted Green Audit at Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune for the year 2021-22.

The College has already adopted Green practices like:

- Installation of Rain Water Harvesting system
- Installation of Sewage Treatment Plant.
- Installation of 350 kW Roof Top Solar PV Power Plant.
- Usage of Energy Efficient LED
- Usage of Energy Efficient BEE STAR Rated equipment

We appreciate the support of Management, involvement of faculty members and students in the process of making the campus Green.

Nutan Urja Solutions,




K G Bhatwadekar,

Certified Energy Auditor,

EA - 22428






PRINCIPAL
Dr. D. Y. Patil
College of Architecture
Akurdi, Pune - 411044

Dr. D Y Patil Prafishthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune

Nutan Urja Solutions

((ISO 9001:2015, ISO 50001:2018, ISO 14001:2015) 

A 703, Balaji Witefield, Near Sunni's World,

Sus Road, Sus, Pune 411 021

Phone: 83568 18381. Email: nutanurja_solutions@gmail.com

Date: 23/11/2022

CERTIFICATE


This is to certify that we have conducted Energy Audit at Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune as per the guidelines of Maharashtra Energy Development Agency (www.mahaurja.com) in the year 2021-22.

The College has already adopted **Energy Efficient** practices like:

- Usage of Energy Efficient LED Fittings
- Usage of Energy Efficient BEE STAR Rated equipment
- Installation of 350 kW Roof Top Solar PV Power Plant.

We appreciate the support of Management, involvement of faculty members and students in the process of Energy Conservation & making the campus Green.

Nutan Urja Solutions,



K G Bhatwadekar,

Certified Energy Auditor,

EA - 22428





Dr. D. Y. Patil, Professor
Padmashree Dr. D. Y. Patil College of Architecture,
Akurdi, Pune.

PRINCIPAL

Dr. D. Y. Patil
College of Architecture
Akurdi, Pune - 411021

Nutan Urja Solutions

(ISO 9001:2015, ISO 50001:2018, ISO 14001:2015)



A 703, Balaji Witefield, Near Sunni's World,

Sus Road, Sus, Pune 411 021

Phone: 83568 18381. Email: nutanurja.solutions@gmail.com

Date: 23/11/2022

CERTIFICATE

This is to certify that we have conducted Environmental Audit at Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune in the year 2021-22.

The College has already adopted following projects for making the campus **Energy Efficient**.

- Installation of Sewage Treatment Plant
- Installation of Rain Water Harvesting System
- Installation of 350 kW Solar PV Power Plant.

We appreciate the support of Management, involvement of faculty members and students in the process of Energy Conservation & making the campus Green.

Nutan Urja Solutions,

K G Bhatwadekar

K G Bhatwadekar,
Certified Energy Auditor,
EA - 22428



Dr. D. Y. Patil

Dr. D Y Patil Pratishthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi, Pune

PRINCIPAL

Dr. D. Y. Patil
College of Architecture
Akurdi, Pune - 411044

Nutan Urja Solutions

A 703, Balaji Witefield, Near Sunni's World,

Sus Road, Sus, Pune 411 021

Phone: 83568 18381. Email: nutanurja.solutions@gmail.com

Date: 15/10/2021

CERTIFICATE


This is to certify that we have conducted Green Audit at Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune for the year 2020-21.

The College has already adopted Green practices like:

- Installation of Rain Water Harvesting system
- Installation of Sewage Treatment Plant.
- Installation of 350 kW Roof Top Solar PV Power Plant.
- Usage of Energy Efficient LED
- Usage of Energy Efficient BEE STAR Rated equipment

We appreciate the support of Management, involvement of faculty members and students in the process of making the campus Green.

Nutan Urja Solutions,



K G Bhatwadekar,

Certified Energy Auditor,

EA - 22428



Dr. D Y Patil Pratishthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune

Nutan Urja Solutions

A 703, Balaji Witefield, Near Sunni's World,

Sus Road, Sus, Pune 411 021

Phone: 83568 18381. Email: nutanurja.solutions@gmail.com

Date: 15/10/2021

CERTIFICATE

This is to certify that we have conducted Energy Audit at Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune as per the guidelines of Maharashtra Energy Development Agency (www.mahaurja.com) in the year 2020-21.

The College has already adopted **Energy Efficient** practices like:

- Usage of Energy Efficient LED Fittings
- Usage of Energy Efficient BEE STAR Rated equipment
- Installation of 350 kW Roof Top Solar PV Power Plant.

We appreciate the support of Management, involvement of faculty members and students in the process of Energy Conservation & making the campus Green.

Nutan Urja Solutions,



K G Bhatwadekar,

Certified Energy Auditor,

EA - 22428



Dr. D Y Patil Pralokhan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune

Nutan Urja Solutions

A 703, Balaji Witefield, Near Sunni's World,

Sus Road, Sus, Pune 411 021

Phone: 83568 18381. Email: nutanurja.solutions@gmail.com

Date: 15/10/2021

CERTIFICATE

This is to certify that we have conducted Environmental Audit at Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune in the year 2020-21.

The College has already adopted following projects for making the campus **Energy Efficient**.

- Installation of Sewage Treatment Plant
- Installation of Rain Water Harvesting System
- Installation of **350 kW** Solar PV Power Plant.

We appreciate the support of Management, involvement of faculty members and students in the process of Energy Conservation & making the campus Green.

Nutan Urja Solutions,



K G Bhatwadekar,
Certified Energy Auditor,
EA - 22428





Dr. D Y Patil Pratihasti's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune

Nutan Urja Solutions

A 703, Balaji Witefield, Near Sunni's World,

Sus Road, Sus, Pune 411 021

Phone: 83568 18381. Email: nutanurja.solutions@gmail.com

Date: 28/09/2020

CERTIFICATE

This is to certify that we have conducted Green Audit at Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune for the year 2019-20.

The College has already adopted **Green** practices like:

- Installation of Rain Water Harvesting system
- Installation of Sewage Treatment Plant.
- Installation of 350 kW Roof Top Solar PV Power Plant.
- Usage of Energy Efficient LED
- Usage of Energy Efficient BEE STAR Rated equipment

We appreciate the support of Management, involvement of faculty members and students in the process of making the campus Green.


Nutan Urja Solutions,



K G Bhatwadekar,

Certified Energy Auditor,

EA - 22428



Dr. D Y Patil Pratishthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune

Nutan Urja Solutions

A 703, Balaji Witefield, Near Sunni's World,

Sus Road, Sus, Pune 411 021

Phone: 83568 18381. Email: nutanurja.solutions@gmail.com

Date: 28/09/2020

CERTIFICATE

This is to certify that we have conducted Energy Audit at Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune as per the guidelines of Maharashtra Energy Development Agency (www.mahaurja.com) in the year 2019-20.

The College has already adopted **Energy Efficient** practices like:

- Usage of Energy Efficient LED Fittings
- Usage of Energy Efficient BEE STAR Rated equipment
- Installation of 350 kW Roof Top Solar PV Power Plant.

We appreciate the support of Management, involvement of faculty members and students in the process of Energy Conservation & making the campus Green.

Nutan Urja Solutions,

K G Bhatwadekar

K G Bhatwadekar,

Certified Energy Auditor,

EA - 22428



Dr. D Y Patil Pralishthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune

Nutan Urja Solutions

A 703, Balaji Witefield, Near Sunni's World,

Sus Road, Sus, Pune 411 021

Phone: 83568 18381. Email: nutanurja.solutions@gmail.com

Date: 28/09/2020

CERTIFICATE

This is to certify that we have conducted Environmental Audit at Padmashree DR. D Y Patil College Of Architecture Akurdi, Pune in the year 2019-20.

The College has already adopted following projects for making the campus **Energy Efficient**.

- Installation of Sewage Treatment Plant
- Installation of Rain Water Harvesting System
- Installation of **350 kW** Solar PV Power Plant.

We appreciate the support of Management, involvement of faculty members and students in the process of Energy Conservation & making the campus Green.

Nutan Urja Solutions,

K G Bhatwadekar

K G Bhatwadekar,
Certified Energy Auditor,
EA - 22428



Dr. D Y Patil

Dr. D Y Patil Pratishthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune

MAHARASHTRA ENERGY DEVELOPMENT AGENCY



Maharashtra Energy Development Agency

(A Government of Maharashtra undertaking)
2nd Floor, MEDA Commercial Complex, Opp. Trilal Nagar, Yerwada, Pune-411006.
Ph No: 020-26614393/26614403
Email: ee@maharaja.com, Web: www.maharaja.com

ECN 2018-19/CR-05-4174

19th September, 2018

**CERTIFICATE OF REGISTRATION
FOR CLASS 'A'**

We hereby certify that, the firm having following particulars is registered with **MAHARASHTRA ENERGY DEVELOPMENT AGENCY (MEDA)** under given category as "Energy Planner & Energy Auditor" in Maharashtra for Energy Conservation Programme of MEDA.

Name and Address of the firm	Enrich Consultants Yashashree, Plot No. 26, Normal Hsg Society, Near Mulanganj English School, Parvati, Pune - 411009.
Registration Category	Empanelled Consultant for Energy Conservation Programme
Registration Number	MEDA/ECN/CR-05/2018-19/A-01

- Energy Conservation Programme intends to identify areas where wasteful use of energy occurs and to evaluate the scope for Energy Conservation and take concrete steps to achieve the evaluated energy savings.
- MEDA reserves the right to visit the firm at any time without giving any prior information and canceling the registration, if the information is found incorrect.
- This empagement is valid till **31st March 2021** from the date of registration, to carry out energy audits under the Energy Conservation Programme.
- The Director General, MEDA reserves the right to cancel the registration at any time without assigning any reasons thereof.


(Smita Kudarkar)
General Manager (EC)



Dr. D.Y. Patil Pratikshthan's
Padmashree Dr. D.Y. Patil College of Architecture,
Pune



Enrich Consultants

Yashashree, 26, Nirmal Bag Society,
Near Muktangang English School, Parvati, Pune 411 009
Tel: 09890444795 Email: enrichcons@gmail.com

Ref: EC/DYPCOA/18-19/02

Date: 22/6/2022

CERTIFICATE


This is to certify that we have conducted Green Audit at Dr. D. Y. Patil Pratishthan's Padmashree Dr. D. Y. Patil College of Architecture, Akurdi, Pune in the Year 2018-19.

The College has adopted following Energy Efficient and Green Practices:

- Usage of Energy Efficient LED Fittings
- Segregation of Waste at Source
- Installation of 180 KLPD Sewage Treatment Plant of Capacity
- Maintenance of Good Internal Road
- Internal Tree Plantation

We appreciate the support of Management, involvement of faculty members and students in the process of Energy Conservation & making the campus Green.

For Enrich Consultants,



A Y Mehendale,
Certified Energy Auditor, EA-8192



Dr. D Y Patil Pratishthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune

MAHARASHTRA ENERGY DEVELOPMENT AGENCY

Maharashtra Energy Development Agency

(A Government of Maharashtra undertaking)

2nd Floor, MIDDA Commercial Complex, Opp. Trilal Nagar, Yerwade, Pune - 411 009.

Ph: No. 020-26614393, 266144403

Email: eeeg.mahaarja.com, Web: www.mahaarja.com

ECN/2018-19/CR-05-4174


19th September, 2018

**CERTIFICATE OF REGISTRATION
FOR CLASS 'A'**

We hereby certify that, the firm having following particulars is registered with **MAHARASHTRA ENERGY DEVELOPMENT AGENCY (MEDA)** under given category as "Energy Planner & Energy Auditor" in Maharashtra for Energy Conservation Programme of MEDA.

Name and Address of the firm	Enrich Consultants Yashashree, Plot No. 75, Nirmal Bag Society, Near Mulanganj English School, Baram, Pune - 411009.
Registration Category	Empowered Consultant for Energy Conservation Programme.
Registration Number	MEDA/ECN/CR-05/2018-19/EA-03

- Energy Conservation Programme intends to identify areas where wasteful use of energy occurs and to evaluate the scope for Energy Conservation and take concrete steps to achieve the evaluated energy savings.
- MEDA reserves the right to visit the firm at any time without giving any prior information and canceling the registration, if the information is found incorrect.
- This empowerment is valid till **31st March 2021** from the date of registration, to carry out energy audits under the Energy Conservation Programme.
- The Director General, MEDA reserves the right to cancel the registration at any time without assigning any reasons thereof.


(Smita Kulkarni)
General Manager (EC)



Enrich Consultants

Yashashree, 26, Nirmal Bag Society,
Near Mukangan English School, Parvati, Pune 411 009
Tel: 09890444795 Email: enrichcons@gmail.com

Ref: EC/DYPCOA/18-19/01

Date: 22/6/2019

CERTIFICATE


This is to certify that we have conducted Energy Audit at Dr. D. Y. Patil Pratishthan's Padmashree Dr. D. Y. Patil College of Architecture, Akurdi, Pune in the Year 2018-19.

The College has adopted Energy Efficient Practices:

- Usage of Energy Efficient LED Fittings
- Usage of Energy Efficient BEE STAR Rated equipment
- Maximum usage of Day Lighting

We appreciate the support of Management, involvement of faculty members and students in the process of Energy Conservation & making the campus Green.

For Enrich Consultants,



A Y Mehendale,
Certified Energy Auditor
EA-8192



Dr. D Y Patil Pratishthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune

MAHARASHTRA ENERGY DEVELOPMENT AGENCY

Maharashtra Energy Development Agency

(A Government of Maharashtra undertaking)

2nd Floor, MHADA Commercial Complex, Opp. Tridal Nagar, Yerwade, Pune 411 008

Ph No: 020-26614393/266141403 Fax No: 020-26615031

Email: ecdn@mahaurja.com Web: www.mahaurja.com

ECN/2017-18/CR-01/5726

30th November 2017

CERTIFICATE OF REGISTRATION FOR CLASS 'A'

We hereby certify that, the firm having following particulars is registered with **MAHARASHTRA ENERGY DEVELOPMENT AGENCY (MEDA)** under given category as Energy Planner & Energy Auditor in Maharashtra under Save Energy Programme of MEDA.

Name and Address of the firm : Enrich Consultants
Yashashree, Plot No. 26, Nirmai Baug
Society, Parvati, Pune - 411009.

Registration Category : Empanelled Consultant for Save Energy Programme.

Registration Number : MEDA/ECN/CR-01/2017-18/EA-37

- The Save Energy Programme intends to identify areas where wasteful use of energy occurs and to evaluate the scope for Energy Conservation and take concrete steps to achieve the evaluated energy savings.
- MEDA reserves the right to visit the firm at any time without giving any prior information and canceling the registration, if the information is found incorrect.
- This empanelment is valid upto **3 year** from the date of registration, to carry out energy audits under the Save Energy Programme of MEDA.
- The Director General, MEDA reserves the right to cancel the registration at any time without assigning any reasons thereat.


(Smita Kudankar)
Manager (EC)



Dr. D.Y. Patil Pratikshan's
Padmashree Dr. D.Y. Patil College of Architecture,
Pune



Enrich Consultants

Yashashree, 26, Nirmal Bag Society,
Near Mukangan English School, Parvati, Pune 411 009
Tel: 09890444795 Email: enrichcons@gmail.com

Ref: EC/DYPCOA/17-18/02

Date: 15/6/2018

CERTIFICATE


This is to certify that we have conducted Green Audit at Dr. D. Y. Patil Pratishthan's Padmashree Dr. D. Y. Patil College of Architecture, Akurdi, Pune in the Year 2017-18.

The College has adopted following Energy Efficient and Green Practices:

- Usage of Energy Efficient LED Fittings
- Segregation of Waste at Source
- Provision of Sanitary Waste Incinerator
- Installation of 180 KLPD Sewage Treatment Plant of Capacity
- Maintenance of Good Internal Road
- Landscaped Lawn & Internal Tree Plantation

We appreciate the support of Management, involvement of faculty members and students in the process of Energy Conservation & making the campus Green.

For Enrich Consultants,



A Y Mehendale,
Certified Energy Auditor, EA-8192



Dr. D.Y. Patil Pratishthan's
Padmashree Dr. D.Y. Patil College of Architecture,
Akurdi, Pune

MAHARASHTRA ENERGY DEVELOPMENT AGENCY

Maharashtra Energy Development Agency

(A Government of Maharashtra undertaking)

2nd Floor, MHADA Commercial Complex, Opp. Trilal Nagar, Yerwade, Pune-411 008

Ph No: 020-26614393/26614403 Fax No: 020-26615031

Email: ecdm@mahaurja.com, Web: www.mahaurja.com

ECN/2017-18/CR-01/5726

30th November 2017

CERTIFICATE OF REGISTRATION FOR CLASS 'A'


We hereby certify that, the firm having following particulars is registered with **MAHARASHTRA ENERGY DEVELOPMENT AGENCY (MEDA)** under given category as Energy Planner & Energy Auditor in Maharashtra under Save Energy Programme of MEDA.

Name and Address of the firm : Enrich Consultants
Yashashree, Plot No. 26 Nirmai Baug
Society, Parvat, Pune - 411009

Registration Category : Empanelled Consultant for Save Energy Programme

Registration Number : **MEDA/ECN/CR-01/2017-18/EA-37**

- The Save Energy Programme intends to identify areas where wasteful use of energy occurs and to evaluate the scope for Energy Conservation and take concrete steps to achieve the evaluated energy savings.
- MEDA reserves the right to visit the firm at any time without giving any prior information and canceling the registration if the information is found incorrect.
- This empanelment is valid upto **3 year** from the date of registration, to carry out energy audits under the Save Energy Programme of MEDA.
- The Director General, MEDA reserves the right to cancel the registration at any time without assigning any reasons there of.


(Smita Kudarikar)
Manager (EC)

Dr. D Y Patil Pratishthan's
Padmashree Dr. D Y Patil College of Architecture,
Pune



Enrich Consultants

Yashashree, 26, Nirmal Bag Society,
Near Muktangan English School, Parvati, Pune 411 009
Tel: 09890444795 Email: enrichcons@gmail.com

Ref: EC/DYPCOA/17-18/01

Date: 15/6/2018

CERTIFICATE


This is to certify that we have conducted Energy Audit at Dr. D. Y. Patil Pratishthan's Padmashree Dr. D. Y. Patil College of Architecture, Akurdi, Pune in the Year 2017-18.

The College has adopted Energy Efficient Practices:

- Usage of Energy Efficient LED Fittings
- Maximum usage of Day Lighting

We appreciate the support of Management, involvement of faculty members and students in the process of Energy Conservation & making the campus Green.


For Enrich Consultants,



A Y Mehendale,
Certified Energy Auditor
EA-8192



Dr. D. Y. Patil Pratishthan's
Padmashree Dr. D. Y. Patil College of Architecture,
Akurdi, Pune



FINDING OF DVV

3	Certificates of the awards received from the recognized agency.
---	---



DR. D. Y. PATIL PRATISHTHAN'S
DR. D. Y. PATIL COLLEGE OF ARCHITECTURE
Sector 29, Behind Akarti Rly Stn, Pradhikaran, Pune - 411 044.

Approved by Council of Architecture, New Delhi
Affiliated to Santiraj Prule Pune University No. - PU/PM/Arch/154/2000 - ASHE Code - C-41741
Ph: 020 27654501, 2765 4488 Fax: 020 2765 4507
Website: www.dypcoa.org, E-mail: mhs2dypcoa@rediffmail.com

Padmashree Dr. D.Y. Patil (M.A., LL.B., Ph.D.)
Founder President

Dr. Sanjay D. Patil
President

Shri Satej alias Bunty D. Patil
Vice-President & Chairman

Ar. Dhahanjay Chaudhari
Principal

Ref. No. DYP/COA/

Date:

INDEX

Certificates of awards received from recognized agency

Sr. No	Award Agency	Page no.
1.	PCMC Vruksha Pradhikaran 2023 : First Winner	2
2.	PCMC Vruksha Pradhikaran 2023 : Shantaram Laksham Bhondve Award	3
3.	PCMC Vruksha Pradhikaran 2023 : Privet School and College Category	4
4.	PCMC Vruksha Pradhikaran 2023 : Garden Area Morethan One Acre	5
5.	Photograph of award From Sr. No 1-4	6
6.	PCMC Vruksha Pradhikaran 2020 : Shantaram Laksham Bhondve Award	7
7.	PCMC Vruksha Pradhikaran 2016 : Third Winner	8
8.	PCMC Vruksha Pradhikaran 2016: Garden Area Morethan One Acre: First Winner	9



Dr. D.Y. Patil Pratishthan's
Padmashree Dr. D.Y. Patil College of Architecture,
Akarti Pune

Regd. Office: 2126E, 'Ajayyatra', Taratal Park, Kolhapur-416 003. Tel. No.: 0231-2653288/89/90 Fax No.: 0231-2653420


Dr. D.Y. Patil Pratishthan's
Padmashree Dr. D.Y. Patil College of Architecture,
Akarti Pune



शिंपरी चिंचवड महानगरपालिका



वृक्ष प्राधिकरण

२६ वे फुले-फळे-भाजीपाला-बाजा-वृक्षारोपण स्पर्धा व प्रदर्शन
दिनांक १० मार्च ते १२ मार्च २०२३

* प्रशस्तिपत्र *

श्री./श्रीमती डॉ. डी. वाय. पाटील एज्युकेशन, आकुर्डी यांस
 फुले, फळे, भाजीपाला, बाजा, वृक्षारोपण स्पर्धा व प्रदर्शनामध्ये प्रथम एक
 द्वितीय दोन तृतीय एक वक्षीसे व -

चपक मिळविल्याबद्दल/सहभाजाबद्दल प्रशस्तिपत्र प्रदान करणेत येत आहे.



[Handwritten signature]

भा.डी. दीक्षर मिह
 आयुक्त तथा अध्यक्ष, वृक्ष प्राधिकरण
[Handwritten signature]



पिंपरी विद्युत महानगरपालिका

वृक्ष प्राधिकरण



२६ वे फुले-फळे-भाजीपाला-बागा-वृक्षारोपण स्पर्धा व प्रदर्शन
दिनांक १० मार्च ते १२ मार्च २०२३

* प्रशस्तिपत्र *

श्री./श्रीमती डॉ. डी. वाय. पाटील प्रतिष्ठाणा राबेत बांस
फुले, फळे, भाजीपाला, बागा, वृक्षारोपण स्पर्धा व प्रदर्शनमध्ये प्रथम

द्वितीय डिस्क्रे / फिचर गार्डन मध्ये तृतीय वक्षीसे व शांताराम लक्ष्मण भोंबे
चपक मिलविल्याबद्दल सहभागाबद्दल प्रशस्तिपत्र प्रदान करणेत येत आहे.



भा.जी. शंकर मिह
आयुक्त तथा अध्यक्ष, वृक्ष प्राधिकरण

Certificate of Award in Display feature garden at Tree Plantation Competition and Exhibition

Dr. D. Y. Patil's
Padreshrree Dr. D. Y. Patil College of Architecture,
Akurdi Pune



पिंपरी चिंचवड महानगरपालिका

वृक्ष प्राधिकरण



२६ वे फुले-फळे-भाजीपाला-बागा-वृक्षारोपण स्पर्धा व प्रदर्शन
दिनांक १० मार्च ते १२ मार्च २०२३

* प्रशस्तिपत्र *

श्री./श्रीमती डॉ. डी वाय पाटील एज्युकेशन कॉम्प्लेक्स (खाजगी गाढा व महाविद्यालये उपस्थितांस
फुले, फळे, भाजीपाला, बागा, वृक्षारोपण स्पर्धा व प्रदर्शनामध्ये प्रथम प्रथम क्रमांक पुढे.

द्वितीय ————— तृतीय ————— बक्षीसे व —————

चषक मिळविल्याबद्दल/सहभागाबद्दल प्रशस्तिपत्र प्रदान करणेत येत आहे.



मा.श्री. शिखर सिंह

आयुक्त तथा अध्यक्ष, वृक्ष प्राधिकरण


Certificate of Award in Tree Plantation Competition and Exhibition in the
category of Private school and colleges

Dr. D. Y. Patil
Padmashree Dr. D. Y. Patil College of Architecture,
Akurdi Pune



Certificate of Award in Tree Plantation Competition and Exhibition
for garden area more than 1 Acre




Dr. D. Y. Patil Pratishthan's
Padmasree Dr. D. Y. Patil College of Architecture,
Akurdi Pune




वृक्ष प्राधिकरण

दिनांक २२ फेब्रुवारी ते २४ फेब्रुवारी २०२०

प्रशस्तिपत्र

श्री./श्रीमती डॉ. डी. वध. पाटील प्रतिष्ठाण यांस
 फुले, फळे, भाजीपाला, बागा, वृक्षारोपण स्पर्धा व प्रदर्शनामध्ये प्रथम ३
 द्वितीय - तृतीय - बक्षीसे व शंभाराम लक्ष्मण भोंडवे
 यासक मिळविल्याबद्दल/सहभागाबद्दल प्रशस्तिपत्र प्रदान करण्यात येत आहे.


 आयुक्त तथा
 अध्यक्ष, वृक्ष प्राधिकरण


 महासचिव
 वि. वि. व. म. म.



Dr. D. Y. Patil Pratishthan's
 Padmasree Dr. D Y Patil College of Architecture,
 Akurdi Pune

Certificate of Shantaram Laxman Bhondwe Award in Tree Plantation Competition and Exhibition Certificate of Award in Tree Plantation and

पुणे नगरपालिका



वृक्ष प्राधिकरण

२३वे फुले-फळे-भाजीपाला-बागा-वृक्षारोपण स्पर्धा व प्रदर्शन
दिनांक २० फेब्रुवारी ते २२ फेब्रुवारी २०१६

प्रशस्तिपत्र

श्री./श्रीमती डॉ. डी. वाय. पाटील एज्युकेशन कॉम्प्लेक्स - आकुर्डि यांचा
फुले, फळे, भाजीपाला, बागा, वृक्षारोपण स्पर्धा व प्रदर्शनमध्ये पराम
वृक्ष संदर्भित समाजगी शाळा व महाविद्यालय, अणुवृद्ध पुणे
द्वितीय तृतीय एक वक्षीसे व

अहमद मिळविल्याबादल/अहमदमिल्ल प्रशस्तिपत्र प्रदान केला गेलेत येत आहे.


राज्यीय जायव
अणुवृद्ध पुणे
अहमद, वृक्ष प्राधिकरण


सौ. शकुंतलाताई धराडे
अहमद
पि. वि. न. न. पा.

Certificate of Award in Tree Plantation and it's Promotion Competition for more than 25 trees

Dr. D. Y. Patil Pratishthan's
Padmasree Dr. D. Y. Patil College of Architecture,
Akurdi Pune



शिवाजी विश्वविद्यालय महाराष्ट्र शासनाच्या



वृक्ष प्राधिकरण

२३वे फुले-फळे-भाजीपाला वागा-वृक्षारोपण स्पर्धा व प्रदर्शन
दिनांक २० फेब्रुवारी ते २२ फेब्रुवारी २०१६

प्रशस्तिपत्र

श्री./श्रीमती यदुमती डॉ. डी.बाबू पाटील एज्युकेशनल कॉन्सेप्स - आळुर्ती यांस

फुले, फळे, भाजीपाला, वागा, वृक्षारोपण स्पर्धा व प्रदर्शनामध्ये प्रथम एक
शालकीय/सन्ध्या वागा स्पर्धा - एक एकरी पेक्षा जास्त मध्ये
द्वितीय तृतीय चतुर्थी व पहिली व

यापैकी मिळविल्याबाबत/सहभाग्याबाबत प्रशस्तिपत्र प्रदान करण्यात येत आहे.


राजीव जोशी
अध्यक्ष, वृक्ष प्राधिकरण


सौ. शकुंतलाबाई धरंभे
पहापीर
वि. वि. म. न. पा.



Dr. D. Y. Patil Pratishthan's
Patil College of Architecture,
Aurdi Pune

Certificate of Award in Tree Plantation Competition and Exhibition- 2016 for garden area more than 1 Acre

FINDING OF DVV

4	Report on environmental promotional activities conducted beyond the campus with geo tagged photographs with caption and date.
---	--



Criterion 7 Institutional Values and Best Practices

Key Indicator 7.1.3

<i>Metric No.</i>	<i>Quality Audits and environment and energy regularly undertaken by the institution</i> <i>The Institutional environment and energy initiative are confirmed through the following</i> <ol style="list-style-type: none"><i>1. Green Audit / Environment Audit</i><i>2. Energy Audit</i><i>3. Clean and Green Campus Initiative</i><i>4. Beyond the Campus Environmental Promotion Activities</i>
-------------------	--

<i>Beyond the Campus Environmental Promotion Activities</i>			
<i>4</i>	<i>Earth Day</i>	<i>22/4/2023</i>	<i>2022-23</i>
<i>2</i>	<i>Tree plantation, Cleanliness Drive, Climate change awareness Programme</i>	<i>7/5/2023</i>	<i>2022-23</i>
<i>5</i>	<i>World Environment Day</i>	<i>5/6/2023</i>	<i>2022-23</i>



Dr D Y Patil Prathisthan's

PADMASHREE DR. D Y PATIL COLLEGE OF ARCHITECTURE

Sector No. 29, B/h. Akurdi Railway Station, Nigdi Pradhikaran, Akurdi, Pune - 411044

ACADEMIC YEAR

(2022-23)



A Report on Conduction The green initiative outreach programme

Academic Year: 2022-2023

Semester: I/ II

Organized By	DYPCOA
Objectives	The objective of this event: <ul style="list-style-type: none">• Tree plantation cleanliness drive and climate change
Name of Resource Person	NA
Resource Person Post and Organization	NA
Date & Time	07/05/2023 8:00 to 9:00 Am
Venue	Durga Tekdi
Program In-Charge	Ar. Nupur Chichkhede, Ar Archee Verma,
Subject	Sensetizing citizen toward climate change
Student/ Faculty Attended (Year)	All students
No. of Students Present	All students
Program Approved by	Prof. Ar Dhananjay Choudhari
Supporting Staff member	All staff
Photograph/ Video Available	Available
Brief about the (Activity/ Event)	Intrested students joined the programme
Students Outcome/Remarks	Program needs to start on time, anticipation in delay due to various uncontrolled situations should be done in advance.

Ar. Nupur Chichkhede
Ar. Archee Verma
Faculty In-charge

Approved by
(AC / IQAC)

Dr. D Y Patil Prathisthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune

IQAC Co-ordinator
Dr. D. Y. Patil College of Architecture
Akurdi, Pune - 411044,



Dr D Y Patil Prathisthan's
PADMASHREE DR. D Y PATIL COLLEGE OF ARCHITECTURE
Sector No. 29, B/h. Akurdi Railway Station, NigdiPradhikaran, Akurdi, Pune - 411044




Dr. D Y Patil Prathisthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune



Dr D Y Patil Prathisthan's
PADMASHREE DR. D Y PATIL COLLEGE OF ARCHITECTURE
Sector No. 29, B/h. Akurdi Railway Station, NigdiPradhikaran, Akurdi, Pune - 411044



Padmashree Dr. D Y Patil College of Architecture,
Akurdi, Pune.

Organizes

Save The Nature

A Green Initiative outreach
program

Tree Plantation,
Cleanliness Drive,
Sensitizing Citizens Towards Climate Change




AT Durga Tekadi

7th May 2023, Sunday, 8:00 am - 9:00 am

Ar. Nupur Chikichede
Ar. Anshu Verma
Programme Coordinator

Ar. Chaya Tirvi
Vice Principal

Ar. Dharamraj Chaudhari
Principal


Dr. D Y Patil Prathisthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune



Dr D Y Patil Prathisthan's
PADMASHREE DR. D Y PATIL COLLEGE OF ARCHITECTURE
Sector No. 29, B/h. Akurdi Railway Station, NigdiPradhikaran, Akurdi, Pune - 411044




Dr. D Y Patil Prathisthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune

ATTENDANCE RECORD			
EVENT	Save the Nature		
PLACE	Durga Tekdi		
DATE	7th May 2023		
TIME	8:00am - 5:00am		
SR. NO.	STUDENT NAME	YEAR	SIGNATURE
1)	Akhay Anil Chavan	4 th	Akhay
2)	Ritesh Rajendra Borase	4 th	Ritesh
3)	Prerana Raghunr. Deshmukh	4 th	Prerana
4)	Siddharth Sudhis Desai	4 th	Siddharth
5)	Ganav Suresh Adagale	4 th	Ganav
6)	Chinraj vijay karate	4 th	Chinraj
7)	Chinraj Wadliker	4 th	Chinraj
8)	Harshada Anawkar	4 th	Harshada
9)	Priyanka Ahuja	4 th	Priyanka
10)	Jayraj Arve	4 th	Jayraj
11)	Ashwita. Bandelwar	4 th	Ashwita
12)	Ankan Chavan	4 th	Ankan
13)	Shraddha Jansode	4 th	Shraddha
14)	Sahil Yelge	4 th	Sahil
15)	Siddhika Bagul	4 th	Siddhika
16)	Mounica Annavarapu	4 th	Mounica
17)	Sanskriti Ban	4 th	Sanskriti
18)	Ganpak Bardiq	4 th	Ganpak
19)	Himanshu Gurav	4 th	Himanshu
20)	Amit Raut	4 th	Amit
21)	Adarsh Rampur	4 th	Adarsh
22)	yashraj Garje	4 th	Yashraj
23)	Om Gawade	4 th	Om
24)	Pankaj Chavan	4 th	Pankaj
25)	Pushkar Bagade	4 th	Pushkar
26)	Ghanshtha Tawari	4 th A	Ghanshtha
27)	Praywal Baviskar	4 th A	Praywal
28)	Ashish Bhambare	3 rd A	Ashish
29)	Chanchal Chauhan	3 rd A	Chanchal
30)	Tanaz Chhappax	3 rd A	Tanaz
31)	Sahil Gundecha	3 rd A	Sahil
32)	Kshiti Howels	3 rd	Howels

Chitlale
Dr. Nupur Chitlale

Dr. D Y Patil Prathisthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune



A Report on Conduction The World Environment day 2023

Academic Year: 2022-2023

Semester: I/ II

Organized By	DYPCOA
Objectives	The objective of this event: <ul style="list-style-type: none">To make everyone aware towards envoinment
Name of Resource Person	None
Resource Person Post and Organization	NA
Date & Time	05/06/2023 4:00 to 5:00 Pm
Venue	DYPCOA campus
Program In-Charge	Ar. Seemantini Naikl, Purnima Chitale ,Ar Archee Verma, Ankita Deshmukh
Subject	Invest in our planet – to make bird feeder and plant saplings in courtyard and distribution of tulsii saplings.
Student/ Faculty Attended (Year)	All students
No. of Students Present	All students
Program Approved by	Prof. Ar Dhananjay Choudhari
Supporting Staff member	All staff
Photograph/ Video Available	Available
Brief about the (Activity/ Event)	Intrested students joined the programme for plant distribution
Students Outcome/Remarks	Program needs to start on time, anticipation in delay due to various uncontrolled situations should be done in advance.

hary
Ar. Faculty In-charge
Ar. Seemantini Naikl.
Ar. Archee Verma.
Ar. Ankita Deshmukh
Ar. Purnima Chitale.

K. B. J. J.
Approved by
(AC / IQAC)

IQAC Co-ordinator
Dr. D. Y. Patil College of Architecture
Akurdi, Pune - 411044.



Dr D Y Patil Prathisthan's
PADMASHREE DR. D Y PATIL COLLEGE OF ARCHITECTURE
Sector No. 29, B/h. Akurdi Railway Station, NigdiPradhikaran, Akurdi, Pune - 411044



DR. D Y PATIL PRATHISHTHAN'S
PADMASHREE DR. D Y PATIL COLLEGE OF ARCHITECTURE,
AKURDI, PUNE- 411044

WORLD ENVIRONMENT DAY

5 JUNE, 2023

ACTIVITIES SCHEDULED

- Tree plantation
- Tree distribution



Ar. Seemantini Nakil
Ar. Ankita Deshmukh
Ar. Purnima Chitale
Ar. Archee Verma
Faculty Organizer

Ar. Chaya Tirvir
Vice Principal

Ar. Dhananjay Chaudhari
Principal

Dr. D Y Patil Prathisthan's
Padmeshree Dr. D Y Patil College of Architecture,
Akurdi Pune



Dr D Y Patil Prathisthan's
PADMASHREE DR. D Y PATIL COLLEGE OF ARCHITECTURE
Sector No. 29, B/h. Akurdi Railway Station, NigdiPradhikaran, Akurdi, Pune - 411044



DR. D Y PATIL PRATHISHTHAN'S
PADMASHREE DR. D Y PATIL COLLEGE OF ARCHITECTURE,
AKURDI, PUNE- 411044

World Environment Day

5 JUNE, 2023

**HAIKU / CHAROLI
COMPETITION ON**

A WISDOM TREE of one's life.

Competition Brief:

This is an open call to submit short poem of 4 lines also known as Haiku or Charoli about any mature native tree from your memory or in your immediate surroundings with it's sketch.

Last date of submission:
12th June 2023, Monday


Language: Marathi, Hindi or English

Submit in Hardcopy to : Ar. Archee Verma

Ar. Seemantini Nakil
Ar. Ankita Deshmukh
Ar. Purnima Chitale
Ar. Archee Verma
Faculty Organizer

Ar. Chaya Tirvir
Vice Principal


Ar. Dhananjay Chaudhari
Principal


Dr. D Y Patil Prathisthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune



Dr D Y Patil Prathisthan's
PADMASHREE DR. D Y PATIL COLLEGE OF ARCHITECTURE
Sector No. 29, B/h. Akurdi Railway Station, NigdiPradhikaran, Akurdi, Pune - 411044




Dr. D Y Patil Prathisthan
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune



Dr D Y Patil Prathisthan's
PADMASHREE DR. D Y PATIL COLLEGE OF ARCHITECTURE
Sector No. 29, B/h. Akurdi Railway Station, NigdiPradhikaran, Akurdi, Pune - 411044



Dr. D Y Patil Prathisthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune

ATTENDANCE RECORD			
EVENT	World Environment Day		
PLACE	DTPCOA		
DATE	5/6/2023		
TIME	4:00 PM to 5:00 PM.		
SR. NO.	STUDENT NAME	YEAR	SIGNATURE
1)	Akshay Anil Chavan	4 th	
2)	Ritesh Rajendra Borase	4 th	
3)	Prerana Raghuvir Deshmukh	4 th	
4)	Siddharth Sudhiz Desai	4 th	
5)	Garav Suresh Abagale	4 th	
6)	Chirag Vijay Karate	4 th	
7)	Bhavya Naresh	3 rd	
8)	Devbrath	4 th	
9)	Harshada Anawkar	4 th	
10)	Balkeesha Tejani	8 th	
11)	Priyanka Anja	4 th	
12)	Jayraj Arve	4 th	
13)	Ashwita Bandelwar	4 th	
14)	Vedant Gadaye	4 th	
15)	Chinmay Waslikar	4 th	
16)	Akash Raj	4 th	
17)	Dighant Naik	3 rd	
18)	Om Ganade	4 th	
19)	Sumedh Injane	3 rd	
20)	Pranav Chand	3 rd	
21)	Harshwardhan B.	3 rd	
22)	Samresh Dabade	3 rd	
23)	Kshitij Howale	3 rd	
24)	Bhavya Naresh	3 rd A	
25)	Manas Dhodave	3 rd	
26)	Prajakta Bakade	3 rd	
27)	Vaishnavi Achmane	3 rd	
28)	Shrushti Deokar	3 rd	
29)	Tanaz Chhappax	3 rd	
30)	Digant Naik	3 rd	
31)	Pratiksha Amate	3 rd	
32)	Sejal S. Bahu	3 rd	

Ms Ankita Deshmukh
An Purnima Chitale



A Report on Conduction The Earth Day 2023

Academic Year: 2022-2023

Semester: I/ II

Organized By	DYPCOA
Objectives	The objective of this event: <ul style="list-style-type: none">Invest in our planet
Name of Resource Person	None
Resource Person Post and Organization	NA
Date & Time	22/04/2023 4:00 to 5:00 Pm
Venue	DYPCOA courtyard
Program In-Charge	Prof. , Nupur Chichkhede ,Ar Archee Verma
Subject	Invest in our planet – to make bird feeder and plant saplings in courtyard
Student/ Faculty Attended (Year)	All students
No. of Students Present	All students
Program Approved by	Prof. Ar Dhananjay Choudhari
Supporting Staff member	All staff
Photograph/ Video Available	Available
Brief about the (Activity/ Event)	Intrested students joined the programme
Students Outcome/Remarks	Program needs to start on time, anticipation in delay due to various uncontrolled situations should be done in advance.

Faculty In-charge

Ar. Nupur Chichkhede
Ar. Archee Verma -


Approved by
(AC / IQAC)

IQAC Co-ordinator
Dr. D. Y. Patil College of Architecture
Akurdi, Pune - 411044.

Dr. D Y Patil Prathisthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune



Dr D Y Patil Prathisthan's
PADMASHREE DR. D Y PATIL COLLEGE OF ARCHITECTURE
Sector No. 29, B/h. Akurdi Railway Station, NigdiPradhikaran, Akurdi, Pune - 411044



GPS Map Camera
Pimpri-Chinchwad, Maharashtra, India
DY Patil Institute of MCA and MBA, Ravet Village Rd, Gurudwara Colony, Nigdi, Pimpri-Chinchwad, Maharashtra 411044, India
Lat 18.647363°
Long 73.760505°
22/04/23 12:22 PM GMT +05:30



GPS Map Camera
Pimpri-Chinchwad, Maharashtra, India
S.NO, 140, Gurudwara Rd, Gawade Wada, Gurudwara Colony, Nigdi, Pimpri-Chinchwad, Maharashtra 411044, India
Lat 18.647201°
Long 73.760574°
22/04/23 12:22 PM GMT +05:30

Dr. D Y Patil Prathisthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune



Dr D Y Patil Prathisthan's
PADMASHREE DR. D Y PATIL COLLEGE OF ARCHITECTURE
Sector No. 29, B/h. Akurdi Railway Station, NigdiPradhikaran, Akurdi, Pune - 411044




Dr. D Y Patil Prathisthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune

ATTENDANCE RECORD			
EVENT	World Earth Day 2023		
PLACE	Dr. D. Y. Patil College of Architecture		
DATE	4:00 - 5:00 pm - 22/4/2023		
TIME			
SR. NO.	STUDENT NAME	YEAR	SIGNATURE
1)	Chirag karote	4th	<i>[Signature]</i>
2)	Sanjay Adagale	4th	<i>[Signature]</i>
3)	Ritesh Rajendra Borase	4th	<i>[Signature]</i>
4)	SURABHI AHIRKAR	4th	<i>[Signature]</i>
5)	OM GAWADE	4th	<i>[Signature]</i>
6)	MADURA KORATKAR	3rd	<i>[Signature]</i>
7)	SHREEYA LOLE	3rd	<i>[Signature]</i>
8)	ATHARVA MURKUTE	3rd	<i>[Signature]</i>
9)	OM MANKAR	3rd	<i>[Signature]</i>
10)	AKANKSHA MEHAR	3rd	<i>[Signature]</i>
11)	VAIDHEE PANDKAR	3rd	<i>[Signature]</i>
12)	YEDANT GIDATE	4th	<i>[Signature]</i>
13)	Preana Deshmukh	4th	<i>[Signature]</i>
14)	Siddharth Sudhir Desai	4th	<i>[Signature]</i>
15)	MIHIR KUMAVAT	4th	<i>[Signature]</i>
16)	HEMAKSHI KAPATE	4th	<i>[Signature]</i>
17)	PRITI KAVARE	4th	<i>[Signature]</i>
18)	Vaibhav Jagdane	3rd	<i>[Signature]</i>
19)	Achel Karkad	3rd	<i>[Signature]</i>
20)	SAKSHI JADHAV	3rd	<i>[Signature]</i>
21)	Rohit Rokade	3rd	<i>[Signature]</i>
22)	PARTH SASANE	5th	<i>[Signature]</i>
23)	Krishna KHATALE	5th	<i>[Signature]</i>
24)	Pankaj chavan	4th	<i>[Signature]</i>
25)	Tarvi kolhe	3rd	<i>[Signature]</i>
26)	Sidhika Bagul	4th	<i>[Signature]</i>
27)	Rachit Gupta	3rd	<i>[Signature]</i>
28)	Mohana Gundra	3rd	<i>[Signature]</i>
29)	Athira Sreekumar	3rd	<i>[Signature]</i>
30)	Prayakta Thorat	4th	<i>[Signature]</i>

[Signature]
Dr. D. Y. Patil Prathisthan's
Padmashree Dr. D. Y. Patil College of Architecture,
Akurdi Pune

[Signature]
Dr. D. Y. Patil Prathisthan's
Padmashree Dr. D. Y. Patil College of Architecture,
Akurdi Pune



Dr D Y Patil Prathisthan's

PADMASHREE DR. D Y PATIL COLLEGE OF ARCHITECTURE

Sector No. 29, B/h. Akurdi Railway Station, Nigdi Pradhikaran, Akurdi, Pune - 411044

Criterion 7 Institutional Values and Best Practices

Key Indicator 7.1.3

Metric No.	Quality Audits and environment and energy regularly undertaken by the institution The Institutional environment and energy initiative are confirmed through the following 1. Green Audit / Environment Audit 2. Energy Audit 3. Clean and Green Campus Initiative 4. Beyond the Campus Environmental Promotion Activities
-------------------	--

3	Clean and Green Campus Initiative		
1.	Tree Plantation	17/12/21	2021-2022
2.	Tree Plantation	12/12/19	2019-2020
3.	Tree Plantation	25/10/2018	2018-2019
4.	Tree Plantation	25/10/2017	2017-2018
5.	Tree Plantation	15/12/2017	2017-2018
6.	Certificates of Awards received from recognized agency on Green Campus		



Dr D Y Patil Prathisthan's

PADMASHREE DR. D Y PATIL COLLEGE OF ARCHITECTURE

Sector No. 29, B/h. Akurdi Railway Station, Nigdi Pradhikaran, Akurdi, Pune - 411044

ACADEMIC YEAR


(2021-22)




A Report On Tree Plantation

Academic Year: 2021-2022

Organized By	Bachelor of Architecture
Objectives	Trees are part and parcel of our life. Like Trees the students are the crucial developers of the future So, in order to welcome the new comers and also to convey the message to develop a sustainable living the trees are planted as a welcome gesture.
Name of Resource Person	NA
Resource Person Post and Organization	NA
Date & Time	17/12/2021
Venue	Akurdi
Program In-Charge/ Subject Faculty	Ar. Raksha Bongirwar
Subject	Tree Planting
Student/ Faculty Attended (Year)	B. Arch. Students and faculties
No. of Students Present	128
Program Approved by	(AC)
Supporting Staff member	NA
Photograph/ Video Available	Yes
Brief about the (Activity/ Event)	B. Arch. students are given plants to denote that they are vital like the trees of the environment. The trees growth releases Oxygen and the students growth uplifts the future.
Students Outcome/Remarks	Tree plantation gave the students a new excitement and also provided awareness about the need for the planting of trees which helps the environment.


Ar. Raksha Bongirwar
Faculty In-charge


Approved by
(IQAC)


Dr. D. Y. Patil Prathisthan's
Padmashree Dr. D. Y. Patil College of Architecture,
Akurdi Pune



IQAC Co-ordinator
Dr. D. Y. Patil College of Architecture
Akurdi, Pune - 411044.



Dr D Y Patil Prathishthan's

PADMASHREE DR. D Y PATIL COLLEGE OF ARCHITECTURE

Sector No. 29, B/h. Akurdi Railway Station, Nigdi Pradhikaran, Akurdi, Pune - 411044

Sr. No.	Name of the Student	Attendance
1	ADMANE VAISHNAVI DNYANESHWAR	P
2	AMATE PRATIKSHA KARBHARI	P
3	ASHIKA AGARWAL	P
4	ATHIRA SREEKUMAR	P
5	AWASTHI NINAD GANESHPRASAD	P
6	B M KEERTI	P
7	BAHE SEJAL SUNIL	P
8	BANGAR NILAMBARI RAMDAS	P
9	BANKAPURE SANIKA	P
10	BHAMARE ASHISH PRABHAKAR	P
11	BHASME SHRADDHA DHARAMDAS	P
12	BHAVYA NARESH	P
13	BHOSALE HARSHWARDHAN ANIL	P
14	BOKADE PRAJAKTA SUNIL	P
15	BONDRE VAISHNAVI ANAND	P
16	BORADE OMKAR MAHADEV	P
17	CHAND PRANAV ABHINAV	P
18	CHAVHAN CHANCHAL RAJU	P
19	CHHAPGAR TANAZ PARVEZ	P
20	CHINCHOLKAR LOCHNA GANESH	P
21	CHOPADA NIKITA NISHANT	P
22	CHOUDHARY GOVIND DEEPARAM	P
23	DABADE SARVESH MANGESH	P
24	DEOKAR SHRUSHTI NITIN	P
25	DHADAVE MANAS KALURAM	P
26	DIGANT ANIRUDDHA NAIK	P
27	DIGHE KISHORI SANJAY	P
28	DUBEY SHIVAM ANIL	P
29	GADE SAKSHI TRIMBAK	P
30	GAIKWAD ADITYA BHANUDAS	P
31	GAIKWAD PATIL APURVA ATUL	P
32	GAURAV PRAVEEN LASHKARI	P
33	GHADGE VARAD PRAKASH	P
34	GUNDECHA SAHIL KIRAN	P
35	GUNDRAM MOHANA	P

Banginwar
An. Raksha Banginwar

[Signature]





Dr D Y Patil Prathisthan's

PADMASHREE DR. D Y PATIL COLLEGE OF ARCHITECTURE

Sector No. 29, B/h. Akurdi Railway Station, Nigdi Pradhikaran, Akurdi, Pune - 411044

36	GUNJAN BOHRA	P
37	GUPTA RACHIT CHANDRABHAN	P
38	HEDA00 SARTHAK SUNIL	P
39	HOJGE ANANYA RUPESH	P
40	HOWALE KSHITIJ DEEPAK	P
41	INGAWALE SUMEDH SHIVAJI	P
42	ISHIKA HAJARE	P
43	JADHAV ASMITA SANJAY	P
44	JADHAV ATHARV RAJU	P
45	JADHAV GAURI AJIT	P
46	JADHAV SAKSHI SATISH	P
47	JAGADHANE VAIBHAV SUNIL	P
48	JAYPURKAR SAMEER ISHWARJI	P
49	KAKAD ACHEL KESHAV	P
50	KALAMBATE SAACHI RAJESH	P
51	KAMBLE ARYA RAJESH	P
52	KHAN SHIFA AINULLAH	P
53	KODGIRE NIKITA SUHAS	P
54	KOLHE TANVI VIJAY	P
55	KORATKAR MADHURA SATISH	P
56	KOREKAR PRADYUMN MUKUND	P
57	KULKARNI YUGA GIRISH	P
58	LOKADE MAHENDRA SURYAKANT	P
59	LOKHANDE SAKSHI DADASAHEB	P
60	MAHAJAN GAURI MANISH	P
61	MAHAJAN PRAJAKTA RAJESH	P
62	MANGAONKAR AJINKYA ANNASAHEB	P
63	MANKAR OM AJAY	P
64	MEHAR AKANSHA RAJU	P
65	MEHER GAYATRI SUMANT	P
66	MEMON AMAN SABBIRHUSEN	P
67	MORE RAJSHRI GANESH	P
68	MORE SHUBHANGI SUNIL	P
69	MOUMITA SARKAR	P
70	MULCHANDANI MANISHA RAMESH	P
71	MURKUTE ATHARVA ASHOK	P
72	NAFIHA NOUSHAD	P
73	NALE VIJAYA GANESH	P

Ar. Raksha Bongimwar

Dr. D Y Patil Prathisthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune



Dr D Y Patil Prathisthan's

PADMASHREE DR. D Y PATIL COLLEGE OF ARCHITECTURE

Sector No. 29, B/h. Akurdi Railway Station, Nigdi Pradhikaran, Akurdi, Pune - 411044

74	NAWALE SANIKA BRAHMCHARI	P
75	NIMBALKAR AKANSHA HINDURAO	P
76	NIMBALKAR ANISHA YUVRAJ	P
77	NISCHAY KESHAV GOEL	P
78	OMKAR NANDU ASABE	P
79	PANDILWAR SHIVANI SUDHIR	P
80	PANDKAR VAIDEHI PRASHANT	P
81	PAWAR DNYANADA MOHAN	P
82	PAWAR VAIBHAVI GANPAT	P
83	PAWAR VAISHNAVI MOHAN	P
84	PHADTARE NIKITA YOGESH	P
85	PITAMBARE URVI YASHODHAN	P
86	ROKADE ROHIT BALIRAM	P
87	SABLE ADITYA DNYANOBA	P
88	SAIRAJ BALKAWADE	P
89	SANDHRA KURUP	P
90	SARTHAK KALSI	P
91	SATHE VISHAKHA SAMBHAJI	P
92	SATYAM DEEPAK KATKAR	P
93	SAWALKAR RUCHA MANOJ	P
94	SAYALI GOPALKRUSHNA CHANDAN	P
95	SHACHI NAWLAKHE	P
96	SHARMA AKANKSHA ANIL	P
97	SHENDAGE SHRIKANT SANJAY	P
98	SHINDE PRAJAKTA VIJAY	P
99	SHINDE RUSHIKESH MINANATH	P
100	SHINDE SAMYAK SUNIL	P
101	SHWETA S NAMBIAR	P
102	SIDDHESH SANDEEP SUTAR	P
103	SIMRAN DEEPAK JOHARAPURKAR	P
104	SINGH SUHANI UMESH	P
105	SIYA SANJAY REDKAR	P
106	SONAWANE PRAJWAL KESHAV	P
107	SONAWANE SAKSHI PRAVIN	P
108	SONTAKKE SAYAN SUNIL	P
109	SUHANI NAIMESH MISTRY	P
110	SURWASE SAYALI BALASAHEB	P
111	TANISHQ JAIN	P
112	TANVI ASHOK KUMAR PATLE	P

K. B. Bangarwar
Ar. Rakesha Bangarwar

[Signature]
Dr. D Y Patil Prathisthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune





Dr D Y Patil Prathisthan's

PADMASHREE DR. D Y PATIL COLLEGE OF ARCHITECTURE

Sector No. 29, B/h. Akurdi Railway Station, Nigdi Pradhikaran, Akurdi, Pune - 411044

113	TAPKIR ESHA BHAUSAHEB	P
114	TEJAM BALKRISHNA MAHADEV	P
115	TEMKAR RUSHIKESH SHAMRAO	P
116	THORMOTE PATIL SWARUP SURESH	P
117	VAISHNAVI JAGTAP	P
118	VAISHNAVI UDAYKUMAR KANNALATH	P
119	VYAS KAVYA VINOD	P
120	WADHWANI RIYA DEEPAK	P
121	WAGH PRAGATI ASHOK	P
122	WAGH SRUSHTI BAPU	P
123	WAKALE ABOLI ANIL	P
124	WANKHEDE MUKTA AJAY	P
125	WATHURKAR ADITYA JAYPRAKASH	P
126	YEOLE SAKSHI RAVINDRA	P
127	YSHIKA PALIWAL	P
128	ZOPE DIKSHITA MAHESH	P

Kangraoch
Ar. Raksha Bangwar

Dr. D Y Patil Prathisthan's
Padmeshree Dr. D Y Patil College of Architecture,
Akurdi Pune



Saplings were given by the senior faculties to the students for planting

Rabeha Boujmar
Ar Rabeha Boujmar

[Signature]
Dr. D Y Patil Prathisthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune





Saplings were given by the senior faculties to the students for planting



Saplings were given by the senior faculties to the students for planting

An. Raksha Bhangmwar

[Signature]
Dr. D Y Patil Prathisthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune





Dr D Y Patil Prathisthan's

PADMASHREE DR. D Y PATIL COLLEGE OF ARCHITECTURE

Sector No, 29, B/h. Akurdi Railway Station, Nigdi Pradhikaran, Akurdi, Pune - 411044

ACADEMIC YEAR

(2019-20)



Dr D Y Patil Prathisthan's

PADMASHREE DR. D Y PATIL COLLEGE OF ARCHITECTURE

Sector No. 29, B/h. Akurdi Railway Station, Nigdi Pradhikaran, Akurdi, Pune - 411044

Criterion 7 Institutional Values and Best Practices

Key Indicator 7.1.3

<i>Metric No.</i>	<i>Quality Audits and environment and energy regularly undertaken by the institution</i> <i>The Institutional environment and energy initiative are confirmed through the following</i> <ol style="list-style-type: none"><i>1. Green Audit / Environment Audit</i><i>2. Energy Audit</i><i>3. Clean and Green Campus Initiative</i><i>4. Beyond the Campus Environmental Promotion Activities</i>
-------------------	--

<i>3</i>	<i>Clean and Green Campus Initiative</i>		
<i>1.</i>	<i>Tree Plantation</i>	<i>17/12/21</i>	<i>2021-2022</i>
<i>2.</i>	<i>Tree Plantation</i>	<i>12/12/19</i>	<i>2019-2020</i>
<i>3.</i>	<i>Tree Plantation</i>	<i>25/10/2018</i>	<i>2018-2019</i>
<i>4.</i>	<i>Tree Plantation</i>	<i>25/10/2017</i>	<i>2017-2018</i>
<i>5.</i>	<i>Tree Plantation</i>	<i>15/12/2017</i>	<i>2017-2018</i>
<i>6.</i>	<i>Certificates of Awards received from recognized agency on Green Campus</i>		



Dr D Y Patil Prathisthan's

PADMASHREE DR. D Y PATIL COLLEGE OF ARCHITECTURE

Sector No. 29, B/h. Akurdi Railway Station, Nigdi Pradhikaran, Akurdi, Pune - 411044

ACADEMIC YEAR


(2021-22)





A Report On Tree Plantation

Academic Year:2021-2022

Organized By	Bachelor of Architecture
Objectives	Trees are part and parcel of our life. Like Trees the students are the crucial developers of the future So, in order to welcome the new comers and also to convey the message to develop a sustainable living the trees are planted as a welcome gesture.
Name of Resource Person	NA
Resource Person Post and Organization	NA
Date & Time	17/12/2021
Venue	Akurdi
Program In-Charge/ Subject Faculty	Ar.Raksha Bongirwar
Subject	Tree Planting
Student/ Faculty Attended (Year)	B. Arch. Students and faculties
No. of Students Present	128
Program Approved by	(AC)
Supporting Staff member	NA
Photograph/ Video Available	Yes
Brief about the (Activity/ Event)	B. Arch. students are given plants to denote that they are vital like the trees of the environment. The trees growth releases Oxygen and the students growth uplifts the future.
Students Outcome/Remarks	Tree plantation gave the students a new excitement and also provided awareness about the need for the planting of trees which helps the environment.


Ar. Raksha Bongirwar
Faculty In-charge


Approved by
(IQAC)


Dr. D. Y. Patil Prathisthan's
Padmashree Dr. D. Y. Patil College of Architecture,
Akurdi Pune



IQAC Co-ordinator
Dr. D. Y. Patil College of Architecture
Akurdi, Pune - 411044.



Dr D Y PatilPrathishthan's

PADMASHREE DR. D Y PATIL COLLEGE OF ARCHITECTURE

Sector No. 29, B/h. Akurdi Railway Station, NigdiPradhikaran, Akurdi, Pune - 411044

Sr. No.	Name of the Student	Attendance
1	ADMANE VAISHNAVI DNYANESHWAR	P
2	AMATE PRATIKSHA KARBHARI	P
3	ASHIKA AGARWAL	P
4	ATHIRA SREEKUMAR	P
5	AWASTHI NINAD GANESHPRASAD	P
6	B M KEERTI	P
7	BAHE SEJAL SUNIL	P
8	BANGAR NILAMBARI RAMDAS	P
9	BANKAPURE SANIKA	P
10	BHAMARE ASHISH PRABHAKAR	P
11	BHASME SHRADDHA DHARAMDAS	P
12	BHAVYA NARESH	P
13	BHOSALE HARSHWARDHAN ANIL	P
14	BOKADE PRAJAKTA SUNIL	P
15	BONDRE VAISHNAVI ANAND	P
16	BORADE OMKAR MAHADEV	P
17	CHAND PRANAV ABHINAV	P
18	CHAVHAN CHANCHAL RAJU	P
19	CHHAPGAR TANAZ PARVEZ	P
20	CHINCHOLKAR LOCHNA GANESH	P
21	CHOPADA NIKITA NISHANT	P
22	CHOUDHARY GOVIND DEEPARAM	P
23	DABADE SARVESH MANGESH	P
24	DEOKAR SHRUSHTI NITIN	P
25	DHADAVE MANAS KALURAM	P
26	DIGANT ANIRUDDHA NAIK	P
27	DIGHE KISHORI SANJAY	P
28	DUBEY SHIVAM ANIL	P
29	GADE SAKSHI TRIMBAK	P
30	GAIKWAD ADITYA BHANUDAS	P
31	GAIKWAD PATIL APURVA ATUL	P
32	GAURAV PRAVEEN LASHKARI	P
33	GHADGE VARAD PRAKASH	P
34	GUNDECHA SAHIL KIRAN	P
35	GUNDRA MOHANA	P

Rangirwan
An. Raksha Rangirwan

Dr. D Y Patil Prathishthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune





Dr D Y Patil Prathisthan's

PADMASHREE DR. D Y PATIL COLLEGE OF ARCHITECTURE

Sector No. 29, B/h. Akurdi Railway Station, Nigdi Pradhikaran, Akurdi, Pune - 411044

36	GUNJAN BOHRA	P
37	GUPTA RACHIT CHANDRABHAN	P
38	HEDAOO SARTHAK SUNIL	P
39	HOJGE ANANYA RUPESH	P
40	HOWALE KSHITU DEEPAK	P
41	INGAWALE SUMEDH SHIVAJI	P
42	ISHIKA HAJARE	P
43	JADHAV ASMITA SANJAY	P
44	JADHAV ATHARV RAJU	P
45	JADHAV GAURI AJIT	P
46	JADHAV SAKSHI SATISH	P
47	JAGADHANE VAIBHAV SUNIL	P
48	JAYPURKAR SAMEER ISHWARJI	P
49	KAKAD ACHEL KESHAV	P
50	KALAMBATE SAACHI RAJESH	P
51	KAMBLE ARYA RAJESH	P
52	KHAN SHIFA AINULLAH	P
53	KODGIRE NIKITA SUHAS	P
54	KOLHE TANVI VUAY	P
55	KORATKAR MADHURA SATISH	P
56	KOREKAR PRADYUMN MUKUND	P
57	KULKARNI YUGA GIRISH	P
58	LOKADE MAHENDRA SURYAKANT	P
59	LOKHANDE SAKSHI DADASAHEB	P
60	MAHAJAN GAURI MANISH	P
61	MAHAJAN PRAJAKTA RAJESH	P
62	MANGAONKAR AJINKYA ANNASAHEB	P
63	MANKAR OM AJAY	P
64	MEHAR AKANSHA RAJU	P
65	MEHER GAYATRI SUMANT	P
66	MEMON AMAN SABBIRHUSEN	P
67	MORE RAJSHRI GANESH	P
68	MORE SHUBHANGI SUNIL	P
69	MOUMITA SARKAR	P
70	MULCHANDANI MANISHA RAMESH	P
71	MURKUTE ATHARVA ASHOK	P
72	NAFIHA NOUSHAD	P
73	NALE VIJAYA GANESH	P

Ar. Raksha Bongmar

*Dr. D Y Patil Prathisthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune*



Dr D Y Patil Prathisthan's

PADMASHREE DR. D Y PATIL COLLEGE OF ARCHITECTURE

Sector No. 29, B/h. Akurdi Railway Station, Nigdi Pradhikaran, Akurdi, Pune - 411044

74	NAWALE SANIKA BRAHMCHARI	P
75	NIMBALKAR AKANSHA HINDURAO	P
76	NIMBALKAR ANISHA YUVRAJ	P
77	NISCHAY KESHAV GOEL	P
78	OMKAR NANDU ASABE	P
79	PANDILWAR SHIVANI SUDHIR	P
80	PANDKAR VAIDEHI PRASHANT	P
81	PAWAR DNYANADA MOHAN	P
82	PAWAR VAIBHAVI GANPAT	P
83	PAWAR VAISHNAVI MOHAN	P
84	PHADTARE NIKITA YOGESH	P
85	PITAMBARE URVI YASHODHAN	P
86	ROKADE ROHIT BALIRAM	P
87	SABLE ADITYA DNYANOBA	P
88	SAIRAJ BALKAWADE	P
89	SANDHRA KURUP	P
90	SARTHAK KALSI	P
91	SATHE VISHAKHA SAMBHAJI	P
92	SATYAM DEEPAK KATKAR	P
93	SAWALKAR RUCHA MANOJ	P
94	SAYALI GOPALKRUSHNA CHANDAN	P
95	SHACHI NAWLAKHE	P
96	SHARMA AKANKSHA ANIL	P
97	SHENDAGE SHRIKANT SANJAY	P
98	SHINDE PRAJAKTA VIJAY	P
99	SHINDE RUSHIKESH MINANATH	P
100	SHINDE SAMYAK SUNIL	P
101	SHWETA S NAMBIAR	P
102	SIDDHESH SANDEEP SUTAR	P
103	SIMRAN DEEPAK JOHARAPURKAR	P
104	SINGH SUHANI UMESH	P
105	SIYA SANJAY REDKAR	P
106	SONAWANE PRAJWAL KESHAV	P
107	SONAWANE SAKSHI PRAVIN	P
108	SONTAKKE SAYAN SUNIL	P
109	SUHANI NAIMESH MISTRY	P
110	SURWASE SAYALI BALASAHEB	P
111	TANISHQ JAIN	P
112	TANVI ASHOK KUMAR PATLE	P

Ar. Raksha Bangarwar

Dr. D Y Patil Prathisthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune





Dr D Y Patil Prathisthan's
PADMASHREE DR. D Y PATIL COLLEGE OF ARCHITECTURE
Sector No. 29, B/h. Akurdi Railway Station, Nigdi Pradhikaran, Akurdi, Pune - 411044

113	TAPKIR ESHA BHAUSAHEB	P
114	TEJAM BALKRISHNA MAHADEV	P
115	TEMKAR RUSHIKESH SHAMRAO	P
116	THORMOTE PATIL SWARUP SURESH	P
117	VAISHNAVI JAGTAP	P
118	VAISHNAVI UDAYKUMAR KANNALATH	P
119	VYAS KAVYA VINOD	P
120	WADHWANI RIYA DEEPAK	P
121	WAGH PRAGATI ASHOK	P
122	WAGH SRUSHTI BAPU	P
123	WAKALE ABOLI ANIL	P
124	WANKHEDE MUKTA AJAY	P
125	WATHURKAR ADITYA JAYPRAKASH	P
126	YEOLE SAKSHI RAVINDRA	P
127	YSHIKA PALIWAL	P
128	ZOPE DIKSHITA MAHESH	P

Kangirwar
Ar. Raksha Kangirwar

Dr. D Y Patil Prathisthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune



Dr D Y Patil Prathisthan's
PADMASHREE DR. D Y PATIL COLLEGE OF ARCHITECTURE
 Sector No. 29, B/h. Akurdi Railway Station, Nigdi Pradhikaran, Akurdi, Pune - 411044



Saplings were given by the senior faculties to the students for planting

Rabsha Bongimwar
 Ar Rabsha Bongimwar

Dr. D Y Patil Prathisthan's
 Padmashree Dr. D Y Patil College of Architecture
 Akurdi Pune





Saplings were given by the senior faculties to the students for planting



Saplings were given by the senior faculties to the students for planting

Ar. Ralasha Bhangmwar

Dr. D Y Patil Prathisthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune

AR6538
AKURDI,
PUNE-44.



Dr D Y Patil Prathisthan's

PADMASHREE DR. D Y PATIL COLLEGE OF ARCHITECTURE

Sector No. 29, B/h. Akurdi Railway Station, Nigdi Pradhikaran, Akurdi, Pune - 411044


ACADEMIC YEAR

(2019-20)



A Report On Tree Plantation
Academic Year:2019-2020

Organized By	Bachelor of Architecture
Objectives	Trees are part and parcel of our life. Like Trees the students are the crucial developers of the future So, in order to welcome the new comers and also to convey the message to develop a sustainable living the trees are planted as a welcome gesture.
Name of Resource Person	Ar. Rupali Borhade
Resource Person Post and Organization	Ar. Rupali Borhade, Assistant Professor
Date & Time	12/12/2019
Venue	Akurdi
Program In-Charge/ Subject Faculty	NA
Subject	Tree Planting
Student/ Faculty Attended (Year)	5 Faculties
No. of Students Present	NIL
Program Approved by	(AC)
Supporting Staff member	NA
Photograph/ Video Available	Yes
Brief about the (Activity/ Event)	Faculties planted trees to denote that they are vital like the trees of the environment. The trees growth releases Oxygen and the students growth uplifts the future.
Students Outcome/Remarks	Tree plantation gave the students a new excitement and also provided awareness about the need for the planting of trees which helps the environment.


Ar. Rupali Borhade
Faculty In-charge


Approved by
(A.C.)



Dr. D Y Patil Prathisthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune



Sr. No.	Name of the Faculty	Attendance
1	Ar. Dhananjay Chaudri	P
2	Ar. Chaya Tirvir	P
3	Ar. Abhijeet Marawar	P
4	Ms. Yojana Magdum	P
5	Mr. Donne	P



Tree Plantation at College of Architecture, Akurdi

Ar. *Rupadi Borhade*
Ar. Rupadi Borhade

[Signature]
Dr. D Y Patil Prathisthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune





A Report On Tree Plantation
Academic Year:2020-2021

Organized By	Bachelor of Architecture
Objectives	Trees are part and parcel of our life. Like Trees the students are the crucial developers of the future So, in order to welcome the new comers and also to convey the message to develop a sustainable living the trees are planted as a welcome gesture.
Name of Resource Person	NA
Resource Person Post and Organization	NA
Date & Time	18/02/2020
Venue	Ravet
Program In-Charge/ Subject Faculty	Ar.Mihir Vakharia
Subject	Tree Planting
Student/ Faculty Attended (Year)	6 Faculties were present
No. of Students Present	Nil
Program Approved by	(AC)
Supporting Staff member	NA
Photograph/ Video Available	Yes
Brief about the (Activity/ Event)	Faculties took initiative in plantation to denote that they are vital like the trees of the environment. The trees growth releases Oxygen and the students growth uplifts the future.
Students Outcome/Remarks	Tree plantation gave the students a new excitement and also provided awareness about the need for the planting of trees which helps the environment.

Ar. Mihir Vakharia
Faculty In-charge

Approved by
(AC)

Dr. D Y Patil Prathisthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune





Dr D Y Patil Prathisthan's
PADMASHREE DR. D Y PATIL COLLEGE OF ARCHITECTURE
Sector No. 29, B/h. Akurdi Railway Station, Nigdi Pradhikaran, Akurdi, Pune - 411044

Sr. No.	Name of the Faculty	Attendance
1	Ar.Dhananjay Chaudri	P
2	Ar.Chaya Tirvir	P
3	Ar.Abhijeet Marawar	P
4	Ar.Sneha Sharma	P
5	Ms.Yojana Magdum	P
6	Mr.Donne	P



Tree Plantation at College of Architecture, Akurdi

M. N. Sakbaniya
Mr. Mihir Sakbaniya

D. Y. Patil
Dr. D Y Patil Prathisthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune





Dr D Y Patil Prathisthan's

PADMASHREE DR. D Y PATIL COLLEGE OF ARCHITECTURE

Sector No. 29, B/h. Akurdi Railway Station, Nigdi Pradhikaran, Akurdi, Pune - 411044

ACADEMIC YEAR


(2018-19)




A Report On Tree Plantation

Academic Year:2018-2019


Organized By	Bachelor of Architecture
Objectives	Trees are part and parcel of our life. Like Trees the students are the crucial developers of the future So, in order to welcome the new comers and also to convey the message to develop a sustainable living the trees are planted as a welcome gesture.
Name of Resource Person	Ar. Mihir Vakharia
Resource Person Post and Organization	Assistant Professor
Date & Time	25/10/2018
Venue	Ravet
Program In-Charge/ Subject Faculty	NA
Subject	Tree Planting
Student/ Faculty Attended (Year)	B. Arch. students
No. of Students Present	15
Program Approved by	(AC)
Supporting Staff member	NA
Photograph/ Video Available	Yes
Brief about the (Activity/ Event)	B. Arch. students are given plants to denote that they are vital like the trees of the environment. The trees growth releases Oxygen and the student's growth uplifts the future.
Students Outcome/Remarks	Tree plantation gave the students a new excitement and also provided awareness about the need for the planting of trees which helps the environment.


Ar. Rupali Borhade
Faculty In-charge


Approved by
(A.C.)


Dr. D Y Patil Prathishthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune

STUDENT NAME LIST		
S.No.	Name of the students	Attendance
1	LANDGE PRIYANKA RAJU	P
2	MADHUR AGRAWAL	P
3	N MANISH KUMAR SUDAM	P
4	ASALKAR PRIYANKA NITIN	P
5	BAFNA RIYA RAJESH	P
6	BAGDE NAYANA PRADIP	P
7	BAKARE SARTH SATISH	P
8	BANKAR SHUBHAM SANJAY	P
9	CHAPLE SHREYASH GUNWANT	P
10	CHAUDHARI SOURABH KRISHNA	P
11	BAWASKAR ANJALI S	P
12	BHALERAO SAMRUDDHI DEEPAK	P
13	BHANDARI YASH SANJAYKUMAR	P
14	DEEPALI CHHAJER	P
15	DESHPANDE SWARUP RAVINDRA	P


Dr. Rupali Borhade





Tree Plantation by students

Dr. D Y Patil Prathisthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune



Dr D Y Patil Prathisthan's

PADMASHREE DR. D Y PATIL COLLEGE OF ARCHITECTURE


Sector No. 29, B/h. Akurdi Railway Station, Nigdi Pradhikaran, Akurdi, Pune - 411044


ACADEMIC YEAR

(2017-18)

A Report On Site Visit to Water Treatment Plant and Tree Plantation
Academic Year: 2017-2018

Organized By	Bachelor of Architecture
Objectives	To visit the Water treatment plant and to understand the process of water treatment and the need to treat the water in order to reduce the presence of disease-causing organisms and associated health risks to an acceptable safe level. Treatment of drinking water is another integral part of the multi-barrier approach. Also to encourage tree plantation which is natural cleanser of water and air.
Name of Resource Person	NA
Resource Person Post and Organization	NA
Date & Time	24/10/2017
Venue	Water treatment Plant at Akurdi
Program In-Charge/ Subject Faculty	Ar. Megha Sharma
Subject	Site visit to water treatment Plant
Student/ Faculty Attended (Year)	II Year students
No. of Students Present	122
Program Approved by	AC
Supporting Staff member	Ar. Megha Sharma
Photograph/ Video Available	Yes
Brief about the (Activity/ Event)	Along with water treatment plant site visit as appreciation gesture students done tree plantation in their premises.
Students Outcome/Remarks	Learnt the process of water treatment and enjoyed tree plantation which also provided them awareness about the need for planting of the trees.


Ar. Megha Sharma
Faculty In-charge


Approved by
(A.C.)



B.Arch Students at the Water treatment Plant Site

Megha Sharma
A. Megha Sharma


Dr. D. Y. Patil Prathisthan's
Padmashree Dr. D. Y. Patil College of Architecture,
Akurdi Pune





Students Planting tree at the Site

M Sharma
A. Megha Sharma.



Students Planting tree at the Site

(Signature)
Ar. Megha Sharma

(Signature)

Dr. D Y Patil Prathisthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune



Sr. No.	Name of the Student	Attendance
1	ABNAVE AJINKYA DHIRENDRA	P
2	ADITYA MADAN BHEGADE	P
3	ANGAL AMOGH VINAYAK	P
4	ANWESHA PANIGRAHI	P
5	ARUDE GAYATRI RAJENDRA	P
6	ASHWINI KANIF WARE	P
7	ASHWINI RAJENDRA PURBHE	P
8	AYESHA SHAILENDRA MEHRA	P
9	BABAR PIYUSHA ANIL	P
10	BAJAJ AJAY VIJAY	P
11	BAJI HUSAIN BAKIR	P
12	BASATWAR GAURI GAJANAN	P
13	BHALERAO HRISHIKESH RAJENDRA	P
14	BHALERAO PRANITA VIJAY	P
15	BHANDARE SHIVANI MANOJ	P
16	BHANDWALKAR VEDANT RAMDAS	P
17	BHAVAN AAYUSHA SANTOSH	P
18	BHAVJEET SINGH ARORA	P
19	BHAVYA SACHDEVA	P
20	BHOYAR NIKITA DHANANJAY	P
21	BORAWAKE ISHA SUHAS	P
22	CHAUDHARI HARSHAL RAJENDRA	P
23	CHEDE SAURABH RAJENDRRAA	P
24	CHETANA LANGDE	P
25	CHHAJED SAMKIT RAJENDRAKUMAR	P
26	CHOTALIYA VISHAKHA UMESH	P
27	DESHMUKH NISHIKANT RAJABHAU	P
28	DETHE KUNAL VILAS	P
29	DHANNYA SARJERAO DARADE	P
30	DHAWLE ATHARVA MOHAN	P
31	DHUN SETHIA	P
32	DUDHANI SAKSHI VINOD	P
33	ESHITA ANIL SHARMA	P
34	FERNANDES NATHAN REINHARD	P
35	GANPULE VEDHAS SHRIPAD	P
36	GATAGAT VIVEK SANTOSH	P
37	GHATGE ARTI AJIT	P
38	HEBBALKAR VANI SURESH	P
39	JAGTAP ROHAN SHIVAJI	P
40	JAIN KUNAL	P
41	JAGTAP ROHAN SHRIRAJ	P

M Sharma
Kr. Megha Sharma

Dr. D Y Patil Prathisthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune

42	JAGTAP SAURABH	P
43	JAWARE HARSHAL SANJAY	P
44	KADAM SAHIL VIJAY	P
45	KANADE OMKAR MANOHAR	P
46	KAMBALE MOHIT	P
47	KAPSE POOJA POPAT	P
48	KASHYAP PATEL	P
49	KEDARE JAYESH PRADEEP	P
50	KENGALE SURAJ DUNDA	P
51	KHANDARE RIYA RAJKUMAR	P
52	KHATRI SAKSHI RAM	P
53	KHETKAR INDRANIL PRAMOD	P
54	KHEUR RAHUL SUHAS	P
55	KOTHARI JINAL HITESH	P
56	KRATIKA JAIN	P
57	KUMBHAR SRUSHTI GORAKH	P
58	KURLE GANESH CHANDRASHEKHAR	P
59	KUSUM SUKHWANI	P
60	LAVISHA JASWANI	P
61	LIMDIWALA MUSTAFA MOHAMMAD	P
62	MAKADIYA SAGAR NANDLAL	P
63	MALIKPETKAR AMEY CHANDRASHEKHAR	P
64	MANASVI RAJESH TANK	P
65	MAYANK SINGH	P
66	MISHRA SHASHANK ALOK	P
67	MUDLIAR KHUSHBU VIJAYKUMAR	P
68	NAMASEVI ANAGHA SHYAMSUNDAR	P
69	NANAVATI YASH NITIN	P
70	NANDGUDE PRATIK SURYAKANT	P
71	NARKHEDE MAYURI VIJAY	P
72	NARWADE YOGESH GAJANAN	P
73	NAVALE PAYAL RAJENDRA	P
74	NIDHI KEJRIWAL	P
75	NIDHI MEHTA	P
76	NIKITA ARVIND YERNE	P
77	PANDHARE ADITI SAMPAT	P
78	PANZADE PRAVINRAJ VILAS	P
79	PARTH BAWALE	P
80	PARITOSH HEMANT JAMBHALE	P
81	PATANGE PRIYANKA KISHOR	P
82	PATEL TEJAS RAMESHCHANDRA	P
83	PATIL AAYUSHI SUNIL	P
84	PATIL SAKSHI	P

Meghna
Dr. Meghna Sharma

Dr. D Y Patil Prathisthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune





Dr D Y PatilPrathisthan's
PADMASHREE DR. D Y PATIL COLLEGE OF ARCHITECTURE
Sector No. 29, B/h. Akurdi Railway Station, NigdiPradhikaran, Akurdi, Pune - 411044

85	PATIL SHIVANI SANJAY	P
86	PATIL SIDDHANT SUNIL	P
87	PATIL VIDYA VEERESH	P
88	PATTEWAR SANJANA SANJAY	P
89	PAWAR PRAJAKTA GURUDATTA	P
90	PAWAR UDAYAN SACCHIDANAND	P
91	PISE TEJAS JEEVAN	P
92	PRATIK SANJAY KOLHAPURE	P
93	PRATIKSHA GANESH THAKUR	P
94	PRIYA GUPTA	P
95	RAKHI DUDEJA	P
96	RASAL VISHAKHA RAVINDRA	P
97	REVATI DASS	P
98	SALONI VINOD JETHWANI	P
99	SAPKAL TEJASHREE SATISH	P
100	SENGHANI PRASHANT RAMESH	P
101	SHAIKH HUMERA MAQSOOD	P
102	SHEWALE AKANKSHA SHAHAJI	P
103	SHILWANT RUTUJA KRUSHNA	P
104	SHISHUPAL MANDAR DILIP	P
105	SHRADDHA RAJU THOTE	P
106	SNEHA KAWERI	P
107	SOLANKI POOJA BHAWARLAL	P
108	SUKHMANI KAUR SAGGU	P
109	SURWASE MANOJ SATISH	P
110	SURYAWANSHI TEJAL VIVEK	P
111	SWAPNIL APPA RANDHWAN	P
112	TANISHA AGRAWAL	P
113	TAYADE SHREYAS SURESH	P
114	THAKAR SHANTANU PRAKASH	P
115	VINODE ABHISHEK VIJAY	P
116	VIVEK ISHWAR KANDHALI	P
117	WAGHMARE GANESH SURESH	P
118	WAGHULE NITIN TANHAJI	P
119	WAHANE YASHALI SURENDRA	P
120	YOGESHWARI ROHIT	P
121	UKHALKAR ADIRAJ	P
122	KAZI MAZEEN RAFAD	P

Mehana
Dr. Mehana Ghama


Dr. D Y Patil Prathisthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune







A Report On Tree Plantation
Academic Year: 2017-2018

Organized By	Bachelor of Architecture
Objectives	Trees are part and parcel of our life. Like Trees the students are the crucial developers of the future So, in order to welcome the new comers and also to convey the message to develop a sustainable living the trees are planted as a welcome gesture.
Name of Resource Person	Ar. Rupali Borhade
Resource Person Post and Organization	Ar. Rupali Borhade, Assistant Professor
Date & Time	15/12/2017
Venue	Ravet
Program In-Charge/ Subject Faculty	Ar. Mihir Vakharia
Subject	Tree Planting
Student/ Faculty Attended (Year)	120 B. Arch. students and 5 faculties
No. of Students Present	120
Program Approved by	AC
Supporting Staff member	NA
Photograph/ Video Available	Yes
Brief about the (Activity/ Event)	B. Arch. students are given plants to denote that they are vital like the trees of the environment. The trees growth releases Oxygen and the student's growth uplifts the future.
Students Outcome/Remarks	Tree plantation gave the students a new excitement and also provided awareness about the need for the planting of trees which helps the environment.


Ar. Mihir Vakharia
Faculty In-charge


Approved by
(A.C.)


Dr. D Y Patil Prathisthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune





Dr D Y PatilPrathisthan's
PADMASHREE DR. D Y PATIL COLLEGE OF ARCHITECTURE
Sector No. 29, B/h. Akurdi Railway Station, NigdiPradhikaran, Akurdi, Pune - 411044

88	SANAP SNEHAL RAJENDRA	P
89	SANCHETI THORAVI MAHIPAL	P
90	SARDE KARTIK VITTHALRAO	P
91	SHAHARE OSHIN PRAJWALANT	P
92	SHERKAR SHRIKANT BALAJI	P
93	SHEWALE AISHWARYA VAIBHAV	P
94	SHEWALE RAHUL JALINDRANATH	P
95	SHREYAS SONI	P
96	SINJINI BASU	P
97	SOHAM GHOSH	P
98	SOMYA PATTANAIK	P
99	SONEKAR KALYANI KEWAL	P
100	SUDESHNA PATIL	P
101	SUKANYA SUDHIRKUMAR NASHITE	P
102	SUKESH MILIND IVALEKAR	P
103	SUPRIYA	P
104	SURYAWANSHI AASAWAREE PRAMOD	P
105	UTKAR KSHITJA	P
106	UTKARSHA SANDESH CHOPADA	P
107	VAIBHAV KONDLEKAR	P
108	VAISHNAVI KADAM	P
109	VAISHNAVI NOMULA	P
110	VARDIREDDY THANUJA	P
111	VARE KOMAL KABAJI	P
112	VENESSA MARY THOMAS	P
113	VIKRANT SURESH VATKAR	P
114	WADEKAR RUSHIKESH DASHRATH	P
115	WAGHERE SHRUTI PRASHANT	P
116	WALKE GAUTAMI SHEKACHAND	P
117	WANKHEDE ATHARVA BHAGWANTRAO	P
118	YASH KALE	P
119	ZOPE PRIYESH DINESH	P
120	TEJASHREE GUPTA	P

Sr. No.	Name of the Faculty	Attendance
1	Ar.Dhananjay Chaudri	P
2	Ar.Chaya Tirvir	P
3	Mr.Donne	P
4	Ms.YojanaMagdum	P

Ar. Mihir Vaidya

Dr. D Y Patil Prathisthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune





Dr D Y Patil Prathisthan's

PADMASHREE DR. D Y PATIL COLLEGE OF ARCHITECTURE

Sector No. 29, B/h. Akurdi Railway Station, Nigdi Pradhikaran, Akurdi, Pune - 411044

SR. NO.	STUDENT NAME	Attendance
1	ABHIJEET KHAPRE	P
2	AGARWAL KSHITJA PRAVIN	P
3	AGRAWAL SAKSHI SUDHIR	P
4	AKANKSHA SINGH	P
5	AKSHITA BHAGAT	P
6	AMAN SHARMA	P
7	ANAKHA A NAIR	P
8	ANANYA JAUHARI	P
9	ARYA JAYAKHOSH	P
10	ASALKAR PRIYANKA NITIN	P
11	BAFNA RIYA RAJESH	P
12	BAGDE NAYANA PRADIP	P
13	BAKARE SARTH SATISH	P
14	BANKAR SHUBHAM SANJAY	P
15	BARANGE UNNATI NARAYAN	P
16	BAVADHANKAR SIDDHESHWAR MADHUKAR	P
17	BAWASKAR ANJALI S	P
18	BHALERAO SAMRUDDHI DEEPAK	P
19	BHANDARI YASH SANJAYKUMAR	P
20	BHINGARE SHWETALI MARUTI	P
21	BIRARI HINGAURI GOPAL	P
22	BYADAGI SIDDHARUDH SADASHIV	P
23	CHANDNANI SAKSHI ASHOK	P
24	CHAPLE SHREYASH GUNWANT	P
25	CHAUDHARI SOURABH KRISHNA	P
26	CHHAJED AISHWARYA MAHENDRA	P
27	DAMKE SHRUNKHALA RAMESH	P
28	DANADE JANHAVI NARENDRA	P
29	DANGAT KUNAL DILIP	P
30	DARADE SIDDHI NITIN	P
31	DEEPALI CHHAJER	P
32	DESHPANDE SWARUP RAVINDRA	P
33	DHAKE URVI SACHIN	P
34	DHARMVIR	P
35	DHOOT SHRADHA SHYAM	P
36	GADKARI KAUSTUBH UDAY	P
37	GAWARI AKANKSHA SAMBHAJI	P
38	GUPTA ABHAY CHANDRASHEKAR	P
39	HASE DIPTI TUKARAM	P
40	JADHAV NEHA BHAGWAN	P
41	JAIN POOJA HUKUMCHAND	P
42	KALBHOR RUTUJA TULSHIRAM	P
43	KAMBLE AISHWARYA	P

Dr. D Y Patil Prathisthan's

Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune



Dr. Mihir Valchunja



Dr D Y PatilPrathisthan's
PADMASHREE DR. D Y PATIL COLLEGE OF ARCHITECTURE
Sector No. 29, B/h. Akurdi Railway Station, NigdiPradhikaran, Akurdi, Pune - 411044

	CHANDRAKANT	
44	KAMBLE SUPRIYA UTTAM	P
45	KANADE NIBHA RAJESH	P
46	KANITKAR RUTWIJ DURGAPRASAD	P
47	KOLHE BHAGYASHRI DHANAJI	P
48	KULKARNI ANIKET SUBHASH	P
49	LADDHA MOHNISH RUPESH	P
50	LANDGE PRIYANKA RAJU	P
51	LODHI NAYAN CHANDRAKANT	P
52	LOKHANDE SUSHANT VISHWAS	P
53	MADHUR AGRAWAL	P
54	MALUSARE SHARVARI NAMDEO	P
55	MANAV AGARWAL	P
56	MANE ROHAN APPASAHEB	P
57	MEHER ADVAIT AVINASH	P
58	MEHTA ATHARV ASHISH	P
59	MURKATE SANKET SIDDESHWAR	P
60	MUTHA RUCHIRA ABHAY	P
61	N MANISH KUMAR SUDAM	P
62	NAMRATA MANDAL	P
63	NAVALE NIKHIL ANNASAHEB	P
64	NIKAM PRIYANKA NARAYAN	P
65	OMKAR GIRISH TIWASKAR	P
66	PALVE SWAPNIL SANTOSH	P
67	PARATANE GAYATRI MADHAV	P
68	PARDESHI PRATIKSHA GANESH	P
69	PARDESHI SHIVANI VINOD	P
70	PASTAY VAISHNAVI PRADEEP	P
71	PATHAK VISHAKHA NARAYAN	P
72	PATHAN MAHEWISH FARID	P
73	PATIL AMEYA ANIL	P
74	PATIL RAGINI BALASAHEB	P
75	PATIL SHAMBHAVI VIJAYKUMAR	P
76	PATIL VAISHNAVI TUSHAR	P
77	PATNI RINKESH NILESHAKUMAR	P
78	PAWAR KSHITIJA BABURAO	P
79	PAWAR PRAJWAL SANJAY	P
80	PAWAR RUTUJA RAVINDRA	P
81	PHAKATKAR KSHITIJA ARVIND	P
82	PHALAK MUGDHA VINAY	P
83	PRADYUMNA DALAL	P
84	PRIYA RATHI	P
85	RATHOD NEHA SURYAKANT	P
86	RIYA AGRAWAL	P
87	SALONI BHALLA	P

Ar. Nitin Valabanga

Dr. D Y Patil Prathisthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune






Tree Plantation at Ravet along with staff and students


Dr. Milind Vabhanya.



Dr. D Y Patil Prathisthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune





FINDING OF DVV

5	Action taken reports and achievement report as clear and Green campus initiatives
----------	---



Dr D Y Patil Prathisthan's
**PADMASHREE DR. D Y PATIL COLLEGE OF
ARCHITECTURE**

Sector No. 29, B/h. Akurdi Railway Station, Nigdi Pradhikaran, Akurdi, Pune - 411044

**ACTION TAKEN REPORT
2020- 2021**



Dr. D Y Patil Prathisthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune

As per the report of the auditing agency, the following actions are taken:

- LED lights are used in place of CFLs,
- staff, and students are strictly instructed to disconnect and switch off electrical appliances when not in use or after usage.
- The appliances also undergo routine maintenance to increase their efficiency.
- Regular periodic water quality assessments are performed,
- Measures are taken to strengthen current water management procedures.

ACHIEVEMENTS :

- The **Green Protocol** is carefully followed.
- **Tree Plantation** Initiative every year



Ar. Dhananjay Chaudhari

PRINCIPAL



Dr. D Y Patil Pratishthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune

Dr D Y Patil Prathisthan's
**PADMASHREE DR. D Y PATIL COLLEGE OF
ARCHITECTURE**

Sector No. 29, B/h. Akurdi Railway Station, Nigdi Pradhikaran, Akurdi, Pune - 411044

**ACTION TAKEN REPORT
2021- 2022**



Dr. D Y Patil Prathisthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune

As per the report of the auditing agency, the following actions are taken:

- LED lights are used in place of CFLs,
- staff, and students are strictly instructed to disconnect and switch off electrical appliances when not in use or after usage.
- The appliances also undergo routine maintenance to increase their efficiency.
- Pedestrian free Campus.
- Maintenance of water bodies and distribution system in the campus.
- Maintenance of Landscape in Campus
- Usage of daylight in corridors

ACHIEVEMENTS :

- **Shramadan** initiative by all the teaching, non-teaching and students.
- The campus is **Awarded as Green Campus** by PCMC.



Ar. Dhananjay Chaudhari

PRINCIPAL



Dr. D Y Patil Pradshthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune

Dr D Y Patil Prathisthan's
**PADMASHREE DR. D Y PATIL COLLEGE OF
ARCHITECTURE**

Sector No. 29, B/h. Akurdi Railway Station, Nigdi Pradhikaran, Akurdi, Pune - 411044

ACTION TAKEN REPORT

2022- 2023



Dr. D Y Patil Prathisthan's
Padmashree Dr. D Y Patil College of Architecture,
Akurdi Pune

As per the report of the auditing agency, the following actions are taken:

- Regular periodic water quality assessments are performed,
- measures are taken to strengthen current water management procedures,
- actions are taken to sanitize water coolers
- wastes produced in each department are quantified, and data is prepared for efficient waste management on campus.
- Solar sensitive lamps are installed in the campus.
- Students and staff are given strict instructions to follow green protocol.
- A new incinerator and vending machine has been installed to meet the increasing needs of waste management.
- Rainwater harvesting installed carefully.


ACHIEVEMENTS :

- **Earth Day** Initiative by Students and Teachers
- **World environment Day** Initiative by Students and Teachers
- **Environmental awareness** programs initiative by students and Teachers.
- Environment awareness became more acute in Staff and students
- Students enthusiastically engage in green projects and eco-friendly efforts through their design projects.



Ar. Dhananjay Chaudhari

PRINCIPAL



Dr. D.Y. Patil Prashanthan's
Padmashree Dr. D.Y. Patil College of Architecture,
Akurdi Pune